

# 2007

## Oak Ridge National Laboratory Annual Illness and Injury Surveillance Report



# Oak Ridge National Laboratory

## 2007 Illness and Injury Surveillance Report

Questions or comments about this report or the Illness and Injury Surveillance Program (IISP) may be directed to:

E-mail:

Dr. Cliff Strader at [cliff.strader@hq.doe.gov](mailto:cliff.strader@hq.doe.gov)  
or Dr. Bonnie Richter at [bonnie.richter@hq.doe.gov](mailto:bonnie.richter@hq.doe.gov)

or direct letters to:

Mail Stop HS-13 / 270CC  
U.S. Department of Energy  
1000 Independence Avenue, S.W.  
Washington, DC 20585-0270

Additional information about the Department of Energy's Office of Illness and Injury Prevention Programs, the IISP, and annual reports for DOE sites participating in this program can be found at:

<http://www.hss.energy.gov/healthsafety/WSHP/epi/surv/>



#### ACKNOWLEDGEMENT

LifeART images copyright 2000 Lippincott Williams & Wilkins. All rights reserved.

This document was produced under contract number DE-AC05-06OR23100 between the U.S. Department of Energy and Oak Ridge Associated Universities.

## **Oak Ridge National Laboratory 2007 Illness and Injury Surveillance Report**

### **At A Glance**

Oak Ridge National Laboratory (ORNL) reported 315 absences among 1,349 female workers in 2007, resulting in an absence rate of 23.4 per 100 workers (315/1,349). There were 469 absences among 3,125 male workers, resulting in an absence rate of 15 per 100 workers (469/3,125).

Women lost 6,332 calendar days and men lost 12,136 calendar days due to illness and injury in 2007. The absence rate was higher among women than men in 2007, although the average length of absence was 6 days shorter (20 days) than for men (26 days).

In the past 5 years of reporting, the absence rate for men declined between 2003 to 2006 but increased slightly in 2007. The 2007 absence rates among women decreased slightly from 2006. The absence rates among women have remained higher than that of men since 2003.

Respiratory diseases, musculoskeletal conditions, and injuries accounted for 44 percent of all diagnoses for women and 49 percent for men. These three diagnostic categories continue to be the most frequently reported diagnoses since 2002 for women and men. There were 5,804 lost calendar days due to musculoskeletal conditions (primarily back disorders), 4,527 lost calendar days due to injuries (primarily fractures and sprains and strains), and 1,202 lost calendar days due to respiratory conditions (primarily upper respiratory conditions).

The rates of disorders of the nervous and musculoskeletal systems and chronic respiratory disease have been fairly stable from 2003 to 2007, with rates for women being greater than rates for men.

Men in the Service job category had the highest absence rate in 2007. Among women, Security and Fire workers and Line Operators had the highest rates in 2007; however, there were only 3 workers in these job categories (2 and 1, respectively). If these occupational groups for women are excluded, Crafts workers had the highest absence rate in 2007.

Injury rates among women doubled between 2003 and 2005 but have declined since 2005. The injury rates for men declined from 2003 to 2006, followed by an increase in 2007 to a rate higher than that for women.

Thirteen sentinel health events for occupations (diseases likely to be occupationally related) were reported by 7 men and 6 women in 2007. Nine diagnoses were for carpal tunnel syndrome, reported by 5 men aged 50 or older and 4 women aged 40 or older.

## **Occupational Safety and Health Administration-Recordable Events**

The total number of OSHA-recordable events increased sharply between 2006 and 2007. The rate among women more than tripled and increased 75 percent among men. Most OSHA-recordable events occurred among workers 50 years old or older. Among women, the increase in OSHA-recordable events resulted from an increase in injuries, particularly sprains and strains, superficial injuries, and contusions. Men reported an increase in diagnoses for hearing loss; toxic effects, including insect bites and exposure to chemical substances; and effects from external causes, including possible beryllium exposure and an electrical shock.

Crafts workers had the highest rate of OSHA diagnoses among women (40 per 100 workers), and Security and Fire workers had the highest rate among men (19 per 100 workers). The next highest rates were among Service workers for both men and women (13 per 100 workers and 4 per 100 workers, respectively).

The most common type of accident that resulted in an OSHA-recordable event was the result of overexertion/strenuous movements among men and women.

**The Oak Ridge National Laboratory  
Work Force – 2007**

The Work Force by Gender and Age ..... 1

The Work Force by Gender and Job  
Category ..... 1

**Number and Length of Absences**

Absence Rate by Gender and Age ..... 2

Number of Days Absent by  
Gender and Age ..... 2

Absence Rate by Job Category  
and Gender ..... 3

Average Duration of Absence by  
Job Category and Gender ..... 3

**Diagnostic Categories**

Number of Diagnoses and Lost Calendar  
Days by Diagnostic Category  
(Categorized by ICD-9-CM) and Gender ..... 4

Common Diagnoses Among Female  
Workers in 2007 ..... 5

Common Diagnoses Among Male  
Workers in 2007 ..... 6

Number of Most Frequently Reported  
Diagnoses by Job Category and Gender ..... 7

**Rates of Disease Occurrence**

Rates for All Illnesses and Injuries  
Combined by Job Category, Gender,  
and Age ..... 8

Rates for Selected Diagnostic Categories  
by Job Category, Gender, and Age ..... 8

**Time Trends**

Age-Adjusted Rates for All Diagnoses  
Combined Among Women and Men  
from 2003 to 2007 ..... 10

Age-Adjusted Rates for Selected Diagnostic  
Categories Among Women and Men from  
2003 to 2007 ..... 11

Age-Adjusted Rates for All Diagnoses  
Combined Among Women and Men by  
Job Category from 2003 to 2007 ..... 12

**Sentinel Health Events for Occupations  
(SHEOs)**

Characteristics of SHEOs by Gender ..... 13

SHEO Diagnoses by Gender ..... 13

**Occupational Safety and Health  
Administration (OSHA)-Recordable Events**

OSHA-Recordable Events by Gender  
and Age ..... 14

OSHA-Recordable Events by Job  
Category and Gender ..... 14

**Diagnostic and Accident Categories for  
OSHA-Recordable Events**

OSHA-Recordable Diagnoses by  
Diagnostic Category and Gender ..... 15

OSHA-Recordable Accidents by Type  
and Gender ..... 16

**Rates of OSHA-Recordable Events**

OSHA-Recordable Rates by Age and  
Job Categories Among Women, All  
Diagnoses Combined ..... 17

OSHA-Recordable Rates by Age and  
Job Categories Among Men, All  
Diagnoses Combined ..... 17

**Time Trends for OSHA-Recordable Events**


Age-Adjusted Rates for All OSHA-Recordable  
Diagnoses Combined Among Women and  
Men by Job Category from 2003 to 2007 ... 18

**Appendices**

Appendices A-W ..... 20

**The Oak Ridge National Laboratory Work Force - 2007**

**Figure 1. The Work Force by Gender and Age**



**Figure 2. The Work Force by Gender and Job Category**

Job Category	Women	Men
Professional	619 46%	1,998 64%
Administrative Support	530 39%	239 8%
Technical Support	118 9%	291 9%
Service	64 4%	133 4%
Security and Fire	2 <1%	28 1%
Crafts	15 1%	371 12%
Line Operators	1 <1%	65 2%
<b>Total</b>	<b>1,349</b> <b>100%</b>	<b>3,125</b> <b>100%</b>



Number and Length of Absences

Figure 3. Absence Rate by Gender and Age






Figure 4. Number of Days Absent by Gender and Age

Gender	Age	Number of Absences	Number of Days Absent	
			Total	Average
Women	16-29	9	55	6
	30-39	41	405	10
	40-49	95	2,097	22
	50+	170	3,775	22
	<b>Total</b>	<b>315</b>	<b>6,332</b>	<b>20</b>
Men	16-29	20	209	10
	30-39	43	571	13
	40-49	139	3,162	23
	50+	267	8,194	31
	<b>Total</b>	<b>469</b>	<b>12,136</b>	<b>26</b>

**Figure 5. Absence Rate by Job Category and Gender**



**Figure 6. Average Duration of Absence by Job Category and Gender**






**Diagnostic Categories**

**Figure 7. Number of Diagnoses and Lost Calendar Days by Diagnostic Category (Categorized by ICD-9-CM) and Gender**

Diagnostic Category	Women		Men	
	Number of Diagnoses	Number of Lost Calendar Days	Number of Diagnoses	Number of Lost Calendar Days
Benign Growths	13	450	16	231
Blood	0	0	2	28
Cancer	9	396	23	669
Digestive	49	620	74	860
Endocrine/Metabolic	4	171	7	43
Existing Birth Condition	0	0	2	57
Genitourinary	43	888	11	146
Heart/Circulatory	10	170	46	1,301
Infections/Parasites	19	206	29	596
Injury	50	1,283	127	3,244
Miscarriage	1	20	NA	NA
Musculoskeletal	53	1,459	104	4,345
Nervous System	29	324	42	988
Psychological	14	373	12	401
Respiratory	82	603	82	599
Skin	4	53	9	125
Unspecified Symptoms	41	309	47	833


Note: Lost calendar days for each absence are counted more than once when multiple diagnoses occur in different diagnostic categories for the same absence.

**Figure 8. Common Diagnoses Among Female Workers in 2007**



■ Digestive, 49 Diagnoses	■ Musculoskeletal, 53 Diagnoses
■ Genitourinary, 43 Diagnoses	■ Respiratory, 82 Diagnoses
■ Injury, 50 Diagnoses	■ Unspecified Symptoms, 41 Diagnoses

**Figure 9. Common Diagnoses Among Male Workers in 2007**



**Figure 10. Number of Most Frequently Reported Diagnoses by Job Category and Gender**

<b>Job Category</b>	<b>Men</b>		<b>Women</b>	
Professional	<b>Injury</b>	<b>51</b>	<b>Respiratory</b>	<b>22</b>
	<b>Musculoskeletal</b>	<b>45</b>	<b>Musculoskeletal</b>	<b>13</b>
	<b>Respiratory</b>	<b>35</b>	<b>Injury</b>	<b>12</b>
Administrative Support			<b>Unspecified Symptoms</b>	<b>12</b>
	<b>Respiratory</b>	<b>9</b>	<b>Respiratory</b>	<b>44</b>
	<b>Digestive</b>	<b>3</b>	<b>Digestive</b>	<b>30</b>
Technical Support	<b>Musculoskeletal</b>	<b>3</b>	<b>Injury</b>	<b>30</b>
	<b>Injury</b>	<b>24</b>	<b>Respiratory</b>	<b>7</b>
	<b>Respiratory</b>	<b>16</b>	<b>Nervous System</b>	<b>5</b>
	<b>Digestive</b>	<b>13</b>	<b>Digestive</b>	<b>2</b>
			<b>Injury</b>	<b>2</b>
Service			<b>Musculoskeletal</b>	<b>2</b>
	<b>Musculoskeletal</b>	<b>15</b>	<b>Musculoskeletal</b>	<b>11</b>
	<b>Digestive</b>	<b>9</b>	<b>Respiratory</b>	<b>7</b>
	<b>Respiratory</b>	<b>9</b>	<b>Digestive</b>	<b>4</b>
			<b>Genitourinary</b>	<b>4</b>
Security and Fire			<b>Injury</b>	<b>4</b>
	<b>Digestive</b>	<b>3</b>	<b>Cancer</b>	<b>2</b>
	<b>Injury</b>	<b>3</b>	<b>Injury</b>	<b>1</b>
	<b>Endocrine/Metabolic</b>	<b>1</b>	<b>Nervous System</b>	<b>1</b>
	<b>Infections/Parasites</b>	<b>1</b>	<b>Skin</b>	<b>1</b>
Crafts	<b>Musculoskeletal</b>	<b>1</b>		
	<b>Injury</b>	<b>39</b>	<b>Digestive</b>	<b>3</b>
	<b>Musculoskeletal</b>	<b>26</b>	<b>Genitourinary</b>	<b>2</b>
	<b>Nervous System</b>	<b>19</b>	<b>Musculoskeletal</b>	<b>2</b>
Line Operators			<b>Respiratory</b>	<b>2</b>
	<b>Injury</b>	<b>3</b>		
	<b>Musculoskeletal</b>	<b>2</b>	<b>Genitourinary</b>	<b>1</b>
	<b>Respiratory</b>	<b>2</b>		
		<b>Unspecified Symptoms</b>	<b>2</b>	

Rates of Disease Occurrence

Figure 11. Rates for All Illnesses and Injuries Combined by Job Category, Gender, and Age





All Illnesses & Injuries Combined	Rate per 1,000			
	Job Category	Age	Men	Women
	Professional	<50	116	160
		50+	154	179
	Administrative Support	<50	57	419
		50+	163	443
	Technical Support	<50	284	93
		50+	479	372
	Service	<50	471	839
		50+	563	606
	Security and Fire	<50	296	0
		50+	1,000	5,000
	Crafts	<50	322	429
		50+	450	1,250
	Line Operators	<50	93	1,000
		50+	409	0

Figure 12. Rates for Selected Diagnostic Categories by Job Category, Gender, and Age


Cancer	Rate per 1,000			
	Job Category	Age	Men	Women
	Professional	<50	7	0
		50+	5	8
	Administrative Support	<50	0	4
		50+	13	3
	Technical Support	<50	0	0
		50+	43	23
	Service	<50	0	0
		50+	21	61
	Security and Fire	<50	0	0
		50+	0	2,000
	Crafts	<50	0	0
		50+	23	0
	Line Operators	<50	0	0
		50+	0	0

**Figure 12. Rates for Selected Diagnostic Categories by Job Category, Gender, and Age (Continued)**

Heart/Circulatory	Rate per 1,000			
	Job Category	Age	Men	Women
	Professional	<50	10	3
		50+	16	8
	Administrative Support	<50	0	4
		50+	0	10
	Technical Support	<50	5	0
		50+	53	0
	Service	<50	24	32
		50+	63	61
	Security and Fire	<50	0	0
		50+	0	0
	Crafts	<50	13	0
		50+	27	0
	Line Operators	<50	0	0
		50+	45	0


Respiratory	Rate per 1,000			
	Job Category	Age	Men	Women
	Professional	<50	13	31
		50+	21	42
	Administrative Support	<50	31	98
		50+	50	71
	Technical Support	<50	36	40
		50+	96	93
	Service	<50	47	161
		50+	104	61
	Security and Fire	<50	0	0
		50+	0	0
	Crafts	<50	47	143
		50+	18	125
	Line Operators	<50	0	0
		50+	91	0

**Figure 12. Rates for Selected Diagnostic Categories by Job Category, Gender, and Age (Continued)**

Injury	Rate per 1,000			
	Job Category	Age	Men	Women
	Professional	<50	18	20
		50+	32	19
	Administrative Support	<50	0	34
		50+	13	74
	Technical Support	<50	76	13
		50+	96	23
	Service	<50	59	65
		50+	21	61
	Security and Fire	<50	111	0
		50+	0	1,000
	Crafts	<50	148	0
		50+	77	125
Line Operators	<50	23	0	
	50+	91	0	

**Time Trends**


**Figure 13. Age-Adjusted Rates for All Diagnoses Combined Among Women and Men from 2003 to 2007\***



\* Standardized to age distribution of 2000 U.S. population.




**Figure 14. Age-Adjusted Rates for Selected Diagnostic Categories Among Women and Men from 2003 to 2007\***



\* Standardized to age distribution of 2000 U.S. population.

**Figure 15. Age-Adjusted Rates for All Diagnoses Combined Among Women and Men by Job Category from 2003 to 2007\***



\* Standardized to age distribution of 2000 U.S. population.

## Sentinel Health Events for Occupations (SHEOs)

An occupational sentinel health event (SHEO) is a disease, disability, or death that is likely to be occupationally related. Although sentinel health events may indicate an occupational exposure, many may result from nonoccupational exposures. Sentinel health events are therefore assessed in two categories:

*Definite Sentinel Health Events:* Diseases that are unlikely to occur in the absence of an occupational exposure (e.g., asbestosis).

*Possible Sentinel Health Events:* Diseases that may be occupational but can also occur in the absence of an occupational exposure (e.g., lung cancer or carpal tunnel syndrome).

**Figure 16. Characteristics of SHEOs by Gender**

	Total Number of SHEO Diagnoses		Total Number of Days Absent	
	Men	Women	Men	Women
<b>Definite</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>224</b>
<b>Possible</b>	<b>7</b>	<b>4</b>	<b>287</b>	<b>76</b>
<b>Total</b>	<b>7</b>	<b>6</b>	<b>287</b>	<b>300</b>

**Figure 17. SHEO Diagnoses by Gender**

Diagnoses	Gender	
	Women	Men
<b>Carpal Tunnel Syndrome</b>	<b>4</b>	<b>5</b>
<b>Pneumonconiosis (Berylliosis)</b>	<b>0</b>	<b>0</b>
<b>Musculoskeletal Conditions</b>	<b>0</b>	<b>0</b>
<b>Injuries</b>	<b>1</b>	<b>0</b>
<b>Other Conditions</b>	<b>1</b>	<b>2</b>

Occupational Safety and Health Administration (OSHA)-Recordable Events

Figure 18. OSHA-Recordable Events by Gender and Age





Figure 19. OSHA-Recordable Events by Job Category and Gender



## Diagnostic and Accident Categories for OSHA-Recordable Events

**Figure 20. OSHA-Recordable Diagnoses by Diagnostic Category and Gender**


Diagnostic Category	Gender	
	Women	Men
Musculoskeletal	6	29
Nervous System	3	16
Respiratory	0	2
Unspecified Symptoms	0	4
Injury	28	58
Fractures – Neck, Trunk	0	1
Fractures – Upper Limb	0	2
Fractures – Lower Limb	2	1
Dislocations	0	1
Back Sprains & Strains	2	9
Other Sprains & Strains	5	4
Open Wounds – Head, Neck, Trunk	1	3
Open Wounds – Upper Limb	3	9
Open Wounds – Lower Limb	0	1
Superficial Injuries	6	6
Bruises	5	2
Foreign Bodies Entering Orifice	0	4
Burns	1	2
Unspecified Injuries	3	4
Adverse Reactions to Non-Medical Substances	0	6
Adverse Reactions to External Causes	0	3

**Figure 21. OSHA-Recordable Accidents by Type and Gender**


Accident Category	Gender	
	Women	Men
	Number of Accidents	Number of Accidents
Motor Vehicle Traffic	1	1
Poisoning – Non-Medicinal	0	3
Falls	4	8
Natural/Environmental Factors	2	7
Submersion/Suffocation/Foreign Bodies	0	4
Other Accidents	13	42
Struck by an Object	0	1
Caught Between Objects	1	3
Cutting/Piercing Instrument/Object	3	9
Hot, Corrosive, or Caustic Material/Steam	1	2
Electric Current	0	1
Visible/UV Light	0	1
Overexertion/Strenuous Movements	8	20
Repetitive Trauma	0	5
Total	20	65

Rates of OSHA-Recordable Events

**Figure 22. OSHA-Recordable Rates by Age and Job Categories Among Women, All Diagnoses Combined**




**Figure 23. OSHA-Recordable Rates by Age and Job Categories Among Men, All Diagnoses Combined**





Time Trends for OSHA-Recordable Events

Figure 24. Age-Adjusted Rates for All OSHA-Recordable Diagnoses Combined Among Women and Men by Job Category from 2003 to 2007\*



\* Standardized to age distribution of 2000 U.S. population.

## **Appendices**

**Oak Ridge National Laboratory 2007**  
Absence Data

**Appendix A. Work Force by Gender, Age, and Job Category**

Job Category	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Professional	40	89	227	263	619	62	260	582	1,094	1,998	2,617
Administrative Support	20	72	142	296	530	19	67	73	80	239	769
Technical Support	7	22	46	43	118	27	63	107	94	291	409
Service	2	7	22	33	64	20	20	45	48	133	197
Security and Fire	0	1	0	1	2	3	14	10	1	28	30
Crafts	0	2	5	8	15	15	41	93	222	371	386
Line Operators	0	0	1	0	1	4	16	23	22	65	66
<b>TOTAL</b>	69	193	443	644	1,349	150	481	933	1,561	3,125	4,474

**Appendix B. Age Distribution of the Work Force by Gender**

Year	Women				Men			
	Percent Distribution by Age Group				Percent Distribution by Age Group			
	16 - 29	30 - 39	40 - 49	50 +	16 - 29	30 - 39	40 - 49	50 +
1999	3.31	24.96	44.75	26.98	2.72	18.64	42.04	36.60
2000	3.34	22.32	44.37	29.97	2.57	17.20	40.03	40.20
2001	3.49	19.15	43.57	33.80	1.70	15.81	39.34	43.15
2002	2.16	19.68	44.02	34.14	1.82	15.47	38.48	44.23
2003	2.05	17.95	40.90	39.10	2.33	14.95	35.36	47.36
2004	2.89	16.85	39.88	40.38	2.55	14.57	35.71	47.16
2005	4.01	14.97	38.19	42.82	3.48	14.40	33.13	48.99
2006	3.69	14.82	35.14	46.35	4.39	14.96	31.32	49.33
2007	5.11	14.31	32.84	47.74	4.80	15.39	29.86	49.95

**Oak Ridge National Laboratory 2007**  
Absence Data

**Appendix C. Total Number of Workers Who Reported at Least One Absence by Gender, Age, and Job Category\***

Job Category	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Professional	4	10	24	32	70	5	16	43	103	167	237
Administrative Support	4	17	31	77	129	1	2	4	7	14	143
Technical Support	1	2	4	9	16	3	5	25	27	60	76
Service	0	2	10	13	25	5	4	13	14	36	61
Security and Fire	0	0	0	1	1	1	2	3	1	7	8
Crafts	0	2	1	5	8	2	5	21	61	89	97
Line Operators	0	0	1	0	1	0	2	1	5	8	9
<b>TOTAL</b>	9	33	71	137	250	17	36	110	218	381	631

\*Only those job categories and gender/age combinations with at least one absence appear in this table.

**Appendix D. Total Number of Absences by Gender, Age, and Job Category\***

Job Category	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Professional	4	10	27	37	78	6	18	53	120	197	275
Administrative Support	4	24	44	96	168	1	2	4	9	16	184
Technical Support	1	2	4	12	19	3	7	33	35	78	97
Service	0	3	18	16	37	7	7	19	22	55	92
Security and Fire	0	0	0	3	3	1	2	3	1	7	10
Crafts	0	2	1	6	9	2	5	26	75	108	117
Line Operators	0	0	1	0	1	0	2	1	5	8	9
<b>TOTAL</b>	9	41	95	170	315	20	43	139	267	469	784

\*Only those job categories and gender/age combinations with at least one absence appear in this table.

**Oak Ridge National Laboratory 2007**  
Absence Data

**Appendix E. Distribution of the Number of Calendar Days Missed per Absence by Gender and Age\***

Number of Calendar Days	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
< 15	8	34	46	98	186	16	31	83	145	275	461
15 - 28	1	4	23	36	64	3	7	27	37	74	138
29 - 42	0	2	9	10	21	0	2	5	21	28	49
43 - 56	0	1	11	13	25	0	1	3	17	21	46
57 - 91	0	0	5	5	10	1	2	14	24	41	51
92 - 182	0	0	1	8	9	0	0	7	21	28	37
183 +	0	0	0	0	0	0	0	0	2	2	2
<b>TOTAL</b>	9	41	95	170	315	20	43	139	267	469	784

\*Only those gender/age combinations with at least one absence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix F. Distribution of the Number of Calendar Days Missed per Absence by Gender and Job Category\*

#### Women

Number of Calendar Days	Job Category							TOTAL
	Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	Line Operators	
< 15	56	99	15	10	2	4	0	186
15 - 28	14	38	2	7	1	2	0	64
29 - 42	2	11	2	6	0	0	0	21
43 - 56	4	12	0	6	0	2	1	25
57 - 91	1	5	0	4	0	0	0	10
92 - 182	1	3	0	4	0	1	0	9
183 +	0	0	0	0	0	0	0	0
<b>TOTAL</b>	78	168	19	37	3	9	1	315

#### Men

Number of Calendar Days	Job Category							TOTAL
	Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	Line Operators	
< 15	128	15	53	31	5	39	4	275
15 - 28	33	1	9	7	1	20	3	74
29 - 42	9	0	7	4	0	8	0	28
43 - 56	8	0	3	4	0	6	0	21
57 - 91	15	0	4	6	0	15	1	41
92 - 182	4	0	2	2	1	19	0	28
183 +	0	0	0	1	0	1	0	2
<b>TOTAL</b>	197	16	78	55	7	108	8	469

\*Only those gender/job category combinations with at least one absence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

		Women				
		Age Group				TOTAL
		16 - 29	30 - 39	40 - 49	50 +	
Diagnostic Category	ICD-9-CM Code					
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	2	2	7	8	19
-Intestinal Infectious Dis	001-009	0	0	0	2	2
-Other Bacterial Dis	030-041	1	0	0	2	3
-Viral Dis with Exanthem	050-057	1	0	3	1	5
-Other Viral Dis & Chlamydiae	070-079	0	2	4	3	9
-Mycoses	110-118	0	0	0	0	0
-Other Infections & Parasitic Dis	130-136	0	0	0	0	0
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	0	1	0	8	9
-Lip, Oral Cavity, Pharynx	140-149	0	0	0	0	0
-Digestive & Peritoneal	150-159	0	0	0	1	1
-Respiratory & Intrathoracic	160-165	0	0	0	0	0
-Bone, Connective Tissue, Skin	170-173, 176	0	0	0	5	5
-Breast	174-175	0	1	0	0	1
-Genitourinary	179-189	0	0	0	1	1
-Other & Unspecified Sites	190, 193-199	0	0	0	0	0
-Lymphatic & Hematopoietic	200-208	0	0	0	0	0
-Carcinoma in situ	230-234	0	0	0	1	1
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	0	1	6	6	13
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	0	1	0	3	4
-Thyroid Gland Disorders	240-246	0	0	0	1	1
-Other Endocrine Gland Dis	250-259	0	0	0	1	1
-Other Metabolic & Immunity Disorders	270-279	0	1	0	1	2
<b>BLOOD &amp; BLOOD-FORMING ORGANS</b>	<b>280-289</b>	0	0	0	0	0
<b>MENTAL DISORDERS</b>	<b>290-319</b>	0	1	9	4	14
-Non-Psychotic Disorders	300-302, 306-316	0	1	9	4	14
-Drug Dependence	304-305	0	0	0	0	0
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	0	3	7	19	29
-Hereditary/Degenerative Central NS Dis	330-337	0	0	0	2	2
-Other Disorders of Central NS	340-349	0	1	1	3	5
-Disorders of Peripheral NS	350-359	0	0	3	5	8
-Disorders of Eye	360-379	0	0	3	4	7
-Dis of Ear & Mastoid	380-389	0	2	0	5	7
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	0	1	2	7	10
-Hypertensive Dis	401-405	0	1	1	4	6
-Ischemic Heart Dis	410-414	0	0	0	1	1
-Other Heart Dis	420-429	0	0	0	1	1
-Cerebrovascular Dis	430-438	0	0	0	0	0

(Continued)

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.



# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

		Men					TOTAL
		Age Group				TOTAL	
		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category	ICD-9-CM Code						
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	3	5	11	10	29	48
-Intestinal Infectious Dis	001-009	0	0	0	2	2	4
-Other Bacterial Dis	030-041	2	4	7	5	18	21
-Viral Dis with Exanthem	050-057	0	0	0	1	1	6
-Other Viral Dis & Chlamydiae	070-079	1	1	3	1	6	15
-Mycoses	110-118	0	0	1	0	1	1
-Other Infections & Parasitic Dis	130-136	0	0	0	1	1	1
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	0	4	2	17	23	32
-Lip, Oral Cavity, Pharynx	140-149	0	0	0	1	1	1
-Digestive & Peritoneal	150-159	0	0	0	1	1	2
-Respiratory & Intrathoracic	160-165	0	0	0	1	1	1
-Bone, Connective Tissue, Skin	170-173, 176	0	0	0	3	3	8
-Breast	174-175	0	0	0	0	0	1
-Genitourinary	179-189	0	0	0	7	7	8
-Other & Unspecified Sites	190, 193-199	0	4	0	3	7	7
-Lymphatic & Hematopoietic	200-208	0	0	2	1	3	3
-Carcinoma in situ	230-234	0	0	0	0	0	1
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	1	2	4	9	16	29
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	0	1	2	4	7	11
-Thyroid Gland Disorders	240-246	0	0	1	0	1	2
-Other Endocrine Gland Dis	250-259	0	0	1	0	1	2
-Other Metabolic & Immunity Disorders	270-279	0	1	0	4	5	7
<b>BLOOD &amp; BLOOD-FORMING ORGANS</b>	<b>280-289</b>	0	0	0	2	2	2
<b>MENTAL DISORDERS</b>	<b>290-319</b>	0	3	4	5	12	26
-Non-Psychotic Disorders	300-302, 306-316	0	2	4	5	11	25
-Drug Dependence	304-305	0	1	0	0	1	1
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	3	2	8	29	42	71
-Hereditary/Degenerative Central NS Dis	330-337	0	0	0	1	1	3
-Other Disorders of Central NS	340-349	0	0	4	1	5	10
-Disorders of Peripheral NS	350-359	0	0	2	6	8	16
-Disorders of Eye	360-379	1	1	1	15	18	25
-Dis of Ear & Mastoid	380-389	2	1	1	5	9	16
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	0	2	12	32	46	56
-Hypertensive Dis	401-405	0	0	2	2	4	10
-Ischemic Heart Dis	410-414	0	1	1	16	18	19
-Other Heart Dis	420-429	0	1	1	5	7	8
-Cerebrovascular Dis	430-438	0	0	0	3	3	3

(Continued)

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

		Women				
		Age Group				TOTAL
		16 - 29	30 - 39	40 - 49	50 +	
Diagnostic Category	ICD-9-CM Code					
-Dis of Arteries & Capillaries	440-448	0	0	1	0	1
-Dis of Veins, Lymphatics, Other	451-459	0	0	0	1	1
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	2	22	19	39	82
-Acute Respiratory Infections	460-466	0	6	3	14	23
-Other Dis Upper Respiratory Tract	470-478	0	9	6	9	24
-Pneumonia & Influenza	480-487	2	2	5	5	14
-Chronic Obstructive Dis	490-496	0	5	4	10	19
-Other Respiratory Dis	510-519	0	0	1	1	2
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	3	6	11	29	49
-Oral Cavity, Saliva Glands, Jaw	520-529	0	0	2	2	4
-Esophagus, Stomach, Duodenum	530-537	0	0	1	3	4
-Appendicitis	540-543	0	0	0	1	1
-Hernia	550-553	0	0	1	3	4
-Enteritis, Colitis	555-558	3	1	1	7	12
-Other Intestinal Dis	560-569	0	3	4	7	14
-Other Digestive Dis	570-579	0	2	2	6	10
<b>GENTOURINARY SYSTEM</b>	<b>580-629</b>	0	8	20	15	43
-Nephritis, Nephrosis	580-589	0	0	0	1	1
-Other Urinary Dis	590-599	0	0	1	3	4
-Male Genital Organ Dis	600-608	0	0	0	0	0
-Breast Disorders	610-611	0	0	0	1	1
-Pelvic Inflammatory Dis	614-616	0	1	2	0	3
-Other Female Disorders	617-629	0	7	17	10	34
<b>PREGNANCY &amp; CHILDBIRTH</b>	<b>630-677</b>	0	1	0	0	1
-Pregnancy with Abortive Outcome	634-639	0	1	0	0	1
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	0	0	2	2	4
-Infections	680-686	0	0	0	0	0
-Other Inflammatory Conditions	690-698	0	0	1	1	2
-Other	700-709	0	0	1	1	2
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	1	3	15	34	53
-Arthropathies	710-719	0	0	3	5	8
-Dorsopathies	720-724	1	3	2	16	22
-Rheumatism, Excluding Back	725-729	0	0	9	9	18
-Other Dis & Acquired Deformities	730-739	0	0	1	4	5
<b>CONGENITAL ANOMALIES</b>	<b>740-759</b>	0	0	0	0	0

(Continued)

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

		Men					TOTAL
		Age Group				TOTAL	
		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category	ICD-9-CM Code						
-Dis of Arteries & Capillaries	440-448	0	0	0	2	2	3
-Dis of Veins, Lymphatics, Other	451-459	0	0	8	4	12	13
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	4	13	18	47	82	164
-Acute Respiratory Infections	460-466	1	3	3	13	20	43
-Other Dis Upper Respiratory Tract	470-478	3	6	5	17	31	55
-Pneumonia & Influenza	480-487	0	3	7	4	14	28
-Chronic Obstructive Dis	490-496	0	1	3	12	16	35
-Other Respiratory Dis	510-519	0	0	0	1	1	3
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	6	6	26	36	74	123
-Oral Cavity, Saliva Glands, Jaw	520-529	0	1	1	2	4	8
-Esophagus, Stomach, Duodenum	530-537	1	0	4	4	9	13
-Appendicitis	540-543	0	1	0	2	3	4
-Hernia	550-553	0	0	4	6	10	14
-Enteritis, Colitis	555-558	3	1	8	10	22	34
-Other Intestinal Dis	560-569	2	2	2	7	13	27
-Other Digestive Dis	570-579	0	1	7	5	13	23
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	0	2	1	8	11	54
-Nephritis, Nephrosis	580-589	0	0	0	0	0	1
-Other Urinary Dis	590-599	0	2	1	3	6	10
-Male Genital Organ Dis	600-608	0	0	0	5	5	5
-Breast Disorders	610-611	0	0	0	0	0	1
-Pelvic Inflammatory Dis	614-616	0	0	0	0	0	3
-Other Female Disorders	617-629	0	0	0	0	0	34
<b>PREGNANCY &amp; CHILDBIRTH</b>	<b>630-677</b>	0	0	0	0	0	1
-Pregnancy with Abortive Outcome	634-639	0	0	0	0	0	1
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	0	1	5	3	9	13
-Infections	680-686	0	1	2	1	4	4
-Other Inflammatory Conditions	690-698	0	0	1	2	3	5
-Other	700-709	0	0	2	0	2	4
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	4	2	35	63	104	157
-Arthropathies	710-719	0	0	7	14	21	29
-Dorsopathies	720-724	4	1	15	34	54	76
-Rheumatism, Excluding Back	725-729	0	1	10	14	25	43
-Other Dis & Acquired Deformities	730-739	0	0	3	1	4	9
<b>CONGENITAL ANOMALIES</b>	<b>740-759</b>	0	0	0	2	2	2

(Continued)

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

		Women				
		Age Group				TOTAL
		16 - 29	30 - 39	40 - 49	50 +	
Diagnostic Category	ICD-9-CM Code					
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	0	6	12	23	41
-Symptoms	780-789	0	6	11	23	40
-Non-Specific Abnormal Findings	790-796	0	0	1	0	1
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	1	3	14	32	50
-Fracture - Skull	800-804	0	0	0	0	0
-Fracture - Neck, Trunk	805-809	0	1	1	1	3
-Fracture - Upper Limb	810-819	0	0	2	2	4
-Fracture - Lower Limb	820-829	0	0	4	6	10
-Dislocation	830-839	0	0	6	5	11
-Sprains & Strains - Back	846-847	0	2	0	6	8
-Sprains & Strains - Other	840-845, 848	1	0	1	5	7
-Intracranial Injury	850-854	0	0	0	0	0
-Internal Injury - Thorax, Abdomen, Pelvis	860-869	0	0	0	0	0
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0	0
-Open Wound - Upper Limb	880-887	0	0	0	0	0
-Open Wound - Lower Limb	890-897	0	0	0	0	0
-Injury to Blood Vessels	900-904	0	0	0	0	0
-Late Effects of Accident	905-909	0	0	0	1	1
-Superficial Injury	910-919	0	0	0	0	0
-Contusion	920-924	0	0	0	2	2
-Complications & Unspecified Injuries	958-959	0	0	0	0	0
-Unspecified Effects - External Causes	990-995	0	0	0	2	2
-Complications of Surgical/Medical Care	996-999	0	0	0	2	2
<b>HEALTH STATUS/HEALTH SERVICE CONTACT</b>	<b>V01-V82</b>	0	2	1	2	5
-Isolation & Prophylactic Measures	V07-V09	0	0	0	0	0
-Personal & Family History	V10-V19	0	1	0	1	2
-Health Services Reproduction/Development	V20-V29	0	0	0	0	0
-Health Status	V40-V49	0	1	0	1	2
-Specific Procedures/Aftercare	V50-V59	0	0	1	0	1
-Examination & Investigation	V70-V82	0	0	0	0	0

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

		Men					TOTAL
		Age Group				TOTAL	
		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category	ICD-9-CM Code						
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	3	2	11	31	47	88
-Symptoms	780-789	3	2	11	25	41	81
-Non-Specific Abnormal Findings	790-796	0	0	0	6	6	7
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	5	8	49	65	127	177
-Fracture - Skull	800-804	0	0	0	2	2	2
-Fracture - Neck, Trunk	805-809	0	0	0	2	2	5
-Fracture - Upper Limb	810-819	0	0	5	5	10	14
-Fracture - Lower Limb	820-829	1	0	6	1	8	18
-Dislocation	830-839	0	0	8	16	24	35
-Sprains & Strains - Back	846-847	0	1	4	7	12	20
-Sprains & Strains - Other	840-845, 848	3	2	7	15	27	34
-Intracranial Injury	850-854	0	1	1	0	2	2
-Internal Injury - Thorax, Abdomen, Pelvis	860-869	0	0	2	2	4	4
-Open Wound - Head, Neck, Trunk	870-879	0	0	2	3	5	5
-Open Wound - Upper Limb	880-887	0	1	0	2	3	3
-Open Wound - Lower Limb	890-897	0	0	4	1	5	5
-Injury to Blood Vessels	900-904	0	0	2	0	2	2
-Late Effects of Accident	905-909	0	0	1	0	1	2
-Superficial Injury	910-919	0	0	0	2	2	2
-Contusion	920-924	0	1	2	2	5	7
-Complications & Unspecified Injuries	958-959	0	1	0	1	2	2
-Unspecified Effects - External Causes	990-995	1	0	0	1	2	4
-Complications of Surgical/Medical Care	996-999	0	1	5	3	9	11
<b>HEALTH STATUS/HEALTH SERVICE CONTACT</b>	<b>V01-V82</b>	1	1	3	8	13	18
-Isolation & Prophylactic Measures	V07-V09	0	0	2	0	2	2
-Personal & Family History	V10-V19	0	0	0	2	2	4
-Health Services Reproduction/Development	V20-V29	1	1	1	0	3	3
-Health Status	V40-V49	0	0	0	0	0	2
-Specific Procedures/Aftercare	V50-V59	0	0	0	3	3	4
-Examination & Investigation	V70-V82	0	0	0	3	3	3

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
<b>Diagnostic Category</b>											
<b>TOTAL</b>	9	61	125	231	426	30	54	191	371	646	1,072

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix H. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Age\*

		Women				
		Age Group				TOTAL
		16 - 29	30 - 39	40 - 49	50 +	
Diagnostic Category	ICD-9-CM Code					
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	15	5	128	58	206
MALIGNANT NEOPLASMS	140-208, 230-234	0	19	0	377	396
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	0	42	221	187	450
ENDOCRINE/METABOLIC/IMMUNITY	240-279	0	11	0	160	171
BLOOD & BLOOD-FORMING ORGANS	280-289	0	0	0	0	0
MENTAL DISORDERS	290-319	0	7	214	152	373
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	0	25	122	177	324
CIRCULATORY SYSTEM	390-459	0	3	28	139	170
RESPIRATORY SYSTEM	460-519	10	113	210	270	603
DIGESTIVE SYSTEM	520-579	12	97	168	343	620
GENITOURINARY SYSTEM	580-629	0	78	458	352	888
PREGNANCY & CHILDBIRTH	630-677	0	20	0	0	20
SKIN & SUBCUTANEOUS TISSUE	680-709	0	0	7	46	53
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	17	27	471	944	1,459
CONGENITAL ANOMALIES	740-759	0	0	0	0	0
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	0	29	41	239	309
INJURY & POISONING	800-999	1	19	352	911	1,283

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.



# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix H. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Age\*

		Men					TOTAL
		Age Group				TOTAL	
		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category	ICD-9-CM Code						
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	9	20	351	216	596	802
MALIGNANT NEOPLASMS	140-208, 230-234	0	64	22	583	669	1,065
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	23	8	90	110	231	681
ENDOCRINE/METABOLIC/IMMUNITY	240-279	0	2	13	28	43	214
BLOOD & BLOOD-FORMING ORGANS	280-289	0	0	0	28	28	28
MENTAL DISORDERS	290-319	0	71	165	165	401	774
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	14	11	209	754	988	1,312
CIRCULATORY SYSTEM	390-459	0	96	145	1,060	1,301	1,471
RESPIRATORY SYSTEM	460-519	18	106	189	286	599	1,202
DIGESTIVE SYSTEM	520-579	30	90	257	483	860	1,480
GENITOURINARY SYSTEM	580-629	0	3	17	126	146	1,034
PREGNANCY & CHILDBIRTH	630-677	0	0	0	0	0	20
SKIN & SUBCUTANEOUS TISSUE	680-709	0	13	59	53	125	178
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	36	31	1,171	3,107	4,345	5,804
CONGENITAL ANOMALIES	740-759	0	0	0	57	57	57
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	15	9	87	722	833	1,142
INJURY & POISONING	800-999	82	110	1,118	1,934	3,244	4,527

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Women			
		Job Category			
		Professional	Administrative Support	Technical Support	Service
Diagnostic Category	ICD-9-CM Code				
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	6	11	0	1
-Intestinal Infectious Dis	001-009	1	1	0	0
-Other Bacterial Dis	030-041	1	2	0	0
-Viral Dis with Exanthem	050-057	1	4	0	0
-Other Viral Dis & Chlamydiae	070-079	3	4	0	1
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	2	2	1	2
-Digestive & Peritoneal	150-159	1	0	0	0
-Bone, Connective Tissue, Skin	170-173, 176	0	0	1	2
-Breast	174-175	0	1	0	0
-Genitourinary	179-189	0	1	0	0
-Carcinoma in situ	230-234	1	0	0	0
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	2	7	1	3
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	2	2	0	0
-Thyroid Gland Disorders	240-246	0	1	0	0
-Other Endocrine Gland Dis	250-259	0	1	0	0
-Other Metabolic & Immunity Disorders	270-279	2	0	0	0
<b>MENTAL DISORDERS</b>	<b>290-319</b>	2	9	0	3
-Non-Psychotic Disorders	300-302, 306-316	2	9	0	3
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	6	14	5	3
-Hereditary/Degenerative Central NS Dis	330-337	0	0	2	0
-Other Disorders of Central NS	340-349	3	2	0	0
-Disorders of Peripheral NS	350-359	1	6	0	1
-Disorders of Eye	360-379	1	1	3	1
-Dis of Ear & Mastoid	380-389	1	5	0	1
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	3	4	0	3
-Hypertensive Dis	401-405	2	3	0	1
-Ischemic Heart Dis	410-414	1	0	0	0
-Other Heart Dis	420-429	0	0	0	1
-Dis of Arteries & Capillaries	440-448	0	0	0	1
-Dis of Veins, Lymphatics, Other	451-459	0	1	0	0
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	22	44	7	7
-Acute Respiratory Infections	460-466	5	12	2	3
-Other Dis Upper Respiratory Tract	470-478	8	13	2	1
-Pneumonia & Influenza	480-487	3	7	2	2
-Chronic Obstructive Dis	490-496	5	11	1	1
-Other Respiratory Dis	510-519	1	1	0	0

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Women			
		Job Category			TOTAL
		Security and Fire	Crafts	Line Operators	
Diagnostic Category	ICD-9-CM Code				
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	0	1	0	19
-Intestinal Infectious Dis	001-009	0	0	0	2
-Other Bacterial Dis	030-041	0	0	0	3
-Viral Dis with Exanthem	050-057	0	0	0	5
-Other Viral Dis & Chlamydiae	070-079	0	1	0	9
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	2	0	0	9
-Digestive & Peritoneal	150-159	0	0	0	1
-Bone, Connective Tissue, Skin	170-173, 176	2	0	0	5
-Breast	174-175	0	0	0	1
-Genitourinary	179-189	0	0	0	1
-Carcinoma in situ	230-234	0	0	0	1
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	0	0	0	13
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	0	0	0	4
-Thyroid Gland Disorders	240-246	0	0	0	1
-Other Endocrine Gland Dis	250-259	0	0	0	1
-Other Metabolic & Immunity Disorders	270-279	0	0	0	2
<b>MENTAL DISORDERS</b>	<b>290-319</b>	0	0	0	14
-Non-Psychotic Disorders	300-302, 306-316	0	0	0	14
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	1	0	0	29
-Hereditary/Degenerative Central NS Dis	330-337	0	0	0	2
-Other Disorders of Central NS	340-349	0	0	0	5
-Disorders of Peripheral NS	350-359	0	0	0	8
-Disorders of Eye	360-379	1	0	0	7
-Dis of Ear & Mastoid	380-389	0	0	0	7
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	0	0	0	10
-Hypertensive Dis	401-405	0	0	0	6
-Ischemic Heart Dis	410-414	0	0	0	1
-Other Heart Dis	420-429	0	0	0	1
-Dis of Arteries & Capillaries	440-448	0	0	0	1
-Dis of Veins, Lymphatics, Other	451-459	0	0	0	1
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	0	2	0	82
-Acute Respiratory Infections	460-466	0	1	0	23
-Other Dis Upper Respiratory Tract	470-478	0	0	0	24
-Pneumonia & Influenza	480-487	0	0	0	14
-Chronic Obstructive Dis	490-496	0	1	0	19
-Other Respiratory Dis	510-519	0	0	0	2

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Women			
		Job Category			
		Professional	Administrative Support	Technical Support	Service
Diagnostic Category	ICD-9-CM Code				
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	10	30	2	4
-Oral Cavity, Saliva Glands, Jaw	520-529	0	3	0	1
-Esophagus, Stomach, Duodenum	530-537	1	2	0	0
-Appendicitis	540-543	0	0	0	1
-Hernia	550-553	1	1	1	0
-Enteritis, Colitis	555-558	3	7	0	1
-Other Intestinal Dis	560-569	2	11	0	1
-Other Digestive Dis	570-579	3	6	1	0
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	11	25	0	4
-Nephritis, Nephrosis	580-589	0	1	0	0
-Other Urinary Dis	590-599	2	1	0	1
-Breast Disorders	610-611	1	0	0	0
-Pelvic Inflammatory Dis	614-616	1	2	0	0
-Other Female Disorders	617-629	7	21	0	3
<b>PREGNANCY &amp; CHILDBIRTH</b>	<b>630-677</b>	0	0	1	0
-Pregnancy with Abortive Outcome	634-639	0	0	1	0
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	1	1	0	0
-Other Inflammatory Conditions	690-698	1	1	0	0
-Other	700-709	0	0	0	0
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	13	25	2	11
-Arthropathies	710-719	3	4	0	1
-Dorsopathies	720-724	5	9	2	6
-Rheumatism, Excluding Back	725-729	4	9	0	4
-Other Dis & Acquired Deformities	730-739	1	3	0	0
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	12	25	2	1
-Symptoms	780-789	11	25	2	1
-Non-Specific Abnormal Findings	790-796	1	0	0	0
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	12	30	2	4
-Fracture - Neck, Trunk	805-809	1	1	1	0
-Fracture - Upper Limb	810-819	1	3	0	0
-Fracture - Lower Limb	820-829	3	4	1	2
-Dislocation	830-839	5	5	0	1
-Sprains & Strains - Back	846-847	1	6	0	0
-Sprains & Strains - Other	840-845, 848	1	5	0	1
-Late Effects of Accident	905-909	0	1	0	0

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Women			
		Job Category			TOTAL
		Security and Fire	Crafts	Line Operators	
Diagnostic Category	ICD-9-CM Code				
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	0	3	0	49
-Oral Cavity, Saliva Glands, Jaw	520-529	0	0	0	4
-Esophagus, Stomach, Duodenum	530-537	0	1	0	4
-Appendicitis	540-543	0	0	0	1
-Hernia	550-553	0	1	0	4
-Enteritis, Colitis	555-558	0	1	0	12
-Other Intestinal Dis	560-569	0	0	0	14
-Other Digestive Dis	570-579	0	0	0	10
<b>GENTOURINARY SYSTEM</b>	<b>580-629</b>	0	2	1	43
-Nephritis, Nephrosis	580-589	0	0	0	1
-Other Urinary Dis	590-599	0	0	0	4
-Breast Disorders	610-611	0	0	0	1
-Pelvic Inflammatory Dis	614-616	0	0	0	3
-Other Female Disorders	617-629	0	2	1	34
<b>PREGNANCY &amp; CHILDBIRTH</b>	<b>630-677</b>	0	0	0	1
-Pregnancy with Abortive Outcome	634-639	0	0	0	1
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	1	1	0	4
-Other Inflammatory Conditions	690-698	0	0	0	2
-Other	700-709	1	1	0	2
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	0	2	0	53
-Arthropathies	710-719	0	0	0	8
-Dorsopathies	720-724	0	0	0	22
-Rheumatism, Excluding Back	725-729	0	1	0	18
-Other Dis & Acquired Deformities	730-739	0	1	0	5
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	0	1	0	41
-Symptoms	780-789	0	1	0	40
-Non-Specific Abnormal Findings	790-796	0	0	0	1
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	1	1	0	50
-Fracture - Neck, Trunk	805-809	0	0	0	3
-Fracture - Upper Limb	810-819	0	0	0	4
-Fracture - Lower Limb	820-829	0	0	0	10
-Dislocation	830-839	0	0	0	11
-Sprains & Strains - Back	846-847	0	1	0	8
-Sprains & Strains - Other	840-845, 848	0	0	0	7
-Late Effects of Accident	905-909	0	0	0	1

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Women			
		Job Category			
		Professional	Administrative Support	Technical Support	Service
Diagnostic Category	ICD-9-CM Code				
-Contusion	920-924	0	2	0	0
-Unspecified Effects - External Causes	990-995	0	2	0	0
-Complications of Surgical/Medical Care	996-999	0	1	0	0
HEALTH STATUS/HEALTH SERVICE CONTACT	V01-V82	2	2	1	0
-Personal & Family History	V10-V19	1	1	0	0
-Health Status	V40-V49	1	1	0	0
-Specific Procedures/Aftercare	V50-V59	0	0	1	0

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Women			
		Job Category			TOTAL
		Security and Fire	Crafts	Line Operators	
Diagnostic Category	ICD-9-CM Code				
-Contusion	920-924	0	0	0	2
-Unspecified Effects - External Causes	990-995	0	0	0	2
-Complications of Surgical/Medical Care	996-999	1	0	0	2
HEALTH STATUS/HEALTH SERVICE CONTACT	V01-V82	0	0	0	5
-Personal & Family History	V10-V19	0	0	0	2
-Health Status	V40-V49	0	0	0	2
-Specific Procedures/Aftercare	V50-V59	0	0	0	1

	Women							
	Job Category							TOTAL
	Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	Line Operators	
Diagnostic Category								
TOTAL	106	231	24	46	5	13	1	426

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Men			
		Job Category			
		Professional	Administrative Support	Technical Support	Service
Diagnostic Category	ICD-9-CM Code				
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	10	1	2	6
-Intestinal Infectious Dis	001-009	0	0	0	0
-Other Bacterial Dis	030-041	7	1	2	4
-Viral Dis with Exanthem	050-057	1	0	0	0
-Other Viral Dis & Chlamydiae	070-079	1	0	0	1
-Mycoses	110-118	0	0	0	1
-Other Infections & Parasitic Dis	130-136	1	0	0	0
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	12	1	4	1
-Lip, Oral Cavity, Pharynx	140-149	1	0	0	0
-Digestive & Peritoneal	150-159	1	0	0	0
-Respiratory & Intrathoracic	160-165	0	0	1	0
-Bone, Connective Tissue, Skin	170-173, 176	0	0	0	1
-Genitourinary	179-189	2	0	2	0
-Other & Unspecified Sites	190, 193-199	5	1	1	0
-Lymphatic & Hematopoietic	200-208	3	0	0	0
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	8	0	3	2
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	5	0	0	0
-Thyroid Gland Disorders	240-246	1	0	0	0
-Other Endocrine Gland Dis	250-259	1	0	0	0
-Other Metabolic & Immunity Disorders	270-279	3	0	0	0
<b>BLOOD &amp; BLOOD-FORMING ORGANS</b>	<b>280-289</b>	2	0	0	0
<b>MENTAL DISORDERS</b>	<b>290-319</b>	5	0	3	3
-Non-Psychotic Disorders	300-302, 306-316	4	0	3	3
-Drug Dependence	304-305	1	0	0	0
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	18	2	2	1
-Hereditary/Degenerative Central NS Dis	330-337	0	0	0	0
-Other Disorders of Central NS	340-349	3	1	1	0
-Disorders of Peripheral NS	350-359	4	0	0	0
-Disorders of Eye	360-379	6	1	0	0
-Dis of Ear & Mastoid	380-389	4	0	1	1
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	26	0	6	5
-Hypertensive Dis	401-405	1	0	0	1
-Ischemic Heart Dis	410-414	9	0	2	4
-Other Heart Dis	420-429	6	0	0	0
-Cerebrovascular Dis	430-438	0	0	1	0
-Dis of Arteries & Capillaries	440-448	0	0	2	0

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.



# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Men			
		Job Category			TOTAL
		Security and Fire	Crafts	Line Operators	
Diagnostic Category	ICD-9-CM Code				
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	1	9	0	29
-Intestinal Infectious Dis	001-009	0	2	0	2
-Other Bacterial Dis	030-041	0	4	0	18
-Viral Dis with Exanthem	050-057	0	0	0	1
-Other Viral Dis & Chlamydiae	070-079	1	3	0	6
-Mycoses	110-118	0	0	0	1
-Other Infections & Parasitic Dis	130-136	0	0	0	1
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	0	5	0	23
-Lip, Oral Cavity, Pharynx	140-149	0	0	0	1
-Digestive & Peritoneal	150-159	0	0	0	1
-Respiratory & Intrathoracic	160-165	0	0	0	1
-Bone, Connective Tissue, Skin	170-173, 176	0	2	0	3
-Genitourinary	179-189	0	3	0	7
-Other & Unspecified Sites	190, 193-199	0	0	0	7
-Lymphatic & Hematopoietic	200-208	0	0	0	3
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	0	2	1	16
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	1	1	0	7
-Thyroid Gland Disorders	240-246	0	0	0	1
-Other Endocrine Gland Dis	250-259	0	0	0	1
-Other Metabolic & Immunity Disorders	270-279	1	1	0	5
<b>BLOOD &amp; BLOOD-FORMING ORGANS</b>	<b>280-289</b>	0	0	0	2
<b>MENTAL DISORDERS</b>	<b>290-319</b>	0	1	0	12
-Non-Psychotic Disorders	300-302, 306-316	0	1	0	11
-Drug Dependence	304-305	0	0	0	1
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	0	19	0	42
-Hereditary/Degenerative Central NS Dis	330-337	0	1	0	1
-Other Disorders of Central NS	340-349	0	0	0	5
-Disorders of Peripheral NS	350-359	0	4	0	8
-Disorders of Eye	360-379	0	11	0	18
-Dis of Ear & Mastoid	380-389	0	3	0	9
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	0	8	1	46
-Hypertensive Dis	401-405	0	2	0	4
-Ischemic Heart Dis	410-414	0	3	0	18
-Other Heart Dis	420-429	0	0	1	7
-Cerebrovascular Dis	430-438	0	2	0	3
-Dis of Arteries & Capillaries	440-448	0	0	0	2

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Men			
		Job Category			
		Professional	Administrative Support	Technical Support	Service
Diagnostic Category	ICD-9-CM Code				
-Dis of Veins, Lymphatics, Other	451-459	10	0	1	0
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	35	9	16	9
-Acute Respiratory Infections	460-466	8	1	6	2
-Other Dis Upper Respiratory Tract	470-478	14	4	7	2
-Pneumonia & Influenza	480-487	7	3	0	1
-Chronic Obstructive Dis	490-496	5	1	3	4
-Other Respiratory Dis	510-519	1	0	0	0
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	33	3	13	9
-Oral Cavity, Saliva Glands, Jaw	520-529	1	0	1	0
-Esophagus, Stomach, Duodenum	530-537	3	1	2	2
-Appendicitis	540-543	1	0	1	0
-Hernia	550-553	6	0	1	1
-Enteritis, Colitis	555-558	11	1	4	1
-Other Intestinal Dis	560-569	5	0	3	3
-Other Digestive Dis	570-579	6	1	1	2
<b>GENTOURINARY SYSTEM</b>	<b>580-629</b>	2	0	5	1
-Other Urinary Dis	590-599	0	0	3	0
-Male Genital Organ Dis	600-608	2	0	2	1
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	4	0	2	1
-Infections	680-686	2	0	0	1
-Other Inflammatory Conditions	690-698	0	0	2	0
-Other	700-709	2	0	0	0
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	45	3	12	15
-Arthropathies	710-719	10	2	1	1
-Dorsopathies	720-724	24	1	7	9
-Rheumatism, Excluding Back	725-729	10	0	4	4
-Other Dis & Acquired Deformities	730-739	1	0	0	1
<b>CONGENITAL ANOMALIES</b>	<b>740-759</b>	1	1	0	0
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	16	1	9	8
-Symptoms	780-789	15	1	8	6
-Non-Specific Abnormal Findings	790-796	1	0	1	2
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	51	1	24	6
-Fracture - Skull	800-804	2	0	0	0
-Fracture - Neck, Trunk	805-809	1	0	1	0
-Fracture - Upper Limb	810-819	3	0	3	0

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Men			
		Job Category			TOTAL
		Security and Fire	Crafts	Line Operators	
Diagnostic Category	ICD-9-CM Code				
-Dis of Veins, Lymphatics, Other	451-459	0	1	0	12
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	0	11	2	82
-Acute Respiratory Infections	460-466	0	3	0	20
-Other Dis Upper Respiratory Tract	470-478	0	3	1	31
-Pneumonia & Influenza	480-487	0	2	1	14
-Chronic Obstructive Dis	490-496	0	3	0	16
-Other Respiratory Dis	510-519	0	0	0	1
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	3	12	1	74
-Oral Cavity, Saliva Glands, Jaw	520-529	0	2	0	4
-Esophagus, Stomach, Duodenum	530-537	0	1	0	9
-Appendicitis	540-543	0	1	0	3
-Hernia	550-553	0	2	0	10
-Enteritis, Colitis	555-558	1	4	0	22
-Other Intestinal Dis	560-569	2	0	0	13
-Other Digestive Dis	570-579	0	2	1	13
<b>GENTOURINARY SYSTEM</b>	<b>580-629</b>	0	3	0	11
-Other Urinary Dis	590-599	0	3	0	6
-Male Genital Organ Dis	600-608	0	0	0	5
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	0	1	1	9
-Infections	680-686	0	1	0	4
-Other Inflammatory Conditions	690-698	0	0	1	3
-Other	700-709	0	0	0	2
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	1	26	2	104
-Arthropathies	710-719	0	7	0	21
-Dorsopathies	720-724	0	12	1	54
-Rheumatism, Excluding Back	725-729	1	5	1	25
-Other Dis & Acquired Deformities	730-739	0	2	0	4
<b>CONGENITAL ANOMALIES</b>	<b>740-759</b>	0	0	0	2
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	0	11	2	47
-Symptoms	780-789	0	9	2	41
-Non-Specific Abnormal Findings	790-796	0	2	0	6
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	3	39	3	127
-Fracture - Skull	800-804	0	0	0	2
-Fracture - Neck, Trunk	805-809	0	0	0	2
-Fracture - Upper Limb	810-819	1	3	0	10

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Men			
		Job Category			
		Professional	Administrative Support	Technical Support	Service
Diagnostic Category	ICD-9-CM Code				
-Fracture - Lower Limb	820-829	2	0	2	1
-Dislocation	830-839	10	1	2	0
-Sprains & Strains - Back	846-847	4	0	2	1
-Sprains & Strains - Other	840-845, 848	14	0	4	2
-Intracranial Injury	850-854	0	0	1	0
-Internal Injury - Thorax, Abdomen, Pelvis	860-869	2	0	0	0
-Open Wound - Head, Neck, Trunk	870-879	2	0	3	0
-Open Wound - Upper Limb	880-887	2	0	0	1
-Open Wound - Lower Limb	890-897	0	0	2	0
-Injury to Blood Vessels	900-904	0	0	2	0
-Late Effects of Accident	905-909	0	0	0	0
-Superficial Injury	910-919	0	0	0	1
-Contusion	920-924	0	0	2	0
-Complications & Unspecified Injuries	958-959	2	0	0	0
-Unspecified Effects - External Causes	990-995	2	0	0	0
-Complications of Surgical/Medical Care	996-999	5	0	0	0
HEALTH STATUS/HEALTH SERVICE CONTACT	V01-V82	3	0	1	1
-Isolation & Prophylactic Measures	V07-V09	0	0	1	0
-Personal & Family History	V10-V19	0	0	0	0
-Health Services Reproduction/Development	V20-V29	0	0	0	1
-Specific Procedures/Aftercare	V50-V59	2	0	0	0
-Examination & Investigation	V70-V82	1	0	0	0

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Men			
		Job Category			TOTAL
		Security and Fire	Crafts	Line Operators	
Diagnostic Category	ICD-9-CM Code				
-Fracture - Lower Limb	820-829	0	3	0	8
-Dislocation	830-839	0	11	0	24
-Sprains & Strains - Back	846-847	1	4	0	12
-Sprains & Strains - Other	840-845, 848	0	6	1	27
-Intracranial Injury	850-854	1	0	0	2
-Internal Injury - Thorax, Abdomen, Pelvis	860-869	0	2	0	4
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	5
-Open Wound - Upper Limb	880-887	0	0	0	3
-Open Wound - Lower Limb	890-897	0	3	0	5
-Injury to Blood Vessels	900-904	0	0	0	2
-Late Effects of Accident	905-909	0	1	0	1
-Superficial Injury	910-919	0	0	1	2
-Contusion	920-924	0	2	1	5
-Complications & Unspecified Injuries	958-959	0	0	0	2
-Unspecified Effects - External Causes	990-995	0	0	0	2
-Complications of Surgical/Medical Care	996-999	0	4	0	9
HEALTH STATUS/HEALTH SERVICE CONTACT	V01-V82	1	7	0	13
-Isolation & Prophylactic Measures	V07-V09	0	1	0	2
-Personal & Family History	V10-V19	0	2	0	2
-Health Services Reproduction/Development	V20-V29	0	2	0	3
-Specific Procedures/Aftercare	V50-V59	0	1	0	3
-Examination & Investigation	V70-V82	1	1	0	3

	Men							TOTAL
	Job Category							
	Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	Line Operators	
Diagnostic Category								
TOTAL	276	22	102	68	10	155	13	646

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix J. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Job Category\*

		Women			
		Job Category			
		Professional	Administrative Support	Technical Support	Service
Diagnostic Category	ICD-9-CM Code				
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	59	133	0	2
MALIGNANT NEOPLASMS	140-208, 230-234	187	73	42	86
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	58	244	10	138
ENDOCRINE/METABOLIC/IMMUNITY	240-279	25	146	0	0
MENTAL DISORDERS	290-319	17	270	0	86
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	43	176	17	78
CIRCULATORY SYSTEM	390-459	71	63	0	36
RESPIRATORY SYSTEM	460-519	162	280	27	119
DIGESTIVE SYSTEM	520-579	58	416	21	89
GENTOURINARY SYSTEM	580-629	130	471	0	188
PREGNANCY & CHILDBIRTH	630-677	0	0	20	0
SKIN & SUBCUTANEOUS TISSUE	680-709	1	19	0	0
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	200	628	32	441
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	62	212	4	3
INJURY & POISONING	800-999	210	685	20	318

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix J. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Job Category\*

		Women			
		Job Category			TOTAL
		Security and Fire	Crafts	Line Operators	
Diagnostic Category	ICD-9-CM Code				
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	0	12	0	206
MALIGNANT NEOPLASMS	140-208, 230-234	8	0	0	396
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	0	0	0	450
ENDOCRINE/METABOLIC/IMMUNITY	240-279	0	0	0	171
MENTAL DISORDERS	290-319	0	0	0	373
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	10	0	0	324
CIRCULATORY SYSTEM	390-459	0	0	0	170
RESPIRATORY SYSTEM	460-519	0	15	0	603
DIGESTIVE SYSTEM	520-579	0	36	0	620
GENTOURINARY SYSTEM	580-629	0	56	43	888
PREGNANCY & CHILDBIRTH	630-677	0	0	0	20
SKIN & SUBCUTANEOUS TISSUE	680-709	27	6	0	53
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	0	158	0	1,459
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	0	28	0	309
INJURY & POISONING	800-999	27	23	0	1,283

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix J. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Job Category\*

		Men			
		Job Category			
		Professional	Administrative Support	Technical Support	Service
Diagnostic Category	ICD-9-CM Code				
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	211	3	14	34
MALIGNANT NEOPLASMS	140-208, 230-234	222	9	116	16
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	130	0	12	78
ENDOCRINE/METABOLIC/IMMUNITY	240-279	32	0	0	0
BLOOD & BLOOD-FORMING ORGANS	280-289	28	0	0	0
MENTAL DISORDERS	290-319	81	0	158	75
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	275	11	9	6
CIRCULATORY SYSTEM	390-459	503	0	257	377
RESPIRATORY SYSTEM	460-519	184	50	108	82
DIGESTIVE SYSTEM	520-579	394	10	114	122
GENITOURINARY SYSTEM	580-629	25	0	34	35
SKIN & SUBCUTANEOUS TISSUE	680-709	60	0	18	1
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	1,340	28	224	647
CONGENITAL ANOMALIES	740-759	48	9	0	0
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	225	1	119	48
INJURY & POISONING	800-999	833	9	470	120

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.



# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix J. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Job Category\*

		Men			
		Job Category			TOTAL
		Security and Fire	Crafts	Line Operators	
Diagnostic Category	ICD-9-CM Code				
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	7	327	0	596
MALIGNANT NEOPLASMS	140-208, 230-234	0	306	0	669
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	0	8	3	231
ENDOCRINE/METABOLIC/IMMUNITY	240-279	2	9	0	43
BLOOD & BLOOD-FORMING ORGANS	280-289	0	0	0	28
MENTAL DISORDERS	290-319	0	87	0	401
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	0	687	0	988
CIRCULATORY SYSTEM	390-459	0	140	24	1,301
RESPIRATORY SYSTEM	460-519	0	142	33	599
DIGESTIVE SYSTEM	520-579	17	179	24	860
GENITOURINARY SYSTEM	580-629	0	52	0	146
SKIN & SUBCUTANEOUS TISSUE	680-709	0	22	24	125
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	148	1,882	76	4,345
CONGENITAL ANOMALIES	740-759	0	0	0	57
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	0	416	24	833
INJURY & POISONING	800-999	29	1,768	15	3,244

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

#### Part 1. Men

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	29	11.8	6.8	20.5
-Intestinal Infectious Dis	001-009	2	0.3	0.1	1.1
-Other Bacterial Dis	030-041	18	7.9	4.0	15.6
-Viral Dis with Exanthem	050-057	1	0.1	0.0	1.0
-Other Viral Dis & Chlamydiae	070-079	6	3.1	1.0	10.0
-Mycoses	110-118	1	0.2	0.0	1.8
-Other Infections & Parasitic Dis	130-136	1	0.1	0.0	1.0
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	23	5.0	3.1	8.0
-Lip, Oral Cavity, Pharynx	140-149	1	0.1	0.0	1.0
-Digestive & Peritoneal	150-159	1	0.1	0.0	1.0
-Respiratory & Intrathoracic	160-165	1	0.1	0.0	1.0
-Bone, Connective Tissue, Skin	170-173, 176	3	0.6	0.2	1.9
-Genitourinary	179-189	7	1.0	0.5	2.0
-Other & Unspecified Sites	190, 193-199	7	2.4	1.0	5.5
-Lymphatic & Hematopoietic	200-208	3	0.6	0.2	2.0
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	16	5.8	2.9	11.6
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	7	1.5	0.7	3.6
-Thyroid Gland Disorders	240-246	1	0.2	0.0	1.8
-Other Endocrine Gland Dis	250-259	1	0.2	0.0	1.8
-Other Metabolic & Immunity Disorders	270-279	5	1.0	0.4	3.0
<b>BLOOD &amp; BLOOD-FORMING ORGANS</b>	<b>280-289</b>	2	0.3	0.1	1.1
<b>MENTAL DISORDERS</b>	<b>290-319</b>	12	3.3	1.8	6.2
-Non-Psychotic Disorders	300-302, 306-316	11	2.8	1.5	5.5
-Drug Dependence	304-305	1	0.5	0.1	3.5
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	42	13.0	7.9	21.4
-Hereditary/Degenerative Central NS Dis	330-337	1	0.1	0.0	1.0
-Other Disorders of Central NS	340-349	5	1.1	0.5	2.8
-Disorders of Peripheral NS	350-359	8	1.6	0.8	3.4
-Disorders of Eye	360-379	18	4.9	2.2	10.6
-Dis of Ear & Mastoid	380-389	9	5.1	1.9	13.6
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	46	9.5	6.9	13.0
-Hypertensive Dis	401-405	4	0.9	0.3	2.6
-Ischemic Heart Dis	410-414	18	3.4	2.0	5.8
-Other Heart Dis	420-429	7	1.6	0.7	3.7
-Cerebrovascular Dis	430-438	3	0.6	0.2	1.9

(Continued)

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

#### Part 1. Men

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
-Dis of Arteries & Capillaries	440-448	2	0.3	0.1	1.1
-Dis of Veins, Lymphatics, Other	451-459	12	2.7	1.5	4.8
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	82	25.4	18.4	35.2
-Acute Respiratory Infections	460-466	20	6.1	3.1	11.9
-Other Dis Upper Respiratory Tract	470-478	31	12.1	7.0	20.8
-Pneumonia & Influenza	480-487	14	3.9	2.2	7.0
-Chronic Obstructive Dis	490-496	16	3.2	1.9	5.5
-Other Respiratory Dis	510-519	1	0.1	0.0	1.0
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	74	26.7	18.8	37.9
-Oral Cavity, Saliva Glands, Jaw	520-529	4	1.0	0.3	3.1
-Esophagus, Stomach, Duodenum	530-537	9	3.8	1.4	10.0
-Appendicitis	540-543	3	0.8	0.2	3.0
-Hernia	550-553	10	2.5	1.3	4.7
-Enteritis, Colitis	555-558	22	9.4	4.8	18.2
-Other Intestinal Dis	560-569	13	6.1	2.6	14.1
-Other Digestive Dis	570-579	13	3.2	1.8	5.8
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	11	2.5	1.3	5.0
-Other Urinary Dis	590-599	6	1.6	0.7	4.2
-Male Genital Organ Dis	600-608	5	0.8	0.3	2.2
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	9	2.3	1.1	4.6
-Infections	680-686	4	1.1	0.4	3.3
-Other Inflammatory Conditions	690-698	3	0.7	0.2	2.2
-Other	700-709	2	0.5	0.1	2.0
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	104	27.8	20.8	37.2
-Arthropathies	710-719	21	3.7	2.3	5.7
-Dorsopathies	720-724	54	17.6	11.5	26.9
-Rheumatism, Excluding Back	725-729	25	5.7	3.8	8.7
-Other Dis & Acquired Deformities	730-739	4	0.9	0.3	2.4
<b>CONGENITAL ANOMALIES</b>	<b>740-759</b>	2	0.3	0.1	1.1
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	47	14.8	9.4	23.2
-Symptoms	780-789	41	13.8	8.6	22.3
-Non-Specific Abnormal Findings	790-796	6	1.0	0.4	2.3
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	127	36.3	28.1	46.8
-Fracture - Skull	800-804	4	0.5	0.2	1.5

(Continued)

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

#### Part 1. Men

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
-Fracture - Upper Limb	810-819	10	1.9	1.0	3.7
-Fracture - Lower Limb	820-829	8	3.4	1.1	9.8
-Dislocation	830-839	24	4.3	2.9	6.6
-Sprains & Strains - Back	846-847	12	2.6	1.4	4.9
-Sprains & Strains - Other	840-845, 848	27	11.0	6.1	19.6
-Intracranial Injury	850-854	2	0.7	0.2	3.2
-Internal Injury - Thorax, Abdomen, Pelvis	860-869	4	0.8	0.3	2.1
-Open Wound - Head, Neck, Trunk	870-879	13	3.5	2.0	6.1
-Injury to Blood Vessels	900-904	2	0.5	0.1	2.0
-Late Effects of Accident	905-909	1	0.2	0.0	1.8
-Superficial Injury	910-919	2	0.4	0.1	1.9
-Contusion	920-924	5	1.4	0.6	3.7
-Complications & Unspecified Injuries	958-959	2	0.8	0.2	3.3
-Unspecified Effects - External Causes	990-995	2	1.9	0.3	11.6
-Complications of Surgical/Medical Care	996-999	9	2.3	1.1	4.6
<b>Total</b>		633	186.2	165.6	209.4

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

#### Part 2. Women

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	19	15.8	7.9	31.6
-Intestinal Infectious Dis	001-009	2	0.6	0.2	2.5
-Other Bacterial Dis	030-041	3	4.2	0.8	22.5
-Viral Dis with Exanthem	050-057	5	5.5	1.4	20.6
-Other Viral Dis & Chlamydiae	070-079	9	5.5	2.6	11.5
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	9	3.7	1.7	8.2
-Digestive & Peritoneal	150-159	1	0.3	0.0	2.3
-Bone, Connective Tissue, Skin	170-173, 176	5	1.6	0.7	3.8
-Breast	174-175	1	1.2	0.2	8.6
-Genitourinary	179-189	1	0.3	0.0	2.3
-Carcinoma in situ	230-234	1	0.3	0.0	2.3
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	13	6.3	3.4	11.4
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	4	3.0	1.0	9.2
-Thyroid Gland Disorders	240-246	1	1.1	0.2	8.1
-Other Endocrine Gland Dis	250-259	1	0.3	0.0	2.3
-Other Metabolic & Immunity Disorders	270-279	2	1.5	0.3	7.6
<b>MENTAL DISORDERS</b>	<b>290-319</b>	14	7.2	4.1	12.7
-Non-Psychotic Disorders	300-302, 306-316	14	7.2	4.1	12.7
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	29	16.6	10.9	25.4
-Hereditary/Degenerative Central NS Dis	330-337	2	0.6	0.2	2.5
-Other Disorders of Central NS	340-349	5	2.7	0.9	7.6
-Disorders of Peripheral NS	350-359	8	6.5	3.0	13.7
-Disorders of Eye	360-379	7	2.8	1.3	6.1
-Dis of Ear & Mastoid	380-389	7	4.0	1.6	9.9
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	10	6.1	3.0	12.6
-Hypertensive Dis	401-405	6	3.8	1.5	9.8
-Ischemic Heart Dis	410-414	1	0.3	0.0	2.3
-Other Heart Dis	420-429	1	1.1	0.2	8.1
-Dis of Arteries & Capillaries	440-448	1	0.5	0.1	3.7
-Dis of Veins, Lymphatics, Other	451-459	1	0.3	0.0	2.3
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	82	62.6	47.6	82.3
-Acute Respiratory Infections	460-466	23	14.1	8.7	22.9
-Other Dis Upper Respiratory Tract	470-478	24	17.7	11.2	27.9
-Pneumonia & Influenza	480-487	14	16.2	8.0	32.8
-Chronic Obstructive Dis	490-496	19	13.0	7.7	21.8

(Continued)

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

#### Part 2. Women

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
-Other Respiratory Dis	510-519	2	1.7	0.4	7.3
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	49	36.2	24.0	54.7
-Oral Cavity, Saliva Glands, Jaw	520-529	4	1.7	0.6	4.6
-Esophagus, Stomach, Duodenum	530-537	4	1.5	0.5	4.0
-Appendicitis	540-543	1	1.1	0.2	8.1
-Hernia	550-553	4	1.5	0.5	4.0
-Enteritis, Colitis	555-558	12	16.3	7.4	35.9
-Other Intestinal Dis	560-569	14	7.9	4.3	14.7
-Other Digestive Dis	570-579	10	6.2	3.0	12.8
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	43	27.4	19.5	38.4
-Nephritis, Nephrosis	580-589	1	0.3	0.0	2.3
-Other Urinary Dis	590-599	4	1.5	0.5	4.0
-Breast Disorders	610-611	1	1.1	0.2	8.1
-Pelvic Inflammatory Dis	614-616	3	2.3	0.7	7.7
-Other Female Disorders	617-629	34	22.2	15.2	32.4
<b>PREGNANCY &amp; CHILDBIRTH</b>	<b>630-677</b>	1	1.2	0.2	8.6
-Pregnancy with Abortive Outcome	634-639	1	1.2	0.2	8.6
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	4	2.5	0.8	7.5
-Other Inflammatory Conditions	690-698	2	1.7	0.4	7.3
-Other	700-709	2	0.8	0.2	3.5
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	53	30.8	21.5	44.1
-Arthropathies	710-719	8	5.6	2.6	12.2
-Dorsopathies	720-724	22	13.3	7.0	25.4
-Rheumatism, Excluding Back	725-729	18	8.4	5.1	13.8
-Other Dis & Acquired Deformities	730-739	5	3.4	1.3	9.4
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	41	25.8	18.1	36.7
-Symptoms	780-789	40	25.3	17.6	36.1
-Non-Specific Abnormal Findings	790-796	1	0.5	0.1	3.7
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	50	29.6	20.5	42.9
-Fracture - Skull	800-804	3	2.0	0.6	7.5
-Fracture - Upper Limb	810-819	4	2.5	0.8	7.5
-Fracture - Lower Limb	820-829	10	4.0	2.1	7.6
-Dislocation	830-839	11	5.6	2.9	10.6
-Sprains & Strains - Back	846-847	8	4.3	1.8	10.1

(Continued)

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

#### Part 2. Women

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
-Sprains & Strains - Other	840-845, 848	7	7.3	2.5	21.3
-Late Effects of Accident	905-909	1	0.3	0.0	2.3
-Contusion	920-924	2	1.5	0.3	7.2
-Unspecified Effects - External Causes	990-995	2	1.5	0.3	7.2
-Complications of Surgical/Medical Care	996-999	2	0.6	0.2	2.5
<b>Total</b>		421	274.8	242.5	311.4

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

#### Part 3. Men and Women

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	48	13.0	8.4	20.0
-Intestinal Infectious Dis	001-009	4	0.4	0.1	1.0
-Other Bacterial Dis	030-041	21	6.7	3.6	12.7
-Viral Dis with Exanthem	050-057	6	1.9	0.5	6.6
-Other Viral Dis & Chlamydiae	070-079	15	3.8	1.8	7.8
-Mycoses	110-118	1	0.2	0.0	1.2
-Other Infections & Parasitic Dis	130-136	1	0.1	0.0	0.7
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	32	4.6	3.1	7.0
-Lip, Oral Cavity, Pharynx	140-149	1	0.1	0.0	0.7
-Digestive & Peritoneal	150-159	2	0.2	0.0	0.8
-Respiratory & Intrathoracic	160-165	1	0.1	0.0	0.7
-Bone, Connective Tissue, Skin	170-173, 176	8	0.9	0.4	2.0
-Breast	174-175	1	0.3	0.0	2.5
-Genitourinary	179-189	8	0.8	0.4	1.5
-Other & Unspecified Sites	190, 193-199	7	1.7	0.7	3.9
-Lymphatic & Hematopoietic	200-208	3	0.4	0.1	1.4
-Carcinoma in situ	230-234	1	0.1	0.0	0.7
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	29	6.1	3.7	10.0
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	11	1.9	0.9	3.7
-Thyroid Gland Disorders	240-246	2	0.4	0.1	1.7
-Other Endocrine Gland Dis	250-259	2	0.3	0.1	1.1
-Other Metabolic & Immunity Disorders	270-279	7	1.2	0.5	2.9
<b>BLOOD &amp; BLOOD-FORMING ORGANS</b>	<b>280-289</b>	2	0.2	0.0	0.8
<b>MENTAL DISORDERS</b>	<b>290-319</b>	26	4.6	3.0	7.0
-Non-Psychotic Disorders	300-302, 306-316	25	4.3	2.8	6.5
-Drug Dependence	304-305	1	0.3	0.0	2.5
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	71	13.7	9.7	19.4
-Hereditary/Degenerative Central NS Dis	330-337	3	0.3	0.1	0.9
-Other Disorders of Central NS	340-349	10	1.6	0.8	3.1
-Disorders of Peripheral NS	350-359	16	2.8	1.7	4.7
-Disorders of Eye	360-379	25	4.3	2.3	8.0
-Dis of Ear & Mastoid	380-389	16	4.6	2.2	9.9
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	56	8.5	6.4	11.4
-Hypertensive Dis	401-405	10	1.7	0.9	3.4
-Ischemic Heart Dis	410-414	19	2.6	1.6	4.3

(Continued)

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.



# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

#### Part 3. Men and Women

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
-Other Heart Dis	420-429	8	1.4	0.6	3.0
-Cerebrovascular Dis	430-438	3	0.4	0.1	1.5
-Dis of Arteries & Capillaries	440-448	3	0.4	0.1	1.2
-Dis of Veins, Lymphatics, Other	451-459	13	2.0	1.1	3.5
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	164	35.9	29.1	44.3
-Acute Respiratory Infections	460-466	43	8.4	5.6	12.6
-Other Dis Upper Respiratory Tract	470-478	55	13.5	9.3	19.6
-Pneumonia & Influenza	480-487	28	7.5	4.5	12.6
-Chronic Obstructive Dis	490-496	35	6.0	4.1	8.7
-Other Respiratory Dis	510-519	3	0.5	0.2	1.7
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	123	29.5	22.6	38.5
-Oral Cavity, Saliva Glands, Jaw	520-529	8	1.2	0.6	2.7
-Esophagus, Stomach, Duodenum	530-537	13	3.1	1.4	7.1
-Appendicitis	540-543	4	0.8	0.3	2.4
-Hernia	550-553	14	2.3	1.3	4.0
-Enteritis, Colitis	555-558	34	11.4	6.8	19.0
-Other Intestinal Dis	560-569	27	6.6	3.7	11.6
-Other Digestive Dis	570-579	23	4.1	2.6	6.4
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	54	9.8	7.3	13.2
-Nephritis, Nephrosis	580-589	1	0.1	0.0	0.7
-Other Urinary Dis	590-599	10	1.6	0.8	3.3
-Male Genital Organ Dis	600-608	5	0.6	0.2	1.7
-Breast Disorders	610-611	1	0.2	0.0	1.7
-Pelvic Inflammatory Dis	614-616	3	0.7	0.2	2.3
-Other Female Disorders	617-629	34	6.6	4.5	9.5
<b>PREGNANCY &amp; CHILDBIRTH</b>	<b>630-677</b>	1	0.3	0.0	2.5
-Pregnancy with Abortive Outcome	634-639	1	0.3	0.0	2.5
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	13	2.3	1.3	4.1
-Infections	680-686	4	0.8	0.3	2.3
-Other Inflammatory Conditions	690-698	5	0.9	0.4	2.3
-Other	700-709	4	0.6	0.2	1.6
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	157	28.6	22.8	35.8
-Arthropathies	710-719	29	4.0	2.7	5.8
-Dorsopathies	720-724	76	16.5	11.6	23.4
-Rheumatism, Excluding Back	725-729	43	6.7	4.8	9.2

(Continued)

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

# Oak Ridge National Laboratory 2007

## Absence Data

### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category\*

#### Part 3. Men and Women

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
-Other Dis & Acquired Deformities	730-739	9	1.5	0.7	2.9
CONGENITAL ANOMALIES	740-759	2	0.2	0.0	0.8
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	88	17.7	13.2	23.7
-Symptoms	780-789	81	16.8	12.4	22.8
-Non-Specific Abnormal Findings	790-796	7	0.9	0.4	2.0
INJURY & POISONING	800-999	177	34.0	27.6	41.9
-Fracture - Skull	800-804	7	1.0	0.4	2.4
-Fracture - Upper Limb	810-819	14	2.0	1.2	3.5
-Fracture - Lower Limb	820-829	18	3.5	1.7	7.3
-Dislocation	830-839	35	4.7	3.3	6.6
-Sprains & Strains - Back	846-847	20	3.1	1.9	5.2
-Sprains & Strains - Other	840-845, 848	34	9.8	5.9	16.3
-Intracranial Injury	850-854	2	0.5	0.1	2.2
-Internal Injury - Thorax, Abdomen, Pelvis	860-869	4	0.5	0.2	1.5
-Open Wound - Head, Neck, Trunk	870-879	13	2.5	1.4	4.5
-Injury to Blood Vessels	900-904	2	0.3	0.1	1.3
-Late Effects of Accident	905-909	2	0.3	0.1	1.1
-Superficial Injury	910-919	2	0.3	0.1	1.6
-Contusion	920-924	7	1.4	0.6	3.1
-Complications & Unspecified Injuries	958-959	2	0.6	0.1	2.4
-Unspecified Effects - External Causes	990-995	4	1.6	0.4	6.9
-Complications of Surgical/Medical Care	996-999	11	1.8	1.0	3.5
<b>Total</b>		1054	211.0	193.6	229.9

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

**Oak Ridge National Laboratory 2007**  
**OSHA Data**

**Appendix L. Number of Workers with at Least One OSHA Event by Gender, Age, and Job Category\***

Job Category	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Professional	0	1	1	8	10	0	1	2	15	18	28
Administrative Support	1	0	4	6	11	0	0	1	0	1	12
Technical Support	0	0	2	3	5	0	3	3	5	11	16
Service	0	0	1	3	4	1	1	5	7	14	18
Security and Fire	0	0	0	0	0	0	0	1	1	2	2
Crafts	0	1	1	0	2	2	4	8	25	39	41
Line Operators	0	0	0	0	0	0	0	1	0	1	1
<b>TOTAL</b>	1	2	9	20	32	3	9	21	53	86	118

\*Only those job categories and gender/age combinations with at least one OSHA event appear in this table.

**Appendix M. Total Number of Workdays Lost or with Restricted Activity from OSHA Events by Gender and Age**

Age Group	Women			Men			TOTAL		
	Number of Events	Days Restricted	Days Lost	Number of Events	Days Restricted	Days Lost	Number of Events	Days Restricted	Days Lost
16 - 29	1	0	0	3	0	0	4	0	0
30 - 39	3	0	0	9	0	0	12	0	0
40 - 49	9	0	0	21	21	256	30	21	256
50 +	22	0	396	56	22	562	78	22	958
<b>TOTAL</b>	35	0	396	89	43	818	124	43	1214

**Appendix N. Total Number of Workdays Lost or with Restricted Activity from OSHA Events by Gender and Job Category\***

Job Category	Women			Men			TOTAL		
	Number of Events	Days Restricted	Days Lost	Number of Events	Days Restricted	Days Lost	Number of Events	Days Restricted	Days Lost
Professional	10	0	391	19	0	178	29	0	569
Administrative Support	12	0	5	1	0	0	13	0	5
Technical Support	5	0	0	11	22	348	16	22	348
Service	5	0	0	14	0	0	19	0	0
Security and Fire	0	0	0	2	0	0	2	0	0
Crafts	3	0	0	41	21	292	44	21	292
Line Operators	0	0	0	1	0	0	1	0	0
<b>TOTAL</b>	35	0	396	89	43	818	124	43	1214

\*Only those job categories with at least one OSHA event appear in this table.

# Oak Ridge National Laboratory 2007

OSHA Data

## Appendix O. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

		Women				
		Age Group				TOTAL
		16 - 29	30 - 39	40 - 49	50 +	
Diagnostic Category	ICD-9-CM code					
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	0	0	1	2	3
-Disorders of Eye	360-379	0	0	1	1	2
-Dis of Ear & Mastoid	380-389	0	0	0	1	1
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	0	0	0	0	0
-Lung Dis from External Agents	500-508	0	0	0	0	0
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	0	1	1	4	6
-Arthropathies	710-719	0	0	1	3	4
-Dorsopathies	720-724	0	1	0	0	1
-Rheumatism, Excluding Back	725-729	0	0	0	1	1
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	0	0	0	0	0
-Symptoms	780-789	0	0	0	0	0
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	1	3	7	17	28
-Fracture - Neck, Trunk	805-809	0	0	0	0	0
-Fracture - Upper Limb	810-819	0	0	0	0	0
-Fracture - Lower Limb	820-829	0	0	1	1	2
-Dislocation	830-839	0	0	0	0	0
-Sprains & Strains - Back	846-847	0	1	0	1	2
-Sprains & Strains - Other	840-845, 848	0	0	2	3	5
-Open Wound - Head, Neck, Trunk	870-879	0	0	1	0	1
-Open Wound - Upper Limb	880-887	1	0	1	1	3
-Open Wound - Lower Limb	890-897	0	0	0	0	0
-Superficial Injury	910-919	0	0	1	5	6
-Contusion	920-924	0	1	1	3	5
-Foreign Body Entering Orifice	930-939	0	0	0	0	0
-Burns	940-949	0	0	0	1	1
-Complications & Unspecified Injuries	958-959	0	1	0	2	3
-Toxic Effects - Non-medicinal	980-989	0	0	0	0	0
-Unspecified Effects - External Causes	990-995	0	0	0	0	0

\*Only those diagnostic categories and gender/age combinations with at least one OSHA event appear in this table.

# Oak Ridge National Laboratory 2007

OSHA Data

## Appendix O. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

		Men					TOTAL	TOTAL
		Age Group				TOTAL		
		16 - 29	30 - 39	40 - 49	50 +			
Diagnostic Category	ICD-9-CM code							
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	0	2	4	10	16	19	
-Disorders of Eye	360-379	0	1	1	1	3	5	
-Dis of Ear & Mastoid	380-389	0	1	3	9	13	14	
RESPIRATORY SYSTEM	460-519	0	0	0	2	2	2	
-Lung Dis from External Agents	500-508	0	0	0	2	2	2	
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	1	4	11	13	29	35	
-Arthropathies	710-719	0	3	6	7	16	20	
-Dorsopathies	720-724	1	1	3	6	11	12	
-Rheumatism, Excluding Back	725-729	0	0	2	0	2	3	
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	0	1	1	2	4	4	
-Symptoms	780-789	0	1	1	2	4	4	
INJURY & POISONING	800-999	3	6	14	35	58	86	
-Fracture - Neck, Trunk	805-809	0	0	0	1	1	1	
-Fracture - Upper Limb	810-819	0	0	2	0	2	2	
-Fracture - Lower Limb	820-829	0	0	1	0	1	3	
-Dislocation	830-839	0	0	1	0	1	1	
-Sprains & Strains - Back	846-847	2	1	1	5	9	11	
-Sprains & Strains - Other	840-845, 848	0	0	1	3	4	9	
-Open Wound - Head, Neck, Trunk	870-879	0	1	0	2	3	4	
-Open Wound - Upper Limb	880-887	1	1	1	6	9	12	
-Open Wound - Lower Limb	890-897	0	0	1	0	1	1	
-Superficial Injury	910-919	0	0	1	5	6	12	
-Contusion	920-924	0	0	0	2	2	7	
-Foreign Body Entering Orifice	930-939	0	2	0	2	4	4	
-Burns	940-949	0	0	0	2	2	3	
-Complications & Unspecified Injuries	958-959	0	0	0	4	4	7	
-Toxic Effects - Non-medicinal	980-989	0	0	3	3	6	6	
-Unspecified Effects - External Causes	990-995	0	1	2	0	3	3	

Diagnostic Category	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
TOTAL	1	4	9	23	37	4	13	30	62	109	146

\*Only those diagnostic categories and gender/age combinations with at least one OSHA event appear in this table.

# Oak Ridge National Laboratory 2007

## OSHA Data

### Appendix P. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Age\*

		Women							
		Age Group							
		16 - 29		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes								
-Disorders of Eye	360-379	0	0	0	0	0	0	0	0
-Dis of Ear & Mastoid	380-389	0	0	0	0	0	0	0	0
-Arthropathies	710-719	0	0	0	0	0	0	0	0
-Dorsopathies	720-724	0	0	0	0	0	0	0	0
-Rheumatism, Excluding Back	725-729	0	0	0	0	0	0	0	0
-Fracture - Lower Limb	820-829	0	0	0	0	0	0	0	5
-Sprains & Strains - Back	846-847	0	0	0	0	0	0	0	0
-Sprains & Strains - Other	840-845, 848	0	0	0	0	0	0	0	0
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0	0	0	0	0
-Open Wound - Upper Limb	880-887	0	0	0	0	0	0	0	0
-Superficial Injury	910-919	0	0	0	0	0	0	0	0
-Contusion	920-924	0	0	0	0	0	0	0	0
-Burns	940-949	0	0	0	0	0	0	0	0
-Complications & Unspecified Injuries	958-959	0	0	0	0	0	0	0	391

		Men							
		Age Group							
		16 - 29		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes								
-Disorders of Eye	360-379	0	0	0	0	0	0	0	0
-Dis of Ear & Mastoid	380-389	0	0	0	0	0	0	0	0
-Lung Dis from External Agents	500-508	0	0	0	0	0	0	0	0
-Arthropathies	710-719	0	0	0	0	21	228	22	21
-Dorsopathies	720-724	0	0	0	0	0	0	0	380
-Rheumatism, Excluding Back	725-729	0	0	0	0	0	0	0	0
-Symptoms	780-789	0	0	0	0	0	0	0	0
-Fracture - Neck, Trunk	805-809	0	0	0	0	0	0	0	0
-Fracture - Upper Limb	810-819	0	0	0	0	0	0	0	0
-Fracture - Lower Limb	820-829	0	0	0	0	0	28	0	0
-Dislocation	830-839	0	0	0	0	0	169	0	0
-Sprains & Strains - Back	846-847	0	0	0	0	0	0	0	214
-Sprains & Strains - Other	840-845, 848	0	0	0	0	0	0	22	21

(Continued)

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## OSHA Data

### Appendix P. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Age\*

		Men							
		Age Group							
		16 - 29		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes								
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0	0	0	0	0
-Open Wound - Upper Limb	880-887	0	0	0	0	0	0	0	0
-Open Wound - Lower Limb	890-897	0	0	0	0	0	0	0	0
-Superficial Injury	910-919	0	0	0	0	0	0	0	0
-Contusion	920-924	0	0	0	0	0	0	0	0
-Foreign Body Entering Orifice	930-939	0	0	0	0	0	0	0	0
-Burns	940-949	0	0	0	0	0	0	0	0
-Complications & Unspecified Injuries	958-959	0	0	0	0	0	0	0	0
-Toxic Effects - Non-medicinal	980-989	0	0	0	0	0	0	0	0
-Unspecified Effects - External Causes	990-995	0	0	0	0	0	0	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

**Oak Ridge National Laboratory 2007  
OSHA Data**

**Appendix Q. Number of Occurrences in Each Accident Category by Gender and Age\***

		Women				Men				TOTAL	
		Age Group			TOTAL	Age Group			TOTAL		
		30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49			50 +
Type of Accident	E Codes										
Motor Vehicle Traffic	E810-E819	1	0	0	1	0	0	1	0	1	2
Accidental Poisoning - Non-medicinal	E860-E869	0	0	0	0	0	0	2	1	3	3
Falls	E880-E888	0	1	3	4	0	0	2	6	8	12
Natural/Environmental Factors	E900-E909	0	0	2	2	0	0	2	5	7	9
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	0	0	2	0	2	4	4
Other Accidents	E916-E928	1	4	8	13	3	6	9	24	42	55

\*Only those accident types and gender/age combinations with at least one occurrence appear in this table.



**Oak Ridge National Laboratory 2007  
OSHA Data**

**Appendix R. Number of Workdays Lost or with Restricted Activity in Each Accident Category by Gender and Age\***

		Women					
		Age Group					
		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes						
Motor Vehicle Traffic	E810-E819	0	0	0	0	0	0
Falls	E880-E888	0	0	0	0	0	5
Natural/Environmental Factors	E900-E909	0	0	0	0	0	0
Other Accidents	E916-E928	0	0	0	0	0	391

		Men							
		Age Group							
		16 - 29		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes								
Motor Vehicle Traffic	E810-E819	0	0	0	0	0	169	0	0
Accidental Poisoning - Non-medicinal	E860-E869	0	0	0	0	0	0	0	0
Falls	E880-E888	0	0	0	0	0	28	22	182
Natural/Environmental Factors	E900-E909	0	0	0	0	0	0	0	0
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	0	0	0	0	0
Other Accidents	E916-E928	0	0	0	0	21	59	0	53

\*OSHA events with >1 E code in the same accident type were counted only once. Only those accident types and gender/age combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

OSHA Data

## Appendix S. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Women					
		Job Category					TOTAL
		Professional	Administrative Support	Technical Support	Service	Crafts	
Diagnostic Category	ICD-9-CM Code						
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	1	2	0	0	0	3
-Disorders of Eye	360-379	0	2	0	0	0	2
-Dis of Ear & Mastoid	380-389	1	0	0	0	0	1
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	1	2	0	2	1	6
-Arthropathies	710-719	1	1	0	2	0	4
-Dorsopathies	720-724	0	0	0	0	1	1
-Rheumatism, Excluding Back	725-729	0	1	0	0	0	1
INJURY & POISONING	800-999	8	9	5	3	3	28
-Fracture - Lower Limb	820-829	0	2	0	0	0	2
-Sprains & Strains - Back	846-847	0	1	0	0	1	2
-Sprains & Strains - Other	840-845, 848	1	2	1	1	0	5
-Open Wound - Head, Neck, Trunk	870-879	0	1	0	0	0	1
-Open Wound - Upper Limb	880-887	0	1	2	0	0	3
-Superficial Injury	910-919	3	1	0	1	1	6
-Contusion	920-924	3	1	0	1	0	5
-Burns	940-949	0	0	1	0	0	1
-Complications & Unspecified Injuries	958-959	1	0	1	0	1	3

		Women				
		Job Category				TOTAL
		Professional	Administrative Support	Technical Support	Service	
Diagnostic Category						
TOTAL	10	13	5	5	4	37

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

OSHA Data

## Appendix S. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Men							TOTAL
		Job Category							
		Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	Line Operators	
Diagnostic Category	ICD-9-CM Code								
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	2	0	1	0	1	12	0	16
-Disorders of Eye	360-379	0	0	0	0	0	3	0	3
-Dis of Ear & Mastoid	380-389	2	0	1	0	1	9	0	13
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	1	0	0	0	0	1	0	2
-Lung Dis from External Agents	500-508	1	0	0	0	0	1	0	2
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	7	1	5	8	0	8	0	29
-Arthropathies	710-719	7	1	2	2	0	4	0	16
-Dorsopathies	720-724	0	0	3	4	0	4	0	11
-Rheumatism, Excluding Back	725-729	0	0	0	2	0	0	0	2
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	1	0	0	3	0	0	0	4
-Symptoms	780-789	1	0	0	3	0	0	0	4
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	12	0	10	9	1	24	2	58
-Fracture - Neck, Trunk	805-809	1	0	0	0	0	0	0	1
-Fracture - Upper Limb	810-819	0	0	0	0	0	1	1	2
-Fracture - Lower Limb	820-829	0	0	0	0	0	1	0	1
-Dislocation	830-839	1	0	0	0	0	0	0	1
-Sprains & Strains - Back	846-847	1	0	2	2	0	4	0	9
-Sprains & Strains - Other	840-845, 848	0	0	1	0	0	3	0	4
-Open Wound - Head, Neck, Trunk	870-879	1	0	1	1	0	0	0	3
-Open Wound - Upper Limb	880-887	3	0	0	0	1	4	1	9
-Open Wound - Lower Limb	890-897	0	0	0	1	0	0	0	1
-Superficial Injury	910-919	2	0	1	0	0	3	0	6
-Contusion	920-924	0	0	0	1	0	1	0	2
-Foreign Body Entering Orifice	930-939	1	0	0	0	0	3	0	4
-Burns	940-949	1	0	1	0	0	0	0	2
-Complications & Unspecified Injuries	958-959	0	0	2	1	0	1	0	4

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

**Oak Ridge National Laboratory 2007**

OSHA Data

**Appendix S. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\***

		Men							TOTAL
		Job Category							
		Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	Line Operators	
Diagnostic Category	ICD-9-CM Code								
-Toxic Effects - Non-medicinal	980-989	1	0	1	1	0	3	0	6
-Unspecified Effects - External Causes	990-995	0	0	1	2	0	0	0	3

		Men							TOTAL
		Job Category							
		Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	Line Operators	
Diagnostic Category									
<b>TOTAL</b>		23	1	16	20	2	45	2	109

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## OSHA Data

### Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Job Category\*

		Women			
		Job Category			
		Professional		Administrative Support	
		Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes				
-Disorders of Eye	360-379	0	0	0	0
-Dis of Ear & Mastoid	380-389	0	0	0	0
-Arthropathies	710-719	0	0	0	0
-Dorsopathies	720-724	0	0	0	0
-Rheumatism, Excluding Back	725-729	0	0	0	0
-Fracture - Lower Limb	820-829	0	0	0	5
-Sprains & Strains - Back	846-847	0	0	0	0
-Sprains & Strains - Other	840-845, 848	0	0	0	0
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0
-Open Wound - Upper Limb	880-887	0	0	0	0
-Superficial Injury	910-919	0	0	0	0
-Contusion	920-924	0	0	0	0
-Burns	940-949	0	0	0	0
-Complications & Unspecified Injuries	958-959	0	391	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## OSHA Data

### Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Job Category\*

		Women					
		Job Category					
		Technical Support		Service		Crafts	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes						
-Disorders of Eye	360-379	0	0	0	0	0	0
-Dis of Ear & Mastoid	380-389	0	0	0	0	0	0
-Arthropathies	710-719	0	0	0	0	0	0
-Dorsopathies	720-724	0	0	0	0	0	0
-Rheumatism, Excluding Back	725-729	0	0	0	0	0	0
-Fracture - Lower Limb	820-829	0	0	0	0	0	0
-Sprains & Strains - Back	846-847	0	0	0	0	0	0
-Sprains & Strains - Other	840-845, 848	0	0	0	0	0	0
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0	0	0
-Open Wound - Upper Limb	880-887	0	0	0	0	0	0
-Superficial Injury	910-919	0	0	0	0	0	0
-Contusion	920-924	0	0	0	0	0	0
-Burns	940-949	0	0	0	0	0	0
-Complications & Unspecified Injuries	958-959	0	0	0	0	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## OSHA Data

### Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Job Category\*

		Men							
		Job Category							
		Professional		Administrative Support		Technical Support		Service	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes								
-Disorders of Eye	360-379	0	0	0	0	0	0	0	0
-Dis of Ear & Mastoid	380-389	0	0	0	0	0	0	0	0
-Lung Dis from External Agents	500-508	0	0	0	0	0	0	0	0
-Arthropathies	710-719	0	178	0	0	22	21	0	0
-Dorsopathies	720-724	0	0	0	0	0	327	0	0
-Rheumatism, Excluding Back	725-729	0	0	0	0	0	0	0	0
-Symptoms	780-789	0	0	0	0	0	0	0	0
-Fracture - Neck, Trunk	805-809	0	0	0	0	0	0	0	0
-Fracture - Upper Limb	810-819	0	0	0	0	0	0	0	0
-Fracture - Lower Limb	820-829	0	0	0	0	0	0	0	0
-Dislocation	830-839	0	169	0	0	0	0	0	0
-Sprains & Strains - Back	846-847	0	0	0	0	0	0	0	0
-Sprains & Strains - Other	840-845, 848	0	0	0	0	22	21	0	0
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0	0	0	0	0
-Open Wound - Upper Limb	880-887	0	0	0	0	0	0	0	0
-Open Wound - Lower Limb	890-897	0	0	0	0	0	0	0	0
-Superficial Injury	910-919	0	0	0	0	0	0	0	0
-Contusion	920-924	0	0	0	0	0	0	0	0
-Foreign Body Entering Orifice	930-939	0	0	0	0	0	0	0	0
-Burns	940-949	0	0	0	0	0	0	0	0
-Complications & Unspecified Injuries	958-959	0	0	0	0	0	0	0	0
-Toxic Effects - Non-medicinal	980-989	0	0	0	0	0	0	0	0
-Unspecified Effects - External Causes	990-995	0	0	0	0	0	0	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## OSHA Data

### Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Job Category\*

		Men					
		Job Category					
		Security and Fire		Crafts		Line Operators	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes						
-Disorders of Eye	360-379	0	0	0	0	0	0
-Dis of Ear & Mastoid	380-389	0	0	0	0	0	0
-Lung Dis from External Agents	500-508	0	0	0	0	0	0
-Arthropathies	710-719	0	0	21	50	0	0
-Dorsopathies	720-724	0	0	0	53	0	0
-Rheumatism, Excluding Back	725-729	0	0	0	0	0	0
-Symptoms	780-789	0	0	0	0	0	0
-Fracture - Neck, Trunk	805-809	0	0	0	0	0	0
-Fracture - Upper Limb	810-819	0	0	0	0	0	0
-Fracture - Lower Limb	820-829	0	0	0	28	0	0
-Dislocation	830-839	0	0	0	0	0	0
-Sprains & Strains - Back	846-847	0	0	0	214	0	0
-Sprains & Strains - Other	840-845, 848	0	0	0	0	0	0
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0	0	0
-Open Wound - Upper Limb	880-887	0	0	0	0	0	0
-Open Wound - Lower Limb	890-897	0	0	0	0	0	0
-Superficial Injury	910-919	0	0	0	0	0	0
-Contusion	920-924	0	0	0	0	0	0
-Foreign Body Entering Orifice	930-939	0	0	0	0	0	0
-Burns	940-949	0	0	0	0	0	0
-Complications & Unspecified Injuries	958-959	0	0	0	0	0	0
-Toxic Effects - Non-medicinal	980-989	0	0	0	0	0	0
-Unspecified Effects - External Causes	990-995	0	0	0	0	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.



# Oak Ridge National Laboratory 2007

## OSHA Data

### Appendix U. Number of Occurrences in Each Accident Category by Gender and Job Category\*

		Women					
		Job Category					TOTAL
		Professional	Administrative Support	Technical Support	Service	Crafts	
Type of Accident	E CODES						
Motor Vehicle Traffic	E810-E819	1	0	0	0	0	1
Falls	E880-E888	0	4	0	0	0	4
Natural/Environmental Factors	E900-E909	1	0	0	1	0	2
Other Accidents	E916-E928	2	1	5	3	2	13

		Men						
		Job Category						Line Operators
		Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	
Type of Accident	E CODES							
Motor Vehicle Traffic	E810-E819	1	0	0	0	0	0	0
Accidental Poisoning - Non-medicinal	E860-E869	0	0	1	1	0	1	0
Falls	E880-E888	3	1	1	0	1	2	0
Natural/Environmental Factors	E900-E909	3	0	0	0	0	4	0
Submersion/Suffocation/Foreign Bodies	E910-E915	1	0	0	0	0	3	0
Other Accidents	E916-E928	8	0	7	10	0	16	1

		Men
		TOTAL
Type of Accident	E CODES	
Motor Vehicle Traffic	E810-E819	1
Accidental Poisoning - Non-medicinal	E860-E869	3
Falls	E880-E888	8
Natural/Environmental Factors	E900-E909	7
Submersion/Suffocation/Foreign Bodies	E910-E915	4
Other Accidents	E916-E928	42

\*Only those accident types and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## OSHA Data

### Appendix V. Number of Workdays Lost or with Restricted Activity in Each Accident Category by Gender and Job Category\*

		Women			
		Job Category			
		Professional		Administrative Support	
		Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes				
Motor Vehicle Traffic	E810-E819	0	0	0	0
Falls	E880-E888	0	0	0	5
Natural/Environmental Factors	E900-E909	0	0	0	0
Other Accidents	E916-E928	0	391	0	0

		Women					
		Job Category					
		Technical Support		Service		Crafts	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes						
Motor Vehicle Traffic	E810-E819	0	0	0	0	0	0
Falls	E880-E888	0	0	0	0	0	0
Natural/Environmental Factors	E900-E909	0	0	0	0	0	0
Other Accidents	E916-E928	0	0	0	0	0	0

\*OSHA events with >1 E code in the same accident type were counted only once. Only those accident types and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

OSHA Data

## Appendix V. Number of Workdays Lost or with Restricted Activity in Each Accident Category by Gender and Job Category\*

		Men							
		Job Category							
		Professional		Administrative Support		Technical Support		Service	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes								
Motor Vehicle Traffic	E810-E819	0	169	0	0	0	0	0	0
Accidental Poisoning - Non-medicinal	E860-E869	0	0	0	0	0	0	0	0
Falls	E880-E888	0	0	0	0	22	21	0	0
Natural/Environmental Factors	E900-E909	0	0	0	0	0	0	0	0
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	0	0	0	0	0
Other Accidents	E916-E928	0	9	0	0	0	0	0	0

		Men					
		Job Category					
		Security and Fire		Crafts		Line Operators	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes						
Motor Vehicle Traffic	E810-E819	0	0	0	0	0	0
Accidental Poisoning - Non-medicinal	E860-E869	0	0	0	0	0	0
Falls	E880-E888	0	0	0	189	0	0
Natural/Environmental Factors	E900-E909	0	0	0	0	0	0
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	0	0	0
Other Accidents	E916-E928	0	0	21	103	0	0

\*OSHA events with >1 E code in the same accident type were counted only once. Only those accident types and gender/job category combinations with at least one occurrence appear in this table.

# Oak Ridge National Laboratory 2007

## OSHA Data

### Appendix W. Age-Adjusted OSHA Illness and Injury Rates by Diagnostic Category\*

#### Part 1. Men

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	16	3.8	2.2	6.6
-Disorders of Eye	360-379	3	0.9	0.2	3.1
-Dis of Ear & Mastoid	380-389	13	3.0	1.6	5.4
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	2	0.3	0.1	1.1
-Lung Dis from External Agents	500-508	2	0.3	0.1	1.1
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	29	8.5	5.1	14.3
-Arthropathies	710-719	16	4.3	2.5	7.3
-Dorsopathies	720-724	11	3.8	1.4	10.0
-Rheumatism, Excluding Back	725-729	2	0.5	0.1	2.0
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	4	1.0	0.3	3.1
-Symptoms	780-789	4	1.0	0.3	3.1
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	58	17.7	12.0	26.3
-Fracture - Skull	800-804	1	0.1	0.0	1.0
-Fracture - Upper Limb	810-819	2	0.5	0.1	2.0
-Fracture - Lower Limb	820-829	1	0.2	0.0	1.8
-Dislocation	830-839	1	0.2	0.0	1.8
-Sprains & Strains - Back	846-847	9	4.9	1.8	13.5
-Sprains & Strains - Other	840-845, 848	4	0.7	0.2	1.8
-Open Wound - Head, Neck, Trunk	870-879	3	0.9	0.3	3.3
-Open Wound - Upper Limb	880-887	9	3.5	1.2	10.0
-Open Wound - Lower Limb	890-897	1	0.2	0.0	1.8
-Superficial Injury	910-919	6	1.3	0.5	2.9
-Contusion	920-924	2	0.3	0.1	1.1
-Foreign Body Entering Orifice	930-939	4	1.3	0.4	3.9
-Burns	940-949	2	0.3	0.1	1.1
-Toxic Effects - Non-medicinal	980-989	9	2.6	1.3	5.2
-Complications of Surgical/Medical Care	996-999	4	0.7	0.2	2.0
<b>Total</b>		109	31.4	23.9	41.3

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

# Oak Ridge National Laboratory 2007

## OSHA Data

### Appendix W. Age-Adjusted OSHA Illness and Injury Rates by Diagnostic Category\*

#### Part 2. Women

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	3	1.2	0.4	3.7
-Disorders of Eye	360-379	2	0.8	0.2	3.5
-Dis of Ear & Mastoid	380-389	1	0.3	0.0	2.3
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	6	3.0	1.2	7.8
-Arthropathies	710-719	4	1.5	0.5	4.0
-Dorsopathies	720-724	1	1.2	0.2	8.6
-Rheumatism, Excluding Back	725-729	1	0.3	0.0	2.3
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	28	16.3	9.4	28.2
-Fracture - Lower Limb	820-829	2	0.8	0.2	3.5
-Sprains & Strains - Back	846-847	2	1.5	0.3	7.6
-Sprains & Strains - Other	840-845, 848	5	2.0	0.8	4.9
-Open Wound - Head, Neck, Trunk	870-879	1	0.5	0.1	3.7
-Open Wound - Upper Limb	880-887	3	4.4	0.9	22.1
-Superficial Injury	910-919	6	2.1	0.9	4.8
-Contusion	920-924	5	2.7	0.9	7.6
-Burns	940-949	1	0.3	0.0	2.3
-Complications of Surgical/Medical Care	996-999	3	1.8	0.5	7.2
<b>Total</b>		37	20.4	12.8	32.5

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.

# Oak Ridge National Laboratory 2007

## OSHA Data

### Appendix W. Age-Adjusted OSHA Illness and Injury Rates by Diagnostic Category\*

#### Part 3. Men and Women

		Number of Diagnoses	Age-Adjusted Rate per 1,000**	Lower 95% Confidence Limit per 1,000	Upper 95% Confidence Limit per 1,000
Diagnostic Category	ICD-9-CM Code				
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	19	3.1	1.9	5.2
-Disorders of Eye	360-379	5	0.9	0.3	2.4
-Dis of Ear & Mastoid	380-389	14	2.3	1.3	4.1
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	2	0.2	0.0	0.8
-Lung Dis from External Agents	500-508	2	0.2	0.0	0.8
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	35	6.9	4.3	10.8
-Arthropathies	710-719	20	3.5	2.1	5.7
-Dorsopathies	720-724	12	2.9	1.2	7.1
-Rheumatism, Excluding Back	725-729	3	0.4	0.1	1.4
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	4	0.7	0.2	2.2
-Symptoms	780-789	4	0.7	0.2	2.2
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	86	17.5	12.8	24.0
-Fracture - Skull	800-804	1	0.1	0.0	0.7
-Fracture - Upper Limb	810-819	2	0.3	0.1	1.3
-Fracture - Lower Limb	820-829	3	0.4	0.1	1.4
-Dislocation	830-839	1	0.2	0.0	1.2
-Sprains & Strains - Back	846-847	11	3.8	1.5	9.3
-Sprains & Strains - Other	840-845, 848	9	1.1	0.5	2.1
-Open Wound - Head, Neck, Trunk	870-879	4	0.9	0.3	2.5
-Open Wound - Upper Limb	880-887	12	3.8	1.6	9.2
-Open Wound - Lower Limb	890-897	1	0.2	0.0	1.2
-Superficial Injury	910-919	12	1.6	0.9	3.0
-Contusion	920-924	7	1.0	0.4	2.4
-Foreign Body Entering Orifice	930-939	4	0.9	0.3	2.7
-Burns	940-949	3	0.3	0.1	0.9
-Toxic Effects - Non-medicinal	980-989	9	1.9	1.0	3.8
-Complications of Surgical/Medical Care	996-999	7	1.1	0.5	2.6
<b>Total</b>		146	28.4	22.5	35.8

\*Only those diagnostic categories with at least one occurrence appear in this table.

\*\*Standardized to age distribution of 2000 U.S. population.