

# 2005

## Savannah River Site Annual Illness and Injury Surveillance Report



**Savannah River Site**  
**2005 Illness and Injury Surveillance Report**

Questions or comments about this report or the Illness and Injury Surveillance Program (IISP) may be directed to:

E-mail:

Dr. Cliff Strader at [cliff.strader@hq.doe.gov](mailto:cliff.strader@hq.doe.gov)  
or Dr. Bonnie Richter at [bonnie.richter@hq.doe.gov](mailto:bonnie.richter@hq.doe.gov)

or direct letters to:

Mail Stop HS-13 / 270CC  
U.S. Department of Energy  
1000 Independence Avenue, S.W.  
Washington, DC 20585-0270

Additional information about the Department of Energy's Office of Illness and Injury Prevention Programs, the IISP, and annual reports for DOE sites participating in this program can be found at:

**<http://www.hss.energy.gov/healthsafety/WSHP/epi/surv/>**



## **The Savannah River Site Work Force – 2005**

The Work Force by Gender and Age .....	1
The Work Force by Gender and Job Category .....	1

### **Number and Length of Absences**

Absence Rate by Gender and Age .....	2
Number of Days Absent by Gender and Age .....	2
Absence Rate by Job Category and Gender.....	3
Average Duration of Absence by Job Category and Gender.....	3

### **Diagnostic Categories**

Number of Diagnoses and Lost Calendar Days by Diagnostic Category (Categorized by ICD-9-CM) and Gender.....	4
Common Diagnoses Among Female Workers in 2005 .....	5
Common Diagnoses Among Male Workers in 2005 .....	6
Number of Most Frequently Reported Diagnoses by Job Category and Gender .....	7

### **Rates of Disease Occurrence**

Rates for All Illnesses and Injuries Combined by Job Category, Gender, and Age .....	8
Rates for Selected Diagnostic Categories by Job Category, Gender, and Age.....	8

### **Time Trends**

Age-Adjusted Rates for All Diagnoses Combined Among Women and Men from 2003 to 2005 .....	10
---	----

Age-Adjusted Rates for Selected Diagnostic Categories Among Women and Men from 2003 to 2005 .....	11
---	----

Age-Adjusted Rates for All Diagnoses Combined Among Women and Men by Job Category from 2003 to 2005.....	12
--	----

### **Sentinel Health Events for Occupations (SHEOs)**

Characteristics of SHEOs by Gender .....	13
--	----

### **Occupational Safety and Health Administration (OSHA)-Recordable Events**

OSHA-Recordable Events by Gender and Age .....	13
OSHA-Recordable Events by Job Category and Gender .....	14

### **Diagnostic and Accident Categories for OSHA-Recordable Events**

OSHA-Recordable Diagnoses by Diagnostic Category and Gender .....	15
OSHA-Recordable Accidents by Type and Gender.....	15

### **Rates of OSHA-Recordable Events**

OSHA-Recordable Rates by Age and Job Categories Among Women, All Diagnoses Combined .....	16
OSHA-Recordable Rates by Age and Job Categories Among Men, All Diagnoses Combined .....	16

### **Time Trends for OSHA-Recordable Events**


Age-Adjusted Rates for All OSHA-Recordable Diagnoses Combined Among Women and Men by Job Category from 2003 to 2005...	17
--	----

### **Appendices**

Appendices A-W.....	19
---------------------	----

## The Savannah River Site Work Force - 2005

**Figure 1. The Work Force by Gender and Age**



**Figure 2. The Work Force by Gender and Job Category**

Job Category	Women	Men
Professional	1,673 60%	4,267 51%
Administrative Support	109 4%	65 1%
Technical Support	611 22%	1,758 21%
Service	35 1%	712 8%
Security and Fire	13 <1%	146 2%
Crafts	80 3%	662 8%
Line Operators	278 10%	773 9%
Total	2,799 100%	8,383 100%

Number and Length of Absences

Figure 3. Absence Rate by Gender and Age






Figure 4. Number of Days Absent by Gender and Age

Gender	Age	Number of Absences	Number of Days Absent	
			Total	Average
Women	16-29	31	302	10
	30-39	181	2,364	13
	40-49	700	10,876	16
	50+	655	9,134	14
	<b>Total</b>	<b>1,567</b>	<b>22,676</b>	<b>14</b>
Men	16-29	32	373	12
	30-39	232	2,860	12
	40-49	985	11,469	12
	50+	1,343	20,448	15
	<b>Total</b>	<b>2,592</b>	<b>35,150</b>	<b>14</b>

**Figure 5. Absence Rate by Job Category and Gender**



**Figure 6. Average Duration of Absence by Job Category and Gender**



**Diagnostic Categories**


**Figure 7. Number of Diagnoses and Lost Calendar Days by Diagnostic Category (Categorized by ICD-9-CM) and Gender**

Diagnostic Category	Women		Men	
	Number of Diagnoses	Number of Lost Calendar Days	Number of Diagnoses	Number of Lost Calendar Days
Benign Growths	48	1,608	33	716
Blood	17	330	4	54
Cancer	39	480	73	1,697
Digestive	154	2,504	222	3,296
Endocrine/Metabolic	46	728	76	1,591
Existing Birth Condition	0	0	3	38
Genitourinary	162	2,796	136	2,016
Heart/Circulatory	89	1,323	203	3,909
Infections/Parasites	111	1,599	117	1,632
Injury	140	2,205	357	5,709
Miscarriage	4	29	NA	NA
Musculoskeletal	271	4,867	553	9,127
Nervous System	124	1,643	175	2,086
Psychological	34	848	43	1,466
Respiratory	618	5,405	983	8,062
Skin	27	271	37	439
Unspecified Symptoms	406	3,521	570	4,159

Note: Lost calendar days for each absence are counted more than once when multiple diagnoses occur in different diagnostic categories for the same absence.




**Figure 8. Common Diagnoses Among Female Workers in 2005**



■ Digestive, 154 Diagnoses	■ Musculoskeletal, 271 Diagnoses
■ Genitourinary, 162 Diagnoses	■ Respiratory, 618 Diagnoses
■ Injury, 140 Diagnoses	■ Unspecified Symptoms, 406 Diagnoses



**Figure 9. Common Diagnoses Among Male Workers in 2005**



<span style="color: blue;">■</span> Digestive, 222 Diagnoses	<span style="color: orange;">■</span> Musculoskeletal, 553 Diagnoses
<span style="color: red;">■</span> Genitourinary, 136 Diagnoses	<span style="color: purple;">■</span> Respiratory, 983 Diagnoses
<span style="color: green;">■</span> Injury, 357 Diagnoses	<span style="color: yellow;">■</span> Unspecified Symptoms, 570 Diagnoses

**Figure 10. Number of Most Frequently Reported Diagnoses by Job Category and Gender**

<b>Job Category</b>	<b>Men</b>		<b>Women</b>	
Professional	<b>Respiratory</b>	<b>345</b>	<b>Respiratory</b>	<b>305</b>
	<b>Musculoskeletal</b>	<b>215</b>	<b>Unspecified Symptoms</b>	<b>172</b>
	<b>Unspecified Symptoms</b>	<b>210</b>	<b>Musculoskeletal</b>	<b>114</b>
Administrative Support	<b>Heart/Circulatory</b>	<b>7</b>	<b>Respiratory</b>	<b>16</b>
	<b>Unspecified Symptoms</b>	<b>7</b>	<b>Unspecified Symptoms</b>	<b>15</b>
	<b>Genitourinary</b>	<b>4</b>	<b>Digestive</b>	<b>11</b>
	<b>Respiratory</b>	<b>4</b>		
Technical Support	<b>Respiratory</b>	<b>254</b>	<b>Respiratory</b>	<b>172</b>
	<b>Unspecified Symptoms</b>	<b>136</b>	<b>Unspecified Symptoms</b>	<b>136</b>
	<b>Musculoskeletal</b>	<b>129</b>	<b>Musculoskeletal</b>	<b>95</b>
Service	<b>Respiratory</b>	<b>178</b>	<b>Respiratory</b>	<b>24</b>
	<b>Unspecified Symptoms</b>	<b>102</b>	<b>Unspecified Symptoms</b>	<b>10</b>
	<b>Musculoskeletal</b>	<b>90</b>	<b>Genitourinary</b>	<b>8</b>
Security and Fire	<b>Injury</b>	<b>9</b>	<b>Cancer</b>	<b>2</b>
	<b>Musculoskeletal</b>	<b>6</b>	<b>Benign Growths</b>	<b>1</b>
	<b>Respiratory</b>	<b>5</b>	<b>Digestive</b>	<b>1</b>
			<b>Endocrine/Metabolic</b>	<b>1</b>
			<b>Respiratory</b>	<b>1</b>
Crafts	<b>Injury</b>	<b>16</b>	<b>Respiratory</b>	<b>6</b>
	<b>Respiratory</b>	<b>16</b>	<b>Musculoskeletal</b>	<b>3</b>
	<b>Heart/Circulatory</b>	<b>12</b>	<b>Genitourinary</b>	<b>2</b>
			<b>Infections/Parasites</b>	<b>2</b>
Line Operators	<b>Respiratory</b>	<b>181</b>	<b>Respiratory</b>	<b>94</b>
	<b>Musculoskeletal</b>	<b>107</b>	<b>Unspecified Symptoms</b>	<b>73</b>
	<b>Unspecified Symptoms</b>	<b>105</b>	<b>Musculoskeletal</b>	<b>46</b>

Rates of Disease Occurrence

Figure 11. Rates for All Illnesses and Injuries Combined by Job Category, Gender, and Age





All Illnesses & Injuries Combined	Rate per 1,000			
	Job Category	Age	Men	Women
	Professional	<50	279	603
		50+	364	684
	Administrative Support	<50	467	592
		50+	457	817
	Technical Support	<50	430	1,200
		50+	526	896
	Service	<50	799	1,600
		50+	839	3,100
	Security and Fire	<50	200	300
		50+	227	1,000
	Crafts	<50	109	196
		50+	154	208
	Line Operators	<50	886	1,381
		50+	758	1,398

Figure 12. Rates for Selected Diagnostic Categories by Job Category, Gender, and Age


Cancer	Rate per 1,000			
	Job Category	Age	Men	Women
	Professional	<50	5	18
		50+	17	13
	Administrative Support	<50	0	20
		50+	0	0
	Technical Support	<50	1	0
		50+	16	0
	Service	<50	3	0
		50+	6	0
	Security and Fire	<50	0	0
		50+	0	667
	Crafts	<50	0	18
		50+	4	0
	Line Operators	<50	4	6
		50+	12	65

**Figure 12. Rates for Selected Diagnostic Categories by Job Category, Gender, and Age (Continued)**

Heart/Circulatory	Rate per 1,000			
	Job Category	Age	Men	Women
	Professional	<50	10	23
		50+	27	27
	Administrative Support	<50	0	0
		50+	200	33
	Technical Support	<50	19	38
		50+	38	32
	Service	<50	33	0
		50+	40	200
	Security and Fire	<50	0	0
		50+	15	0
	Crafts	<50	14	18
		50+	25	0
	Line Operators	<50	29	52
		50+	43	106


Respiratory	Rate per 1,000			
	Job Category	Age	Men	Women
	Professional	<50	77	142
		50+	84	238
	Administrative Support	<50	100	122
		50+	29	167
	Technical Support	<50	146	290
		50+	143	267
	Service	<50	224	480
		50+	282	1,200
	Security and Fire	<50	50	100
		50+	15	0
	Crafts	<50	21	54
		50+	29	125
	Line Operators	<50	271	284
		50+	184	407

**Figure 12. Rates for Selected Diagnostic Categories by Job Category, Gender, and Age (Continued)**

Injury	Rate per 1,000			
	Job Category	Age	Men	Women
	Professional	<50	26	51
		50+	40	38
	Administrative Support	<50	0	0
		50+	29	67
	Technical Support	<50	50	54
		50+	46	36
	Service	<50	49	40
		50+	77	100
	Security and Fire	<50	75	0
		50+	45	0
	Crafts	<50	31	18
		50+	12	0
	Line Operators	<50	78	123
		50+	77	73


**Time Trends**

**Figure 13. Age-Adjusted Rates for All Diagnoses Combined Among Women and Men from 2003 to 2005\***




\* Standardized to age distribution of 2000 U.S. population.

**Figure 14. Age-Adjusted Rates for Selected Diagnostic Categories Among Women and Men from 2003 to 2005\***



\* Standardized to age distribution of 2000 U.S. population.

**Figure 15. Age-Adjusted Rates for All Diagnoses Combined Among Women and Men by Job Category from 2003 to 2005\***



\* Standardized to age distribution of 2000 U.S. population.



## Sentinel Health Events for Occupations (SHEOs)

An occupational sentinel health event (SHEO) is a disease, disability, or death that is likely to be occupationally related. Although sentinel health events may indicate an occupational exposure, many may result from nonoccupational exposures. Sentinel health events are therefore assessed in two categories:

*Definite Sentinel Health Events:* Diseases that are unlikely to occur in the absence of an occupational exposure (e.g., asbestosis).

*Possible Sentinel Health Events:* Diseases that may be occupational but can also occur in the absence of an occupational exposure (e.g., lung cancer or carpal tunnel syndrome).

**Figure 16. Characteristics of SHEOs by Gender**

	Total Number of SHEO Diagnoses		Total Number of Days Absent	
	Men	Women	Men	Women
<b>Definite</b>	<b>18</b>	<b>5</b>	<b>43</b>	<b>28</b>
<b>Possible</b>	<b>38</b>	<b>20</b>	<b>778</b>	<b>409</b>
<b>Total</b>	<b>56</b>	<b>25</b>	<b>821</b>	<b>437</b>

## Occupational Safety and Health Administration (OSHA)-Recordable Events

**Figure 17. OSHA-Recordable Events by Gender and Age**





Figure 18. OSHA-Recordable Events by Job Category and Gender



## Diagnostic and Accident Categories for OSHA-Recordable Events

**Figure 19. OSHA-Recordable Diagnoses by Diagnostic Category and Gender**


Diagnostic Category	Gender	
	Women	Men
Digestive	0	1
Musculoskeletal	8	4
Nervous System	1	1
Respiratory	1	0
Unspecified Symptoms	1	2
Injury	17	48
Fractures – Upper Limb	2	2
Dislocations	0	1
Back Sprains & Strains	0	5
Other Sprains & Strains	4	6
Open Wounds – Head, Neck, Trunk	0	7
Open Wounds – Upper Limb	6	9
Superficial Injuries	2	0
Bruises	1	5
Foreign Bodies Entering Orifice	0	4
Burns	0	4
Adverse Reactions to Non-Medical Substances	2	4
Adverse Reactions to External Causes	0	1

**Figure 20. OSHA-Recordable Accidents by Type and Gender**


Accident Category	Gender	
	Women	Men
	Number of Accidents	Number of Accidents
Poisoning – Non-Medicinal	2	1
Falls	2	4
Natural/Environmental Factors	2	4
Submersion/Suffocation/Foreign Bodies	0	4
Other Accidents	14	31
Struck by an Object	1	12
Caught Between Objects	2	4
Cutting/Piercing Instrument/Object	2	2
Hot, Corrosive, or Caustic Material/Steam	0	4
Overexertion/Strenuous Movements	8	8
Repetitive Trauma	1	1
Total	20	44

Rates of OSHA-Recordable Events

**Figure 21. OSHA-Recordable Rates by Age and Job Categories Among Women, All Diagnoses Combined**




**Figure 22. OSHA-Recordable Rates by Age and Job Categories Among Men, All Diagnoses Combined**



Time Trends for OSHA-Recordable Events

Figure 23. Age-Adjusted Rates for All OSHA-Recordable Diagnoses Combined Among Women and Men by Job Category from 2003 to 2005\*



\* Standardized to age distribution of 2000 U.S. population.

## **Appendices**

**Savannah River Site 2005**  
Absence Data

**Appendix A. Work Force by Gender, Age, and Job Category**

Job Category	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Professional	64	207	696	706	1,673	152	393	1,542	2,180	4,267	5,940
Administrative Support	1	11	37	60	109	2	10	18	35	65	174
Technical Support	16	69	305	221	611	34	125	725	874	1,758	2,369
Service	0	0	25	10	35	0	37	352	323	712	747
Security and Fire	0	1	9	3	13	1	17	62	66	146	159
Crafts	7	10	39	24	80	51	132	238	241	662	742
Line Operators	2	28	125	123	278	14	78	355	326	773	1,051
<b>TOTAL</b>	90	326	1,236	1,147	2,799	254	792	3,292	4,045	8,383	11,182

**Appendix B. Age Distribution of the Work Force by Gender**

Year	Women				Men			
	Percent Distribution by Age Group				Percent Distribution by Age Group			
	16 - 29	30 - 39	40 - 49	50 +	16 - 29	30 - 39	40 - 49	50 +
1994	23.92	41.93	26.45	7.71	16.20	37.97	31.48	14.35
1995	18.31	42.58	29.86	9.25	11.66	37.77	34.26	16.31
1996	12.75	41.43	34.53	11.29	7.89	35.53	38.82	17.76
1997	9.53	38.76	38.48	13.23	5.51	33.40	41.02	20.06
1998	8.59	35.79	40.45	15.17	4.72	30.95	42.36	21.97
1999	6.30	33.07	42.76	17.87	3.87	28.08	42.83	25.22
2000	5.49	30.09	43.31	21.10	4.19	24.74	42.87	28.20
2001	5.97	26.63	43.88	23.52	4.86	22.01	43.32	29.81
2002	6.16	23.32	44.12	26.40	5.14	18.68	42.78	33.41
2003	5.22	16.88	50.33	27.57	4.93	13.71	46.65	34.70
2004	4.57	14.05	49.66	31.72	4.27	11.08	45.70	38.94
2005	3.22	11.65	44.16	40.98	3.03	9.45	39.27	48.25



## Savannah River Site 2005

### Absence Data

#### Appendix C. Total Number of Workers Who Reported at Least One Absence by Gender, Age, and Job Category\*

Job Category	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Professional	12	38	189	195	434	12	58	225	417	712	1,146
Administrative Support	1	3	11	24	39	2	3	4	8	17	56
Technical Support	6	35	118	77	236	3	34	151	215	403	639
Service	0	0	13	8	21	0	14	124	127	265	286
Security and Fire	0	1	2	1	4	0	3	4	11	18	22
Crafts	0	3	6	3	12	3	12	15	30	60	72
Line Operators	2	13	58	64	137	8	30	129	100	267	404
<b>TOTAL</b>	21	93	397	372	883	28	154	652	908	1,742	2,625

\*Only those job categories and gender/age combinations with at least one absence appear in this table.

#### Appendix D. Total Number of Absences by Gender, Age, and Job Category\*

Job Category	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Professional	13	73	307	337	730	14	84	324	578	1,000	1,730
Administrative Support	3	4	15	41	63	2	6	4	10	22	85
Technical Support	12	71	231	129	443	5	55	211	331	602	1,045
Service	0	0	28	21	49	0	17	203	204	424	473
Security and Fire	0	1	2	1	4	0	4	7	14	25	29
Crafts	0	3	6	3	12	3	13	18	33	67	79
Line Operators	3	29	111	123	266	8	53	218	173	452	718
<b>TOTAL</b>	31	181	700	655	1,567	32	232	985	1,343	2,592	4,159

\*Only those job categories and gender/age combinations with at least one absence appear in this table.

# Savannah River Site 2005

## Absence Data

### Appendix E. Distribution of the Number of Calendar Days Missed per Absence by Gender and Age\*

# of Calendar Days	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
< 15	24	132	497	499	1,152	23	190	815	1,001	2,029	3,181
15 - 28	6	36	94	93	229	7	24	99	174	304	533
29 - 42	0	4	48	20	72	1	6	30	65	102	174
43 - 56	1	5	41	23	70	0	5	17	43	65	135
57 - 91	0	4	14	10	28	1	5	17	36	59	87
92 - 182	0	0	5	9	14	0	2	6	20	28	42
183 +	0	0	1	1	2	0	0	1	4	5	7
<b>TOTAL</b>	31	181	700	655	1,567	32	232	985	1,343	2,592	4,159

\*Only those gender/age combinations with at least one absence appear in this table.

# Savannah River Site 2005

## Absence Data

### Appendix F. Distribution of the Number of Calendar Days Missed per Absence by Gender and Job Category\*

#### Women

# of Calendar Days	Job Category							TOTAL
	Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	Line Operators	
< 15	531	50	329	39	2	7	194	1,152
15 - 28	109	9	58	7	0	1	45	229
29 - 42	32	2	27	1	1	1	8	72
43 - 56	43	0	13	2	1	2	9	70
57 - 91	7	1	14	0	0	0	6	28
92 - 182	7	1	2	0	0	1	3	14
183 +	1	0	0	0	0	0	1	2
<b>TOTAL</b>	730	63	443	49	4	12	266	1,567

#### Men

# of Calendar Days	Job Category							TOTAL
	Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	Line Operators	
< 15	778	19	467	330	16	49	370	2,029
15 - 28	122	3	68	49	4	5	53	304
29 - 42	38	0	24	18	2	5	15	102
43 - 56	18	0	23	13	1	4	6	65
57 - 91	27	0	15	9	2	3	3	59
92 - 182	14	0	4	5	0	0	5	28
183 +	3	0	1	0	0	1	0	5
<b>TOTAL</b>	1,000	22	602	424	25	67	452	2,592

\*Only those gender/job category combinations with at least one absence appear in this table.

## Savannah River Site 2005

### Absence Data

#### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

		Women				
		Age Group				TOTAL
		16 - 29	30 - 39	40 - 49	50 +	
Diagnostic Category	ICD-9-CM Code					
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	3	20	33	55	111
-Intestinal Infectious Dis	001-009	0	8	10	13	31
-Other Bacterial Dis	030-041	0	8	12	14	34
-Viral Dis with Exanthem	050-057	0	1	1	13	15
-Other Viral Dis & Chlamydiae	070-079	2	2	6	9	19
-Syphilis & Other Venereal Dis	090-099	1	0	0	0	1
-Mycoses	110-118	0	1	3	3	7
-Helminthiases	120-129	0	0	0	0	0
-Other Infections & Parasitic Dis	130-136	0	0	1	3	4
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	0	0	20	19	39
-Lip, Oral Cavity, Pharynx	140-149	0	0	0	0	0
-Digestive & Peritoneal	150-159	0	0	0	0	0
-Respiratory & Intrathoracic	160-165	0	0	0	0	0
-Bone, Connective Tissue, Skin	170-173, 176	0	0	3	0	3
-Breast	174-175	0	0	12	14	26
-Genitourinary	179-189	0	0	0	1	1
-Other & Unspecified Sites	190, 193-199	0	0	5	4	9
-Lymphatic & Hematopoietic	200-208	0	0	0	0	0
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	0	4	32	12	48
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	0	9	16	21	46
-Thyroid Gland Disorders	240-246	0	0	3	3	6
-Other Endocrine Gland Dis	250-259	0	7	7	5	19
-Other Metabolic & Immunity Disorders	270-279	0	2	6	13	21
<b>BLOOD &amp; BLOOD-FORMING ORGANS</b>	<b>280-289</b>	0	8	6	3	17
<b>MENTAL DISORDERS</b>	<b>290-319</b>	1	9	15	9	34
-Psychoses	290-299	0	1	0	1	2
-Non-Psychotic Disorders	300-302, 306-316	1	8	13	8	30
-Alcohol Dependence	303	0	0	1	0	1
-Drug Dependence	304-305	0	0	1	0	1
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	0	8	70	46	124
-Hereditary/Degenerative Central NS Dis	330-337	0	0	0	0	0
-Other Disorders of Central NS	340-349	0	2	21	7	30
-Disorders of Peripheral NS	350-359	0	2	13	11	26
-Disorders of Eye	360-379	0	1	13	17	31
-Dis of Ear & Mastoid	380-389	0	3	23	11	37
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	1	5	40	43	89
-Hypertensive Dis	401-405	0	4	26	24	54

(Continued)

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

# Savannah River Site 2005

## Absence Data

### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

		Men					TOTAL
		Age Group				TOTAL	
		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category	ICD-9-CM Code						
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	5	15	42	55	117	228
-Intestinal Infectious Dis	001-009	2	6	16	15	39	70
-Other Bacterial Dis	030-041	2	6	16	5	29	63
-Viral Dis with Exanthem	050-057	1	1	3	9	14	29
-Other Viral Dis & Chlamydiae	070-079	0	1	3	19	23	42
-Syphilis & Other Venereal Dis	090-099	0	0	0	1	1	2
-Mycoses	110-118	0	0	2	5	7	14
-Helminthiases	120-129	0	1	0	0	1	1
-Other Infections & Parasitic Dis	130-136	0	0	2	1	3	7
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	0	0	14	59	73	112
-Lip, Oral Cavity, Pharynx	140-149	0	0	1	6	7	7
-Digestive & Peritoneal	150-159	0	0	2	9	11	11
-Respiratory & Intrathoracic	160-165	0	0	0	2	2	2
-Bone, Connective Tissue, Skin	170-173, 176	0	0	6	8	14	17
-Breast	174-175	0	0	0	0	0	26
-Genitourinary	179-189	0	0	0	24	24	25
-Other & Unspecified Sites	190, 193-199	0	0	1	8	9	18
-Lymphatic & Hematopoietic	200-208	0	0	4	2	6	6
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	0	3	11	19	33	81
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	0	2	28	46	76	122
-Thyroid Gland Disorders	240-246	0	0	0	3	3	9
-Other Endocrine Gland Dis	250-259	0	0	4	24	28	47
-Other Metabolic & Immunity Disorders	270-279	0	2	24	19	45	66
<b>BLOOD &amp; BLOOD-FORMING ORGANS</b>	<b>280-289</b>	0	0	0	4	4	21
<b>MENTAL DISORDERS</b>	<b>290-319</b>	1	3	16	23	43	77
-Psychoses	290-299	0	0	3	3	6	8
-Non-Psychotic Disorders	300-302, 306-316	1	2	11	16	30	60
-Alcohol Dependence	303	0	1	1	3	5	6
-Drug Dependence	304-305	0	0	1	1	2	3
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	1	13	57	104	175	299
-Hereditary/Degenerative Central NS Dis	330-337	0	0	0	3	3	3
-Other Disorders of Central NS	340-349	0	0	3	7	10	40
-Disorders of Peripheral NS	350-359	0	0	13	18	31	57
-Disorders of Eye	360-379	1	6	18	53	78	109
-Dis of Ear & Mastoid	380-389	0	7	23	23	53	90
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	0	12	58	133	203	292
-Hypertensive Dis	401-405	0	7	24	28	59	113

(Continued)

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

# Savannah River Site 2005

## Absence Data

### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

		Women					TOTAL
		Age Group					
		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category	ICD-9-CM Code						
-Ischemic Heart Dis	410-414	0	0	2	2	4	
-Dis of Pulmonary Circulation	415-417	0	0	1	0	1	
-Other Heart Dis	420-429	0	0	8	6	14	
-Cerebrovascular Dis	430-438	0	0	0	1	1	
-Dis of Arteries & Capillaries	440-448	0	0	1	0	1	
-Dis of Veins, Lymphatics, Other	451-459	1	1	2	10	14	
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	13	65	238	302	618	
-Acute Respiratory Infections	460-466	6	39	129	173	347	
-Other Dis Upper Respiratory Tract	470-478	4	15	61	59	139	
-Pneumonia & Influenza	480-487	2	9	37	49	97	
-Chronic Obstructive Dis	490-496	1	1	9	19	30	
-Lung Dis from External Agents	500-508	0	0	0	1	1	
-Other Respiratory Dis	510-519	0	1	2	1	4	
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	1	30	56	67	154	
-Oral Cavity, Saliva Glands, Jaw	520-529	1	2	5	12	20	
-Esophagus, Stomach, Duodenum	530-537	0	7	9	11	27	
-Appendicitis	540-543	0	0	1	0	1	
-Hernia	550-553	0	3	9	7	19	
-Enteritis, Colitis	555-558	0	11	2	3	16	
-Other Intestinal Dis	560-569	0	3	17	21	41	
-Other Digestive Dis	570-579	0	4	13	13	30	
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	2	34	108	18	162	
-Nephritis, Nephrosis	580-589	0	0	0	0	0	
-Other Urinary Dis	590-599	1	6	25	6	38	
-Male Genital Organ Dis	600-608	0	0	0	0	0	
-Breast Disorders	610-611	0	2	4	5	11	
-Pelvic Inflammatory Dis	614-616	0	2	3	0	5	
-Other Female Disorders	617-629	1	24	76	7	108	
<b>PREGNANCY &amp; CHILDBIRTH</b>	<b>630-677</b>	2	1	0	0	3	
-Pregnancy with Abortive Outcome	634-639	2	1	0	0	3	
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	0	8	13	6	27	
-Infections	680-686	0	5	4	1	10	
-Other Inflammatory Conditions	690-698	0	0	3	0	3	
-Other	700-709	0	3	6	5	14	
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	1	22	115	133	271	
-Arthropathies	710-719	0	3	20	23	46	

(Continued)

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

# Savannah River Site 2005

## Absence Data

### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

		Men					TOTAL	TOTAL
		Age Group				TOTAL		
		16 - 29	30 - 39	40 - 49	50 +			
Diagnostic Category	ICD-9-CM Code							
-Ischemic Heart Dis	410-414	0	0	9	45	54	58	
-Dis of Pulmonary Circulation	415-417	0	0	0	0	0	1	
-Other Heart Dis	420-429	0	1	9	22	32	46	
-Cerebrovascular Dis	430-438	0	0	2	6	8	9	
-Dis of Arteries & Capillaries	440-448	0	0	0	7	7	8	
-Dis of Veins, Lymphatics, Other	451-459	0	4	14	25	43	57	
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	10	96	408	469	983	1,601	
-Acute Respiratory Infections	460-466	4	51	203	233	491	838	
-Other Dis Upper Respiratory Tract	470-478	4	24	115	107	250	389	
-Pneumonia & Influenza	480-487	1	18	79	108	206	303	
-Chronic Obstructive Dis	490-496	1	1	7	14	23	53	
-Lung Dis from External Agents	500-508	0	0	1	0	1	2	
-Other Respiratory Dis	510-519	0	2	3	7	12	16	
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	4	22	74	122	222	376	
-Oral Cavity, Saliva Glands, Jaw	520-529	3	10	10	22	45	65	
-Esophagus, Stomach, Duodenum	530-537	0	0	7	21	28	55	
-Appendicitis	540-543	0	0	2	4	6	7	
-Hernia	550-553	0	4	20	36	60	79	
-Enteritis, Colitis	555-558	0	0	4	7	11	27	
-Other Intestinal Dis	560-569	1	2	17	19	39	80	
-Other Digestive Dis	570-579	0	6	14	13	33	63	
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	0	23	46	67	136	298	
-Nephritis, Nephrosis	580-589	0	0	0	2	2	2	
-Other Urinary Dis	590-599	0	18	36	43	97	135	
-Male Genital Organ Dis	600-608	0	5	10	22	37	37	
-Breast Disorders	610-611	0	0	0	0	0	11	
-Pelvic Inflammatory Dis	614-616	0	0	0	0	0	5	
-Other Female Disorders	617-629	0	0	0	0	0	108	
<b>PREGNANCY &amp; CHILDBIRTH</b>	<b>630-677</b>	0	0	0	0	0	3	
-Pregnancy with Abortive Outcome	634-639	0	0	0	0	0	3	
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	1	2	14	20	37	64	
-Infections	680-686	1	2	3	6	12	22	
-Other Inflammatory Conditions	690-698	0	0	4	5	9	12	
-Other	700-709	0	0	7	9	16	30	
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	3	36	226	288	553	824	
-Arthropathies	710-719	0	12	34	66	112	158	

(Continued)

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.



# Savannah River Site 2005

## Absence Data

### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

		Women					Men					TOTAL
		Age Group				TOTAL	Age Group				TOTAL	
		16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category	ICD-9-CM Code											
-Dorsopathies	720-724	1	11	64	63	139	3	20	164	157	344	483
-Rheumatism, Excluding Back	725-729	0	7	22	38	67	0	2	24	54	80	147
-Other Dis & Acquired Deformities	730-739	0	1	9	9	19	0	2	4	11	17	36
CONGENITAL ANOMALIES	740-759	0	0	0	0	0	0	0	1	2	3	3
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	12	52	184	158	406	4	87	236	243	570	976
-Symptoms	780-789	12	51	178	154	395	4	87	233	238	562	957
-Non-Specific Abnormal Findings	790-796	0	1	6	4	11	0	0	3	5	8	19
INJURY & POISONING	800-999	2	12	77	49	140	9	34	129	185	357	497
-Fracture - Skull	800-804	0	0	0	0	0	0	0	0	1	1	1
-Fracture - Neck, Trunk	805-809	1	0	3	2	6	0	0	4	10	14	20
-Fracture - Upper Limb	810-819	0	0	5	3	8	2	0	9	8	19	27
-Fracture - Lower Limb	820-829	0	0	7	4	11	0	3	7	10	20	31
-Dislocation	830-839	1	0	5	8	14	2	6	24	25	57	71
-Sprains & Strains - Back	846-847	0	6	18	7	31	0	7	19	19	45	76
-Sprains & Strains - Other	840-845, 848	0	0	11	9	20	1	10	21	40	72	92
-Intracranial Injury	850-854	0	0	1	0	1	0	0	0	3	3	4
-Internal Injury - Thorax, Abdomen, Pelvis	860-869	0	0	0	1	1	0	1	3	1	5	6
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0	0	0	0	4	7	11	11
-Open Wound - Upper Limb	880-887	0	0	1	0	1	0	2	3	3	8	9
-Open Wound - Lower Limb	890-897	0	0	0	0	0	0	0	1	3	4	4
-Injury to Blood Vessels	900-904	0	0	0	0	0	0	0	0	1	1	1
-Superficial Injury	910-919	0	1	4	4	9	1	2	3	8	14	23
-Contusion	920-924	0	2	10	3	15	1	2	12	17	32	47
-Crushing Injury	925-929	0	0	0	1	1	0	0	0	0	0	1
-Foreign Body Entering Orifice	930-939	0	0	0	0	0	1	0	0	1	2	2
-Burns	940-949	0	0	3	0	3	0	0	2	3	5	8
-Injury to Nerves & Spinal Cord	950-957	0	0	0	0	0	0	0	0	1	1	1
-Complications & Unspecified Injuries	958-959	0	0	0	0	0	0	0	0	1	1	1
-Toxic Effects - Non-medicinal	980-989	0	0	0	0	0	0	0	1	1	2	2
-Unspecified Effects - External Causes	990-995	0	0	3	2	5	0	0	6	3	9	14

(Continued)

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

# Savannah River Site 2005

## Absence Data

### Appendix G. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

		Women					Men					TOTAL
		Age Group				TOTAL	Age Group				TOTAL	
		16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Diagnostic Category	ICD-9-CM Code											
-Complications of Surgical/Medical Care	996-999	0	3	6	5	14	1	1	10	19	31	45
HEALTH STATUS/HEALTH SERVICE CONTACT	V01-V82	3	9	24	22	58	2	4	13	30	49	107
-Personal & Family History	V10-V19	0	0	0	3	3	0	0	0	3	3	6
-Health Services Reproduction/Development	V20-V29	2	6	7	0	15	0	4	1	0	5	20
-Health Status	V40-V49	0	1	1	1	3	0	0	0	2	2	5
-Specific Procedures/Aftercare	V50-V59	1	2	13	16	32	1	0	8	15	24	56
-Other Circumstances	V60-V69	0	0	0	0	0	0	0	1	4	5	5
-Examination & Investigation	V70-V82	0	0	3	2	5	1	0	3	6	10	15

Diagnostic Category	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Total	41	296	1,047	963	2,347	40	352	1,373	1,869	3,634	5,981

\*Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

## Savannah River Site 2005

### Absence Data

#### Appendix H. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Age\*

		Women				
		Age Group				TOTAL
		16 - 29	30 - 39	40 - 49	50 +	
Diagnostic Category	ICD-9-CM Code					
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	31	181	521	866	1,599
MALIGNANT NEOPLASMS	140-208, 230-234	0	0	171	309	480
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	0	130	1,120	358	1,608
ENDOCRINE/METABOLIC/IMMUNITY	240-279	0	106	396	226	728
BLOOD & BLOOD-FORMING ORGANS	280-289	0	183	82	65	330
MENTAL DISORDERS	290-319	13	103	541	191	848
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	0	82	1,126	435	1,643
CIRCULATORY SYSTEM	390-459	17	53	577	676	1,323
RESPIRATORY SYSTEM	460-519	99	606	2,215	2,485	5,405
DIGESTIVE SYSTEM	520-579	26	496	1,102	880	2,504
GENTOURINARY SYSTEM	580-629	8	479	1,939	370	2,796
PREGNANCY & CHILDBIRTH	630-677	18	4	0	0	22
SKIN & SUBCUTANEOUS TISSUE	680-709	0	96	122	53	271
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	6	283	2,101	2,477	4,867
CONGENITAL ANOMALIES	740-759	0	0	0	0	0
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	91	460	1,635	1,335	3,521
INJURY & POISONING	800-999	44	192	1,102	867	2,205

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

## Savannah River Site 2005

### Absence Data

#### Appendix H. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Age\*

		Men					TOTAL	TOTAL
		Age Group				TOTAL		
		16 - 29	30 - 39	40 - 49	50 +			
Diagnostic Category	ICD-9-CM Code							
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	43	134	597	858	1,632	3,231	
MALIGNANT NEOPLASMS	140-208, 230-234	0	0	117	1,580	1,697	2,177	
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	0	63	182	471	716	2,324	
ENDOCRINE/METABOLIC/IMMUNITY	240-279	0	162	330	1,099	1,591	2,319	
BLOOD & BLOOD-FORMING ORGANS	280-289	0	0	0	54	54	384	
MENTAL DISORDERS	290-319	16	117	764	569	1,466	2,314	
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	15	81	650	1,340	2,086	3,729	
CIRCULATORY SYSTEM	390-459	0	279	773	2,857	3,909	5,232	
RESPIRATORY SYSTEM	460-519	76	818	3,041	4,127	8,062	13,467	
DIGESTIVE SYSTEM	520-579	44	323	1,190	1,739	3,296	5,800	
GENTOURINARY SYSTEM	580-629	0	180	531	1,305	2,016	4,812	
PREGNANCY & CHILDBIRTH	630-677	0	0	0	0	0	22	
SKIN & SUBCUTANEOUS TISSUE	680-709	21	56	69	293	439	710	
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	34	587	3,120	5,386	9,127	13,994	
CONGENITAL ANOMALIES	740-759	0	0	3	35	38	38	
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	73	527	1,324	2,235	4,159	7,680	
INJURY & POISONING	800-999	91	689	1,551	3,378	5,709	7,914	

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

## Savannah River Site 2005

### Absence Data

#### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Women		
		Job Category		
		Professional	Administrative Support	Technical Support
Diagnostic Category	ICD-9-CM Code			
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	57	2	27
-Intestinal Infectious Dis	001-009	13	0	10
-Other Bacterial Dis	030-041	16	0	11
-Viral Dis with Exanthem	050-057	8	0	2
-Other Viral Dis & Chlamydiae	070-079	14	1	2
-Syphilis & Other Venereal Dis	090-099	0	0	0
-Mycoses	110-118	3	0	2
-Other Infections & Parasitic Dis	130-136	3	1	0
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	26	1	0
-Bone, Connective Tissue, Skin	170-173, 176	2	0	0
-Breast	174-175	18	1	0
-Genitourinary	179-189	1	0	0
-Other & Unspecified Sites	190, 193-199	5	0	0
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	27	0	14
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	17	1	15
-Thyroid Gland Disorders	240-246	2	0	3
-Other Endocrine Gland Dis	250-259	6	1	4
-Other Metabolic & Immunity Disorders	270-279	9	0	8
<b>BLOOD &amp; BLOOD-FORMING ORGANS</b>	<b>280-289</b>	8	0	7
<b>MENTAL DISORDERS</b>	<b>290-319</b>	21	1	11
-Psychoses	290-299	1	0	1
-Non-Psychotic Disorders	300-302, 306-316	19	1	9
-Alcohol Dependence	303	0	0	1
-Drug Dependence	304-305	1	0	0
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	53	8	40
-Other Disorders of Central NS	340-349	13	0	14
-Disorders of Peripheral NS	350-359	12	4	7
-Disorders of Eye	360-379	11	4	8
-Dis of Ear & Mastoid	380-389	17	0	11
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	41	2	22
-Hypertensive Dis	401-405	24	0	10
-Ischemic Heart Dis	410-414	3	0	1
-Dis of Pulmonary Circulation	415-417	1	0	0
-Other Heart Dis	420-429	5	0	7
-Cerebrovascular Dis	430-438	0	0	0
-Dis of Arteries & Capillaries	440-448	0	0	1

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Savannah River Site 2005

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category		Women					TOTAL
		Job Category					
		Service	Security and Fire	Crafts	Line Operators		
	ICD-9-CM Code						
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	3	0	2	20	111	
-Intestinal Infectious Dis	001-009	1	0	0	7	31	
-Other Bacterial Dis	030-041	0	0	1	6	34	
-Viral Dis with Exanthem	050-057	1	0	0	4	15	
-Other Viral Dis & Chlamydiae	070-079	0	0	1	1	19	
-Syphilis & Other Venereal Dis	090-099	0	0	0	1	1	
-Mycoses	110-118	1	0	0	1	7	
-Other Infections & Parasitic Dis	130-136	0	0	0	0	4	
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	0	2	1	9	39	
-Bone, Connective Tissue, Skin	170-173, 176	0	0	0	1	3	
-Breast	174-175	0	0	1	6	26	
-Genitourinary	179-189	0	0	0	0	1	
-Other & Unspecified Sites	190, 193-199	0	2	0	2	9	
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	0	1	0	6	48	
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	1	1	0	11	46	
-Thyroid Gland Disorders	240-246	0	0	0	1	6	
-Other Endocrine Gland Dis	250-259	0	1	0	7	19	
-Other Metabolic & Immunity Disorders	270-279	1	0	0	3	21	
<b>BLOOD &amp; BLOOD-FORMING ORGANS</b>	<b>280-289</b>	1	0	0	1	17	
<b>MENTAL DISORDERS</b>	<b>290-319</b>	1	0	0	0	34	
-Psychoses	290-299	0	0	0	0	2	
-Non-Psychotic Disorders	300-302, 306-316	1	0	0	0	30	
-Alcohol Dependence	303	0	0	0	0	1	
-Drug Dependence	304-305	0	0	0	0	1	
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	2	0	0	21	124	
-Other Disorders of Central NS	340-349	0	0	0	3	30	
-Disorders of Peripheral NS	350-359	0	0	0	3	26	
-Disorders of Eye	360-379	0	0	0	8	31	
-Dis of Ear & Mastoid	380-389	2	0	0	7	37	
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	2	0	1	21	89	
-Hypertensive Dis	401-405	1	0	1	18	54	
-Ischemic Heart Dis	410-414	0	0	0	0	4	
-Dis of Pulmonary Circulation	415-417	0	0	0	0	1	
-Other Heart Dis	420-429	0	0	0	2	14	
-Cerebrovascular Dis	430-438	0	0	0	1	1	
-Dis of Arteries & Capillaries	440-448	0	0	0	0	1	

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Savannah River Site 2005

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category		Women			
		Job Category			
		Professional	Administrative Support	Technical Support	Service
ICD-9-CM Code					
-Dis of Veins, Lymphatics, Other	451-459	8	2	3	1
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	305	16	172	24
-Acute Respiratory Infections	460-466	159	9	102	16
-Other Dis Upper Respiratory Tract	470-478	71	4	41	6
-Pneumonia & Influenza	480-487	51	3	24	2
-Chronic Obstructive Dis	490-496	23	0	4	0
-Lung Dis from External Agents	500-508	0	0	0	0
-Other Respiratory Dis	510-519	1	0	1	0
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	64	11	37	7
-Oral Cavity, Saliva Glands, Jaw	520-529	6	4	7	0
-Esophagus, Stomach, Duodenum	530-537	16	1	8	1
-Appendicitis	540-543	1	0	0	0
-Hernia	550-553	8	2	5	0
-Enteritis, Colitis	555-558	6	0	1	0
-Other Intestinal Dis	560-569	12	4	12	4
-Other Digestive Dis	570-579	15	0	4	2
<b>GENTOURINARY SYSTEM</b>	<b>580-629</b>	74	9	50	8
-Other Urinary Dis	590-599	11	3	12	5
-Breast Disorders	610-611	8	1	1	0
-Pelvic Inflammatory Dis	614-616	1	1	2	0
-Other Female Disorders	617-629	54	4	35	3
<b>PREGNANCY &amp; CHILDBIRTH</b>	<b>630-677</b>	1	1	1	0
-Pregnancy with Abortive Outcome	634-639	1	1	1	0
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	10	1	10	3
-Infections	680-686	2	0	6	0
-Other Inflammatory Conditions	690-698	1	0	1	1
-Other	700-709	7	1	3	2
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	114	6	95	7
-Arthropathies	710-719	19	1	16	0
-Dorsopathies	720-724	55	3	57	4
-Rheumatism, Excluding Back	725-729	27	2	20	3
-Other Dis & Acquired Deformities	730-739	13	0	2	0
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	172	15	136	10
-Symptoms	780-789	166	13	134	10
-Non-Specific Abnormal Findings	790-796	6	2	2	0

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.



## Savannah River Site 2005

### Absence Data

#### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category		Women				TOTAL
		Job Category				
		Security and Fire	Crafts	Line Operators		
ICD-9-CM Code						
-Dis of Veins, Lymphatics, Other	451-459	0	0	0	14	
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	1	6	94	618	
-Acute Respiratory Infections	460-466	1	3	57	347	
-Other Dis Upper Respiratory Tract	470-478	0	0	17	139	
-Pneumonia & Influenza	480-487	0	2	15	97	
-Chronic Obstructive Dis	490-496	0	0	3	30	
-Lung Dis from External Agents	500-508	0	1	0	1	
-Other Respiratory Dis	510-519	0	0	2	4	
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	1	0	34	154	
-Oral Cavity, Saliva Glands, Jaw	520-529	0	0	3	20	
-Esophagus, Stomach, Duodenum	530-537	0	0	1	27	
-Appendicitis	540-543	0	0	0	1	
-Hernia	550-553	0	0	4	19	
-Enteritis, Colitis	555-558	0	0	9	16	
-Other Intestinal Dis	560-569	0	0	9	41	
-Other Digestive Dis	570-579	1	0	8	30	
<b>GENTOURINARY SYSTEM</b>	<b>580-629</b>	0	2	19	162	
-Other Urinary Dis	590-599	0	0	7	38	
-Breast Disorders	610-611	0	0	1	11	
-Pelvic Inflammatory Dis	614-616	0	0	1	5	
-Other Female Disorders	617-629	0	2	10	108	
<b>PREGNANCY &amp; CHILDBIRTH</b>	<b>630-677</b>	0	0	0	3	
-Pregnancy with Abortive Outcome	634-639	0	0	0	3	
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	0	0	3	27	
-Infections	680-686	0	0	2	10	
-Other Inflammatory Conditions	690-698	0	0	0	3	
-Other	700-709	0	0	1	14	
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	0	3	46	271	
-Arthropathies	710-719	0	2	8	46	
-Dorsopathies	720-724	0	0	20	139	
-Rheumatism, Excluding Back	725-729	0	0	15	67	
-Other Dis & Acquired Deformities	730-739	0	1	3	19	
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	0	0	73	406	
-Symptoms	780-789	0	0	72	395	
-Non-Specific Abnormal Findings	790-796	0	0	1	11	

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Savannah River Site 2005

### Absence Data

#### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Women			
		Job Category			
		Professional	Administrative Support	Technical Support	Service
Diagnostic Category	ICD-9-CM Code				
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	76	4	29	2
-Fracture - Neck, Trunk	805-809	5	0	1	0
-Fracture - Upper Limb	810-819	7	0	1	0
-Fracture - Lower Limb	820-829	7	0	3	0
-Dislocation	830-839	6	2	1	0
-Sprains & Strains - Back	846-847	14	0	11	0
-Sprains & Strains - Other	840-845, 848	13	0	1	0
-Intracranial Injury	850-854	0	0	1	0
-Internal Injury - Thorax, Abdomen, Pelvis	860-869	0	0	1	0
-Open Wound - Upper Limb	880-887	0	0	0	0
-Superficial Injury	910-919	3	1	4	1
-Contusion	920-924	10	1	1	0
-Crushing Injury	925-929	1	0	0	0
-Burns	940-949	0	0	1	0
-Unspecified Effects - External Causes	990-995	4	0	0	0
-Complications of Surgical/Medical Care	996-999	6	0	3	1
<b>HEALTH STATUS/HEALTH SERVICE CONTACT</b>	<b>V01-V82</b>	30	2	12	1
-Personal & Family History	V10-V19	2	0	0	0
-Health Services Reproduction/Development	V20-V29	9	1	5	0
-Health Status	V40-V49	1	0	1	0
-Specific Procedures/Aftercare	V50-V59	17	0	4	0
-Examination & Investigation	V70-V82	1	1	2	1

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Savannah River Site 2005

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Women				TOTAL
		Job Category			TOTAL	
		Security and Fire	Crafts	Line Operators		
Diagnostic Category	ICD-9-CM Code					
INJURY & POISONING	800-999	0	1	28	140	
-Fracture - Neck, Trunk	805-809	0	0	0	6	
-Fracture - Upper Limb	810-819	0	0	0	8	
-Fracture - Lower Limb	820-829	0	0	1	11	
-Dislocation	830-839	0	0	5	14	
-Sprains & Strains - Back	846-847	0	1	5	31	
-Sprains & Strains - Other	840-845, 848	0	0	6	20	
-Intracranial Injury	850-854	0	0	0	1	
-Internal Injury - Thorax, Abdomen, Pelvis	860-869	0	0	0	1	
-Open Wound - Upper Limb	880-887	0	0	1	1	
-Superficial Injury	910-919	0	0	0	9	
-Contusion	920-924	0	0	3	15	
-Crushing Injury	925-929	0	0	0	1	
-Burns	940-949	0	0	2	3	
-Unspecified Effects - External Causes	990-995	0	0	1	5	
-Complications of Surgical/Medical Care	996-999	0	0	4	14	
HEALTH STATUS/HEALTH SERVICE CONTACT	V01-V82	0	2	11	58	
-Personal & Family History	V10-V19	0	0	1	3	
-Health Services Reproduction/Development	V20-V29	0	0	0	15	
-Health Status	V40-V49	0	0	1	3	
-Specific Procedures/Aftercare	V50-V59	0	2	9	32	
-Examination & Investigation	V70-V82	0	0	0	5	

Diagnostic Category	Women							
	Job Category							TOTAL
	Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	Line Operators	
Total	1,096	80	678	72	6	18	397	2,347

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Savannah River Site 2005

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category		Men			
		Job Category			
		Professional	Administrative Support	Technical Support	Service
ICD-9-CM Code					
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	33	1	28	18
-Intestinal Infectious Dis	001-009	10	0	8	5
-Other Bacterial Dis	030-041	9	1	6	5
-Viral Dis with Exanthem	050-057	5	0	3	2
-Other Viral Dis & Chlamydiae	070-079	7	0	7	5
-Syphilis & Other Venereal Dis	090-099	0	0	1	0
-Mycoses	110-118	1	0	2	1
-Helminthiases	120-129	0	0	1	0
-Other Infections & Parasitic Dis	130-136	1	0	0	0
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	48	0	15	3
-Lip, Oral Cavity, Pharynx	140-149	5	0	2	0
-Digestive & Peritoneal	150-159	8	0	3	0
-Respiratory & Intrathoracic	160-165	1	0	1	0
-Bone, Connective Tissue, Skin	170-173, 176	8	0	1	3
-Genitourinary	179-189	13	0	7	0
-Other & Unspecified Sites	190, 193-199	8	0	1	0
-Lymphatic & Hematopoietic	200-208	5	0	0	0
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	20	0	6	2
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	26	2	16	11
-Thyroid Gland Disorders	240-246	2	0	1	0
-Other Endocrine Gland Dis	250-259	9	2	7	5
-Other Metabolic & Immunity Disorders	270-279	15	0	8	6
<b>BLOOD &amp; BLOOD-FORMING ORGANS</b>	<b>280-289</b>	2	0	0	1
<b>MENTAL DISORDERS</b>	<b>290-319</b>	16	1	9	14
-Psychoses	290-299	4	0	0	2
-Non-Psychotic Disorders	300-302, 306-316	11	1	6	11
-Alcohol Dependence	303	1	0	2	0
-Drug Dependence	304-305	0	0	1	1
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	70	0	33	29
-Hereditary/Degenerative Central NS Dis	330-337	1	0	0	2
-Other Disorders of Central NS	340-349	5	0	2	1
-Disorders of Peripheral NS	350-359	10	0	8	3
-Disorders of Eye	360-379	42	0	14	6
-Dis of Ear & Mastoid	380-389	12	0	9	17
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	80	7	50	26
-Hypertensive Dis	401-405	13	2	15	8

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Savannah River Site 2005

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Men			
		Job Category			TOTAL
		Security and Fire	Crafts	Line Operators	
Diagnostic Category	ICD-9-CM Code				
<b>INFECTIOUS &amp; PARASITIC DISEASES (DIS)</b>	<b>001-139</b>	1	1	35	117
-Intestinal Infectious Dis	001-009	0	1	15	39
-Other Bacterial Dis	030-041	0	0	8	29
-Viral Dis with Exanthem	050-057	0	0	4	14
-Other Viral Dis & Chlamydiae	070-079	1	0	3	23
-Syphilis & Other Venereal Dis	090-099	0	0	0	1
-Mycoses	110-118	0	0	3	7
-Helminthiases	120-129	0	0	0	1
-Other Infections & Parasitic Dis	130-136	0	0	2	3
<b>MALIGNANT NEOPLASMS</b>	<b>140-208, 230-234</b>	0	1	6	73
-Lip, Oral Cavity, Pharynx	140-149	0	0	0	7
-Digestive & Peritoneal	150-159	0	0	0	11
-Respiratory & Intrathoracic	160-165	0	0	0	2
-Bone, Connective Tissue, Skin	170-173, 176	0	0	2	14
-Genitourinary	179-189	0	1	3	24
-Other & Unspecified Sites	190, 193-199	0	0	0	9
-Lymphatic & Hematopoietic	200-208	0	0	1	6
<b>BENIGN &amp; UNCERTAIN NEOPLASMS</b>	<b>210-229, 235-239</b>	0	1	4	33
<b>ENDOCRINE/METABOLIC/IMMUNITY</b>	<b>240-279</b>	2	2	17	76
-Thyroid Gland Disorders	240-246	0	0	0	3
-Other Endocrine Gland Dis	250-259	0	0	5	28
-Other Metabolic & Immunity Disorders	270-279	2	2	12	45
<b>BLOOD &amp; BLOOD-FORMING ORGANS</b>	<b>280-289</b>	0	0	1	4
<b>MENTAL DISORDERS</b>	<b>290-319</b>	0	1	2	43
-Psychoses	290-299	0	0	0	6
-Non-Psychotic Disorders	300-302, 306-316	0	0	1	30
-Alcohol Dependence	303	0	1	1	5
-Drug Dependence	304-305	0	0	0	2
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	0	6	37	175
-Hereditary/Degenerative Central NS Dis	330-337	0	0	0	3
-Other Disorders of Central NS	340-349	0	0	2	10
-Disorders of Peripheral NS	350-359	0	3	7	31
-Disorders of Eye	360-379	0	2	14	78
-Dis of Ear & Mastoid	380-389	0	1	14	53
<b>CIRCULATORY SYSTEM</b>	<b>390-459</b>	1	12	27	203
-Hypertensive Dis	401-405	0	6	15	59

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Savannah River Site 2005

### Absence Data

#### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category		Men			
		Job Category			
		Professional	Administrative Support	Technical Support	Service
ICD-9-CM Code					
-Ischemic Heart Dis	410-414	29	0	15	9
-Other Heart Dis	420-429	12	4	3	5
-Cerebrovascular Dis	430-438	4	0	1	2
-Dis of Arteries & Capillaries	440-448	4	0	3	0
-Dis of Veins, Lymphatics, Other	451-459	18	1	13	2
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	<b>345</b>	<b>4</b>	<b>254</b>	<b>178</b>
-Acute Respiratory Infections	460-466	157	1	120	103
-Other Dis Upper Respiratory Tract	470-478	89	2	76	41
-Pneumonia & Influenza	480-487	84	1	51	28
-Chronic Obstructive Dis	490-496	11	0	3	4
-Lung Dis from External Agents	500-508	0	0	1	0
-Other Respiratory Dis	510-519	4	0	3	2
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	<b>106</b>	<b>0</b>	<b>45</b>	<b>31</b>
-Oral Cavity, Saliva Glands, Jaw	520-529	21	0	7	7
-Esophagus, Stomach, Duodenum	530-537	14	0	4	2
-Appendicitis	540-543	4	0	0	1
-Hernia	550-553	30	0	12	11
-Enteritis, Colitis	555-558	5	0	5	1
-Other Intestinal Dis	560-569	19	0	10	5
-Other Digestive Dis	570-579	13	0	7	4
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	<b>52</b>	<b>4</b>	<b>26</b>	<b>21</b>
-Nephritis, Nephrosis	580-589	0	0	1	0
-Other Urinary Dis	590-599	37	3	16	16
-Male Genital Organ Dis	600-608	15	1	9	5
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	<b>9</b>	<b>1</b>	<b>7</b>	<b>12</b>
-Infections	680-686	2	1	2	3
-Other Inflammatory Conditions	690-698	2	0	3	2
-Other	700-709	5	0	2	7
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	<b>215</b>	<b>2</b>	<b>129</b>	<b>90</b>
-Arthropathies	710-719	37	0	36	21
-Dorsopathies	720-724	139	0	72	53
-Rheumatism, Excluding Back	725-729	30	2	19	14
-Other Dis & Acquired Deformities	730-739	9	0	2	2
<b>CONGENITAL ANOMALIES</b>	<b>740-759</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>0</b>
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	<b>210</b>	<b>7</b>	<b>136</b>	<b>102</b>

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Savannah River Site 2005

## Absence Data

### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

Diagnostic Category		Men			
		Job Category			TOTAL
		Security and Fire	Crafts	Line Operators	
ICD-9-CM Code					
-Ischemic Heart Dis	410-414	0	1	0	54
-Other Heart Dis	420-429	0	3	5	32
-Cerebrovascular Dis	430-438	0	0	1	8
-Dis of Arteries & Capillaries	440-448	0	0	0	7
-Dis of Veins, Lymphatics, Other	451-459	1	2	6	43
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	<b>5</b>	<b>16</b>	<b>181</b>	<b>983</b>
-Acute Respiratory Infections	460-466	2	5	103	491
-Other Dis Upper Respiratory Tract	470-478	1	3	38	250
-Pneumonia & Influenza	480-487	2	7	33	206
-Chronic Obstructive Dis	490-496	0	0	5	23
-Lung Dis from External Agents	500-508	0	0	0	1
-Other Respiratory Dis	510-519	0	1	2	12
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	<b>2</b>	<b>10</b>	<b>28</b>	<b>222</b>
-Oral Cavity, Saliva Glands, Jaw	520-529	0	0	10	45
-Esophagus, Stomach, Duodenum	530-537	1	2	5	28
-Appendicitis	540-543	0	1	0	6
-Hernia	550-553	1	1	5	60
-Enteritis, Colitis	555-558	0	0	0	11
-Other Intestinal Dis	560-569	0	0	5	39
-Other Digestive Dis	570-579	0	6	3	33
<b>GENITOURINARY SYSTEM</b>	<b>580-629</b>	<b>2</b>	<b>5</b>	<b>26</b>	<b>136</b>
-Nephritis, Nephrosis	580-589	0	0	1	2
-Other Urinary Dis	590-599	2	3	20	97
-Male Genital Organ Dis	600-608	0	2	5	37
<b>SKIN &amp; SUBCUTANEOUS TISSUE</b>	<b>680-709</b>	<b>0</b>	<b>1</b>	<b>7</b>	<b>37</b>
-Infections	680-686	0	1	3	12
-Other Inflammatory Conditions	690-698	0	0	2	9
-Other	700-709	0	0	2	16
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	<b>6</b>	<b>4</b>	<b>107</b>	<b>553</b>
-Arthropathies	710-719	4	0	14	112
-Dorsopathies	720-724	2	2	76	344
-Rheumatism, Excluding Back	725-729	0	1	14	80
-Other Dis & Acquired Deformities	730-739	0	1	3	17
<b>CONGENITAL ANOMALIES</b>	<b>740-759</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	<b>3</b>	<b>7</b>	<b>105</b>	<b>570</b>

(Continued)

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Savannah River Site 2005

### Absence Data

#### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Men			
		Job Category			
		Professional	Administrative Support	Technical Support	Service
Diagnostic Category	ICD-9-CM Code				
-Symptoms	780-789	206	7	135	102
-Non-Specific Abnormal Findings	790-796	4	0	1	0
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	143	1	84	44
-Fracture - Skull	800-804	1	0	0	0
-Fracture - Neck, Trunk	805-809	6	0	3	0
-Fracture - Upper Limb	810-819	6	0	9	0
-Fracture - Lower Limb	820-829	8	0	6	1
-Dislocation	830-839	32	0	15	6
-Sprains & Strains - Back	846-847	16	0	8	3
-Sprains & Strains - Other	840-845, 848	26	0	20	8
-Intracranial Injury	850-854	1	0	0	2
-Internal Injury - Thorax, Abdomen, Pelvis	860-869	0	0	2	2
-Open Wound - Head, Neck, Trunk	870-879	3	0	4	4
-Open Wound - Upper Limb	880-887	4	0	0	2
-Open Wound - Lower Limb	890-897	0	0	2	1
-Injury to Blood Vessels	900-904	0	0	0	0
-Superficial Injury	910-919	5	0	2	1
-Contusion	920-924	9	0	6	11
-Foreign Body Entering Orifice	930-939	1	0	0	0
-Burns	940-949	5	0	0	0
-Injury to Nerves & Spinal Cord	950-957	1	0	0	0
-Complications & Unspecified Injuries	958-959	0	0	1	0
-Toxic Effects - Non-medicinal	980-989	0	0	1	0
-Unspecified Effects - External Causes	990-995	2	1	1	1
-Complications of Surgical/Medical Care	996-999	17	0	4	2
<b>HEALTH STATUS/HEALTH SERVICE CONTACT</b>	<b>V01-V82</b>	35	0	6	1
-Personal & Family History	V10-V19	3	0	0	0
-Health Services Reproduction/Development	V20-V29	3	0	0	1
-Health Status	V40-V49	0	0	2	0
-Specific Procedures/Aftercare	V50-V59	20	0	1	0
-Other Circumstances	V60-V69	3	0	1	0
-Examination & Investigation	V70-V82	6	0	2	0

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.



## Savannah River Site 2005

### Absence Data

#### Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Men			
		Job Category			TOTAL
		Security and Fire	Crafts	Line Operators	
Diagnostic Category	ICD-9-CM Code				
-Symptoms	780-789	3	6	103	562
-Non-Specific Abnormal Findings	790-796	0	1	2	8
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	<b>9</b>	<b>16</b>	<b>60</b>	<b>357</b>
-Fracture - Skull	800-804	0	0	0	1
-Fracture - Neck, Trunk	805-809	1	1	3	14
-Fracture - Upper Limb	810-819	3	0	1	19
-Fracture - Lower Limb	820-829	0	1	4	20
-Dislocation	830-839	1	1	2	57
-Sprains & Strains - Back	846-847	0	6	12	45
-Sprains & Strains - Other	840-845, 848	2	2	14	72
-Intracranial Injury	850-854	0	0	0	3
-Internal Injury - Thorax, Abdomen, Pelvis	860-869	0	0	1	5
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	11
-Open Wound - Upper Limb	880-887	0	1	1	8
-Open Wound - Lower Limb	890-897	0	0	1	4
-Injury to Blood Vessels	900-904	0	0	1	1
-Superficial Injury	910-919	0	1	5	14
-Contusion	920-924	2	0	4	32
-Foreign Body Entering Orifice	930-939	0	1	0	2
-Burns	940-949	0	0	0	5
-Injury to Nerves & Spinal Cord	950-957	0	0	0	1
-Complications & Unspecified Injuries	958-959	0	0	0	1
-Toxic Effects - Non-medicinal	980-989	0	0	1	2
-Unspecified Effects - External Causes	990-995	0	0	4	9
-Complications of Surgical/Medical Care	996-999	0	2	6	31
<b>HEALTH STATUS/HEALTH SERVICE CONTACT</b>	<b>V01-V82</b>	<b>0</b>	<b>1</b>	<b>6</b>	<b>49</b>
-Personal & Family History	V10-V19	0	0	0	3
-Health Services Reproduction/Development	V20-V29	0	0	1	5
-Health Status	V40-V49	0	0	0	2
-Specific Procedures/Aftercare	V50-V59	0	0	3	24
-Other Circumstances	V60-V69	0	0	1	5
-Examination & Investigation	V70-V82	0	1	1	10

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

**Savannah River Site 2005**

**Absence Data**

**Appendix I. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\***

	Men							
	Job Category							TOTAL
	Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	Line Operators	
<b>Diagnostic Category</b>								
<b>Total</b>	1,411	30	846	583	31	84	649	3,634

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Savannah River Site 2005

### Absence Data

#### Appendix J. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Job Category\*

		Women		
		Job Category		
		Professional	Administrative Support	Technical Support
Diagnostic Category	ICD-9-CM Code			
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	946	13	291
MALIGNANT NEOPLASMS	140-208, 230-234	324	34	0
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	760	0	471
ENDOCRINE/METABOLIC/IMMUNITY	240-279	329	7	226
BLOOD & BLOOD-FORMING ORGANS	280-289	126	0	183
MENTAL DISORDERS	290-319	491	3	333
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	803	80	505
CIRCULATORY SYSTEM	390-459	648	9	375
RESPIRATORY SYSTEM	460-519	2,679	144	1,488
DIGESTIVE SYSTEM	520-579	992	81	645
GENITOURINARY SYSTEM	580-629	1,193	67	972
PREGNANCY & CHILDBIRTH	630-677	4	4	14
SKIN & SUBCUTANEOUS TISSUE	680-709	105	2	108
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	2,243	167	1,338
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	1,416	116	1,411
INJURY & POISONING	800-999	1,046	14	484

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Savannah River Site 2005

### Absence Data

#### Appendix J. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Job Category\*

		Women				
		Job Category				TOTAL
		Service	Security and Fire	Crafts	Line Operators	
Diagnostic Category	ICD-9-CM Code					
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	28	0	9	312	1,599
MALIGNANT NEOPLASMS	140-208, 230-234	0	14	28	80	480
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	0	53	0	324	1,608
ENDOCRINE/METABOLIC/IMMUNITY	240-279	12	29	0	125	728
BLOOD & BLOOD-FORMING ORGANS	280-289	2	0	0	19	330
MENTAL DISORDERS	290-319	21	0	0	0	848
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	15	0	0	240	1,643
CIRCULATORY SYSTEM	390-459	15	0	9	267	1,323
RESPIRATORY SYSTEM	460-519	219	8	41	826	5,405
DIGESTIVE SYSTEM	520-579	59	14	0	713	2,504
GENITOURINARY SYSTEM	580-629	37	0	88	439	2,796
PREGNANCY & CHILDBIRTH	630-677	0	0	0	0	22
SKIN & SUBCUTANEOUS TISSUE	680-709	17	0	0	39	271
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	156	0	189	774	4,867
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	55	0	0	523	3,521
INJURY & POISONING	800-999	24	0	13	624	2,205

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Savannah River Site 2005

### Absence Data

#### Appendix J. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Job Category\*

		Men		
		Job Category		
		Professional	Administrative Support	Technical Support
Diagnostic Category	ICD-9-CM Code			
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	533	11	455
MALIGNANT NEOPLASMS	140-208, 230-234	1,058	0	434
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	460	0	181
ENDOCRINE/METABOLIC/IMMUNITY	240-279	446	5	533
BLOOD & BLOOD-FORMING ORGANS	280-289	36	0	0
MENTAL DISORDERS	290-319	650	7	308
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	1,054	0	242
CIRCULATORY SYSTEM	390-459	1,713	31	1,086
RESPIRATORY SYSTEM	460-519	2,795	36	1,968
DIGESTIVE SYSTEM	520-579	1,741	0	702
GENITOURINARY SYSTEM	580-629	691	31	337
SKIN & SUBCUTANEOUS TISSUE	680-709	140	21	130
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	3,363	24	2,111
CONGENITAL ANOMALIES	740-759	27	0	11
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	1,472	11	906
INJURY & POISONING	800-999	2,252	1	1,321

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Savannah River Site 2005

### Absence Data

#### Appendix J. Total Number of Calendar Days Absent in Each Diagnostic Category by Gender and Job Category\*

		Men					TOTAL
		Job Category					
		Service	Security and Fire	Crafts	Line Operators		
Diagnostic Category	ICD-9-CM Code						
INFECTIOUS & PARASITIC DISEASES (DIS)	001-139	179	13	6	435	1,632	
MALIGNANT NEOPLASMS	140-208, 230-234	13	0	41	151	1,697	
BENIGN & UNCERTAIN NEOPLASMS	210-229, 235-239	34	0	3	38	716	
ENDOCRINE/METABOLIC/IMMUNITY	240-279	189	16	41	361	1,591	
BLOOD & BLOOD-FORMING ORGANS	280-289	14	0	0	4	54	
MENTAL DISORDERS	290-319	400	0	43	58	1,466	
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	348	0	138	304	2,086	
CIRCULATORY SYSTEM	390-459	542	32	65	440	3,909	
RESPIRATORY SYSTEM	460-519	1,662	22	83	1,496	8,062	
DIGESTIVE SYSTEM	520-579	410	44	132	267	3,296	
GENITOURINARY SYSTEM	580-629	234	81	128	514	2,016	
SKIN & SUBCUTANEOUS TISSUE	680-709	85	0	7	56	439	
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	1,589	126	251	1,663	9,127	
CONGENITAL ANOMALIES	740-759	0	0	0	0	38	
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	854	9	141	766	4,159	
INJURY & POISONING	800-999	682	122	300	1,031	5,709	

\*Absences with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Savannah River Site 2005

## Absence Data

### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category

#### Part 1. Men

Category of Diagnoses	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1000*	Lower 95% Confidence Limit per 1000	Upper 95% Confidence Limit per 1000
Infections/Parasites	001-139	117	15.9	11.4	22.0
Cancer	140-208, 230-234	73	5.3	4.1	6.9
-Lip, Oral Cavity, Pharynx	140-149	7	0.4	0.2	0.8
-Digestive Organs	150-159	11	0.7	0.4	1.3
-Respiratory System	160-165	2	0.2	0.0	0.9
-Bone, Connective Tissue, Skin	170-173, 176	14	0.8	0.5	1.4
-Breast	174-175	0	0	0	0
-Genitourinary	179-189	24	2.3	1.5	3.6
-Other & Unspecified Sites	190, 193-199	9	0.6	0.3	1.2
-Nervous System	191-192	0	0	0	0
-Leukemia, Lymphoma	200-208	6	0.4	0.2	0.9
-Carcinoma in situ	230-234	0	0	0	0
Benign Growths	210-229, 235-239	33	2.8	1.8	4.4
Endocrine/Metabolic	240-279	76	5.9	4.5	7.7
-Other Endocrine Glands	250-259	28	1.9	1.3	2.9
Blood	280-289	4	0.3	0.1	0.9
Mental	290-319	43	4.6	2.7	7.8
-Non-Psychotic Conditions	300-302, 306-316	30	3.3	1.7	6.6
Nervous System	320-389	175	16.7	13.5	20.6
-Disorders of Peripheral NS	350-359	31	2.1	1.4	3.0
Heart/Circulatory	390-459	203	17.3	14.6	20.5
-Hypertensive Disease	401-405	59	5.8	4.2	8.1
-Ischemic Heart Disease	410-414	54	3.8	2.8	5.1
Respiratory	460-519	983	97.5	88.4	107.5
-Chronic Obstructive Diseases	490-496	23	2.9	1.3	6.2
-Lung Disease from External Agents	500-508	1	0.1	0.0	0.5
Digestive	520-579	222	23.0	18.4	28.9
-Hernias	550-553	60	4.8	3.5	6.6
Genitourinary	580-629	136	14.7	11.8	18.3
-Nephritis, Nephrosis	580-589	2	0.1	0.0	0.4
Miscarriage**	630-677	0	0	0	0
Skin	680-709	37	4.0	2.2	7.2
Musculoskeletal	710-739	553	46.9	41.4	53.0
-Arthropathies	710-719	112	9.8	7.6	12.5
-Dorsopathies	720-724	344	30.0	25.4	35.4
-Rheumatism, Excluding Back	725-729	80	5.5	4.3	7.2
Congenital Anomalies	740-759	3	0.2	0.1	0.5

\*Standardized to age distribution of 2000 U.S. population.

\*\*Only women aged 18-45 were included in the calculation of the rates for these diagnostic categories.

## Savannah River Site 2005

### Absence Data

#### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category

Category of Diagnoses	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1000*	Lower 95% Confidence Limit per 1000	Upper 95% Confidence Limit per 1000
Unspecified Symptoms	780-799	570	62.1	55.1	70.0
Injury	800-999	357	39.3	32.7	47.4
-Fractures - Skull, Neck, Trunk	800-809	15	1.0	0.6	1.8
-Fractures - Upper Limb	810-819	19	3.1	1.2	7.9
-Fractures - Lower Limb	820-829	20	2.1	1.2	3.7
-Dislocations	830-839	57	7.1	4.4	11.3
-Back Sprains & Strains	846-847	45	4.6	3.1	6.7
-Other Sprains & Strains	840-845, 848	72	7.8	5.4	11.3
-Open Wounds	870-887, 890-897	23	2.0	1.2	3.4
-Burns	940-949	5	0.3	0.1	0.7
-Adverse Reactions to Nonmedical Substances	980-989	2	0.1	0.0	0.5
-Adverse Reactions to External Causes	990-995	9	0.6	0.3	1.1
Health Status/Health Service Contact	V01-V82	0	0	0	0
<b>Total</b>		<b>3585</b>	<b>356.4</b>	<b>338.6</b>	<b>375.2</b>

#### Part 2. Women

Category of Diagnoses	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1000*	Lower 95% Confidence Limit per 1000	Upper 95% Confidence Limit per 1000
Infections/Parasites	001-139	111	44.5	33.5	58.9
Cancer	140-208, 230-234	39	7.1	5.2	9.7
-Lip, Oral Cavity, Pharynx	140-149	0	0	0	0
-Digestive Organs	150-159	0	0	0	0
-Respiratory System	160-165	0	0	0	0
-Bone, Connective Tissue, Skin	170-173, 176	3	0.6	0.2	1.7
-Breast	174-175	26	4.7	3.2	6.9
-Genitourinary	179-189	1	0.2	0.0	1.3
-Other & Unspecified Sites	190, 193-199	9	1.6	0.9	3.2
-Nervous System	191-192	0	0	0	0
-Leukemia, Lymphoma	200-208	0	0	0	0
-Carcinoma in situ	230-234	0	0	0	0
Benign Growths	210-229, 235-239	48	11.5	8.2	16.1
Endocrine/Metabolic	240-279	46	15.2	10.6	21.6
-Other Endocrine Glands	250-259	19	7.7	4.5	13.1
Blood	280-289	17	7.4	4.2	12.9
Mental	290-319	34	14.6	8.9	24.0
-Non-Psychotic Conditions	300-302, 306-316	30	13.3	7.8	22.7
Nervous System	320-389	124	30.5	24.6	37.8

\*Standardized to age distribution of 2000 U.S. population.

\*\*Only women aged 18-45 were included in the calculation of the rates for these diagnostic categories.



## Savannah River Site 2005

### Absence Data

#### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category

Category of Diagnoses	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1000*	Lower 95% Confidence Limit per 1000	Upper 95% Confidence Limit per 1000
-Disorders of Peripheral NS	350-359	26	6.8	4.3	10.9
Heart/Circulatory	390-459	89	26.5	19.5	35.9
-Hypertensive Disease	401-405	54	14.0	10.1	19.4
-Ischemic Heart Disease	410-414	4	1.7	0.6	5.4
Respiratory	460-519	618	209.8	185.4	237.3
-Chronic Obstructive Diseases	490-496	30	11.5	6.5	20.5
-Lung Disease from External Agents	500-508	1	0.2	0.0	1.3
Digestive	520-579	154	50.5	40.8	62.6
-Hernias	550-553	19	5.1	2.9	8.8
Genitourinary	580-629	162	54.7	43.9	68.3
-Nephritis, Nephrosis	580-589	0	0	0	0
Miscarriage**	630-677	3	6.2	1.8	21.5
Skin	680-709	27	9.7	6.1	15.4
Musculoskeletal	710-739	271	73.1	62.3	85.7
-Arthropathies	710-719	46	14.0	9.8	20.0
-Dorsopathies	720-724	139	37.3	29.4	47.2
-Rheumatism, Excluding Back	725-729	67	17.3	12.9	23.3
Congenital Anomalies	740-759	0	0	0	0
Unspecified Symptoms	780-799	406	142.0	120.9	166.8
Injury	800-999	140	40.7	31.5	52.6
-Fractures - Skull, Neck, Trunk	800-809	6	3.7	0.8	16.1
-Fractures - Upper Limb	810-819	8	2.0	0.9	4.5
-Fractures - Lower Limb	820-829	11	2.0	1.1	3.6
-Dislocations	830-839	14	5.6	2.0	15.4
-Back Sprains & Strains	846-847	31	8.9	5.8	13.8
-Other Sprains & Strains	840-845, 848	20	4.2	2.5	6.8
-Open Wounds	870-887, 890-897	1	0.2	0.0	1.3
-Burns	940-949	3	0.6	0.2	1.7
-Adverse Reactions to Nonmedical Substances	980-989	0	0	0	0
-Adverse Reactions to External Causes	990-995	5	1.4	0.5	4.1
Health Status/Health Service Contact	V01-V82	0	0	0	0
<b>Total</b>		<b>2289</b>	<b>743.8</b>	<b>698.7</b>	<b>791.8</b>

\*Standardized to age distribution of 2000 U.S. population.

\*\*Only women aged 18-45 were included in the calculation of the rates for these diagnostic categories.

# Savannah River Site 2005

## Absence Data

### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category

#### Part 3. Men and Women

Category of Diagnoses	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1000*	Lower 95% Confidence Limit per 1000	Upper 95% Confidence Limit per 1000
Infections/Parasites	001-139	228	22.9	18.4	28.5
Cancer	140-208, 230-234	112	6.0	4.9	7.4
-Lip, Oral Cavity, Pharynx	140-149	7	0.3	0.1	0.6
-Digestive Organs	150-159	11	0.5	0.3	1.0
-Respiratory System	160-165	2	0.2	0.0	0.8
-Bone, Connective Tissue, Skin	170-173, 176	17	0.8	0.5	1.3
-Breast	174-175	26	1.2	0.8	1.7
-Genitourinary	179-189	25	2.0	1.3	3.1
-Other & Unspecified Sites	190, 193-199	18	0.9	0.5	1.4
-Nervous System	191-192	0	0	0	0
-Leukemia, Lymphoma	200-208	6	0.3	0.1	0.6
-Carcinoma in situ	230-234	0	0	0	0
Benign Growths	210-229, 235-239	81	5.1	3.9	6.8
Endocrine/Metabolic	240-279	122	8.4	6.8	10.5
-Other Endocrine Glands	250-259	47	3.7	2.6	5.3
Blood	280-289	21	2.3	1.4	4.0
Mental	290-319	77	7.3	5.1	10.5
-Non-Psychotic Conditions	300-302, 306-316	60	6.0	3.9	9.1
Nervous System	320-389	299	20.4	17.6	23.8
-Disorders of Peripheral NS	350-359	57	3.3	2.4	4.5
Heart/Circulatory	390-459	292	19.7	16.9	23.0
-Hypertensive Disease	401-405	113	7.8	6.2	9.9
-Ischemic Heart Disease	410-414	58	3.4	2.5	4.6
Respiratory	460-519	1601	124.7	115.4	134.7
-Chronic Obstructive Diseases	490-496	53	4.8	3.0	7.8
-Lung Disease from External Agents	500-508	2	0.1	0.0	0.4
Digestive	520-579	376	30.3	25.9	35.5
-Hernias	550-553	79	5.0	3.8	6.6
Genitourinary	580-629	298	26.0	22.2	30.4
-Nephritis, Nephrosis	580-589	2	0.1	0.0	0.3
Miscarriage**	630-677	3	1.7	0.5	5.8
Skin	680-709	64	5.7	3.9	8.2
Musculoskeletal	710-739	824	53.2	48.2	58.6
-Arthropathies	710-719	158	10.5	8.6	12.8
-Dorsopathies	720-724	483	31.8	27.8	36.4
-Rheumatism, Excluding Back	725-729	147	8.6	7.0	10.5
Congenital Anomalies	740-759	3	0.1	0.0	0.4

\*Standardized to age distribution of 2000 U.S. population.

\*\*Only women aged 18-45 were included in the calculation of the rates for these diagnostic categories.

## Savannah River Site 2005

### Absence Data

#### Appendix K. Age-Adjusted Illness and Injury Rates by Diagnostic Category

Category of Diagnoses	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1000*	Lower 95% Confidence Limit per 1000	Upper 95% Confidence Limit per 1000
Unspecified Symptoms	780-799	976	82.7	74.9	91.3
Injury	800-999	497	39.5	34.0	46.0
-Fractures - Skull, Neck, Trunk	800-809	21	1.8	0.7	4.2
-Fractures - Upper Limb	810-819	27	2.7	1.2	5.9
-Fractures - Lower Limb	820-829	31	2.1	1.3	3.2
-Dislocations	830-839	71	6.6	4.3	10.1
-Back Sprains & Strains	846-847	76	5.8	4.4	7.8
-Other Sprains & Strains	840-845, 848	92	6.7	4.9	9.3
-Open Wounds	870-887, 890-897	24	1.6	0.9	2.6
-Burns	940-949	8	0.4	0.2	0.8
-Adverse Reactions to Nonmedical Substances	980-989	2	0.1	0.0	0.4
-Adverse Reactions to External Causes	990-995	14	0.7	0.4	1.3
Health Status/Health Service Contact	V01-V82	0	0	0	0
<b>Total</b>		5874	456.3	438.5	474.8

\*Standardized to age distribution of 2000 U.S. population.

\*\*Only women aged 18-45 were included in the calculation of the rates for these diagnostic categories.

**Savannah River Site 2005**  
**OSHA Data**

**Appendix L. Number of Workers with at Least One OSHA Event by Gender, Age, and Job Category\***

Job Category	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Professional	1	0	4	1	6	1	0	3	5	9	15
Administrative Support	0	0	1	1	2	0	0	0	2	2	4
Technical Support	0	0	1	4	5	0	1	4	0	5	10
Service	0	0	0	0	0	0	0	4	5	9	9
Security and Fire	0	0	0	0	0	0	0	1	0	1	1
Crafts	0	0	0	0	0	2	2	6	5	15	15
Line Operators	0	2	3	2	7	0	1	2	0	3	10
<b>TOTAL</b>	1	2	9	8	20	3	4	20	17	44	64

\*Only those job categories and gender/age combinations with at least one OSHA event appear in this table.

**Appendix M. Total Number of Workdays Lost or with Restricted Activity from OSHA Events by Gender and Age**

Age Group	Women			Men			TOTAL		
	Number of Events	Days Restricted	Days Lost	Number of Events	Days Restricted	Days Lost	Number of Events	Days Restricted	Days Lost
16 - 29	1	0	3	3	6	0	4	6	3
30 - 39	2	24	78	4	28	0	6	52	78
40 - 49	9	58	5	20	94	0	29	152	5
50 +	8	43	7	17	416	41	25	459	48
<b>TOTAL</b>	20	125	93	44	544	41	64	669	134

**Appendix N. Total Number of Workdays Lost or with Restricted Activity from OSHA Events by Gender and Job Category\***

Job Category	Women			Men			Total		
	Number of Events	Days Restricted	Days Lost	Number of Events	Days Restricted	Days Lost	Number of Events	Days Restricted	Days Lost
Professional	6	11	3	9	115	5	15	126	8
Administrative Support	2	7	0	2	78	16	4	85	16
Technical Support	5	12	0	5	28	0	10	40	0
Service	0	0	0	9	21	20	9	21	20
Security and Fire	0	0	0	1	10	0	1	10	0
Crafts	0	0	0	15	292	0	15	292	0
Line Operators	7	95	90	3	0	0	10	95	90
<b>Total</b>	20	125	93	44	544	41	64	669	134

\*Only those job categories with at least one OSHA event appear in this table.

# Savannah River Site 2005

## OSHA Data

### Appendix O. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

		Women				
		Age Group				TOTAL
		16 - 29	30 - 39	40 - 49	50 +	
Diagnostic Category	ICD-9-CM code					
<b>NERVOUS SYSTEM (NS) &amp; SENSE ORGANS</b>	<b>320-389</b>	0	0	1	0	1
-Disorders of Eye	360-379	0	0	1	0	1
<b>RESPIRATORY SYSTEM</b>	<b>460-519</b>	0	0	0	1	1
-Chronic Obstructive Dis	490-496	0	0	0	1	1
<b>DIGESTIVE SYSTEM</b>	<b>520-579</b>	0	0	0	0	0
-Hernia	550-553	0	0	0	0	0
<b>MUSCULOSKELETAL &amp; CONNECTIVE TISSUE</b>	<b>710-739</b>	1	0	6	1	8
-Arthropathies	710-719	0	0	2	0	2
-Dorsopathies	720-724	1	0	2	0	3
-Rheumatism, Excluding Back	725-729	0	0	2	1	3
<b>SYMPTOMS, SIGNS, &amp; ILL-DEFINED CONDITIONS</b>	<b>780-799</b>	0	0	1	0	1
-Symptoms	780-789	0	0	1	0	1
<b>INJURY &amp; POISONING</b>	<b>800-999</b>	0	3	5	9	17
-Fracture - Upper Limb	810-819	0	1	0	1	2
-Dislocation	830-839	0	0	0	0	0
-Sprains & Strains - Back	846-847	0	0	0	0	0
-Sprains & Strains - Other	840-845, 848	0	0	3	1	4
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0	0
-Open Wound - Upper Limb	880-887	0	1	0	5	6
-Superficial Injury	910-919	0	0	1	1	2
-Contusion	920-924	0	1	0	0	1
-Foreign Body Entering Orifice	930-939	0	0	0	0	0
-Burns	940-949	0	0	0	0	0
-Toxic Effects - Non-medicinal	980-989	0	0	1	1	2
-Unspecified Effects - External Causes	990-995	0	0	0	0	0

\*Only those diagnostic categories and gender/age combinations with at least one OSHA event appear in this table.

# Savannah River Site 2005

OSHA Data

## Appendix O. Number of Diagnoses in Each Diagnostic Category by Gender and Age\*

		Men					TOTAL	TOTAL
		Age Group				TOTAL		
		16 - 29	30 - 39	40 - 49	50 +			
Diagnostic Category	ICD-9-CM code							
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	0	0	1	0	1	2	
-Disorders of Eye	360-379	0	0	1	0	1	2	
RESPIRATORY SYSTEM	460-519	0	0	0	0	0	1	
-Chronic Obstructive Dis	490-496	0	0	0	0	0	1	
DIGESTIVE SYSTEM	520-579	0	0	0	1	1	1	
-Hernia	550-553	0	0	0	1	1	1	
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	1	0	0	3	4	12	
-Arthropathies	710-719	0	0	0	0	0	2	
-Dorsopathies	720-724	1	0	0	1	2	5	
-Rheumatism, Excluding Back	725-729	0	0	0	2	2	5	
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	0	0	0	2	2	3	
-Symptoms	780-789	0	0	0	2	2	3	
INJURY & POISONING	800-999	3	5	23	17	48	65	
-Fracture - Upper Limb	810-819	0	0	2	0	2	4	
-Dislocation	830-839	0	0	0	1	1	1	
-Sprains & Strains - Back	846-847	1	2	1	1	5	5	
-Sprains & Strains - Other	840-845, 848	0	1	2	3	6	10	
-Open Wound - Head, Neck, Trunk	870-879	0	0	3	4	7	7	
-Open Wound - Upper Limb	880-887	1	0	3	5	9	15	
-Superficial Injury	910-919	0	0	0	0	0	2	
-Contusion	920-924	0	0	3	2	5	6	
-Foreign Body Entering Orifice	930-939	0	1	2	1	4	4	
-Burns	940-949	1	0	3	0	4	4	
-Toxic Effects - Non-medicinal	980-989	0	1	3	0	4	6	
-Unspecified Effects - External Causes	990-995	0	0	1	0	1	1	

Diagnostic Category	Women					Men					TOTAL
	Age Group				TOTAL	Age Group				TOTAL	
	16 - 29	30 - 39	40 - 49	50 +		16 - 29	30 - 39	40 - 49	50 +		
Total	1	3	13	11	28	4	5	24	23	56	84

\*Only those diagnostic categories and gender/age combinations with at least one OSHA event appear in this table.

# Savannah River Site 2005

## OSHA Data

### Appendix P. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Age\*

		Women							
		Age Group							
		16 - 29		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes								
-Disorders of Eye	360-379	0	0	0	0	0	0	0	0
-Chronic Obstructive Dis	490-496	0	0	0	0	0	0	1	0
-Arthropathies	710-719	0	0	0	0	1	0	0	0
-Dorsopathies	720-724	0	3	0	0	8	0	0	0
-Rheumatism, Excluding Back	725-729	0	0	0	0	5	0	31	7
-Symptoms	780-789	0	0	0	0	0	0	0	0
-Fracture - Upper Limb	810-819	0	0	0	78	0	0	0	0
-Sprains & Strains - Other	840-845, 848	0	0	0	0	46	5	11	0
-Open Wound - Upper Limb	880-887	0	0	24	0	0	0	0	0
-Superficial Injury	910-919	0	0	0	0	0	0	0	0
-Contusion	920-924	0	0	24	0	0	0	0	0
-Toxic Effects - Non-medicinal	980-989	0	0	0	0	0	0	1	0

		Men							
		Age Group							
		16 - 29		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes								
-Disorders of Eye	360-379	0	0	0	0	0	0	0	0
-Hernia	550-553	0	0	0	0	0	0	15	20
-Dorsopathies	720-724	6	0	0	0	0	0	0	0
-Rheumatism, Excluding Back	725-729	0	0	0	0	0	0	0	0
-Symptoms	780-789	0	0	0	0	0	0	7	5
-Fracture - Upper Limb	810-819	0	0	0	0	65	0	0	0
-Dislocation	830-839	0	0	0	0	0	0	78	16
-Sprains & Strains - Back	846-847	6	0	28	0	0	0	17	0
-Sprains & Strains - Other	840-845, 848	0	0	0	0	0	0	364	16
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0	4	0	7	5
-Open Wound - Upper Limb	880-887	0	0	0	0	2	0	13	0
-Contusion	920-924	0	0	0	0	14	0	0	0
-Foreign Body Entering Orifice	930-939	0	0	0	0	0	0	0	0
-Burns	940-949	0	0	0	0	15	0	0	0

(Continued)

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.

**Savannah River Site 2005**

**OSHA Data**

**Appendix P. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Age\***

		Men							
		Age Group							
		16 - 29		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes								
-Toxic Effects - Non-medicinal	980-989	0	0	0	0	0	0	0	0
-Unspecified Effects - External Causes	990-995	0	0	0	0	0	0	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/age combinations with at least one occurrence appear in this table.



**Savannah River Site 2005**  
**OSHA Data**

**Appendix Q. Number of Occurrences in Each Accident Category by Gender and Age\***

		Women					Men					TOTAL
		Age Group					Age Group					
		16 - 29	30 - 39	40 - 49	50 +	TOTAL	16 - 29	30 - 39	40 - 49	50 +	TOTAL	
Type of Accident	E Codes											
Accidental Poisoning - Non-medicinal	E860-E869	0	0	1	1	2	0	0	1	0	1	3
Falls	E880-E888	0	1	0	1	2	0	1	1	2	4	6
Natural/Environmental Factors	E900-E909	0	0	1	1	2	0	1	3	0	4	6
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	0	0	0	1	2	1	4	4
Other Accidents	E916-E928	1	1	7	5	14	3	1	13	14	31	45

\*Only those accident types and gender/age combinations with at least one occurrence appear in this table.

**Appendix R. Number of Workdays Lost or with Restricted Activity in Each Accident Category by Gender and Age\***

		Women							
		Age Group							
		16 - 29		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes								
Accidental Poisoning - Non-medicinal	E860-E869	0	0	0	0	0	0	1	0
Falls	E880-E888	0	0	0	78	0	0	31	7
Natural/Environmental Factors	E900-E909	0	0	0	0	0	0	0	0
Other Accidents	E916-E928	0	3	24	0	58	5	11	0

		Men							
		Age Group							
		16 - 29		30 - 39		40 - 49		50 +	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes								
Accidental Poisoning - Non-medicinal	E860-E869	0	0	0	0	0	0	0	0
Falls	E880-E888	0	0	28	0	0	0	286	0
Natural/Environmental Factors	E900-E909	0	0	0	0	0	0	0	0
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	0	0	0	0	0
Other Accidents	E916-E928	6	0	0	0	94	0	130	41

\*OSHA events with >1 E code in the same accident type were counted only once. Only those accident types and gender/age combinations with at least one occurrence appear in this table.

**Savannah River Site 2005**

**OSHA Data**

**Appendix S. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\***

Diagnostic Category		Women				
		Job Category				TOTAL
		Professional	Administrative Support	Technical Support	Line Operators	
ICD-9-CM Code						
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	1	0	0	0	1
-Disorders of Eye	360-379	1	0	0	0	1
RESPIRATORY SYSTEM	460-519	0	0	1	0	1
-Chronic Obstructive Dis	490-496	0	0	1	0	1
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	2	1	0	5	8
-Arthropathies	710-719	1	0	0	1	2
-Dorsopathies	720-724	1	1	0	1	3
-Rheumatism, Excluding Back	725-729	0	0	0	3	3
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	1	0	0	0	1
-Symptoms	780-789	1	0	0	0	1
INJURY & POISONING	800-999	4	2	6	5	17
-Fracture - Upper Limb	810-819	0	0	1	1	2
-Sprains & Strains - Other	840-845, 848	1	0	2	1	4
-Open Wound - Upper Limb	880-887	1	2	2	1	6
-Superficial Injury	910-919	1	0	0	1	2
-Contusion	920-924	0	0	0	1	1
-Toxic Effects - Non-medicinal	980-989	1	0	1	0	2

Diagnostic Category	Women				
	Job Category				TOTAL
	Professional	Administrative Support	Technical Support	Line Operators	
Total	8	3	7	10	28

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

## Savannah River Site 2005

### OSHA Data

#### Appendix S. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Men			
		Job Category			
		Professional	Administrative Support	Technical Support	Service
Diagnostic Category	ICD-9-CM Code				
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	0	0	1	0
-Disorders of Eye	360-379	0	0	1	0
DIGESTIVE SYSTEM	520-579	0	0	0	1
-Hernia	550-553	0	0	0	1
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	2	1	0	0
-Dorsopathies	720-724	1	0	0	0
-Rheumatism, Excluding Back	725-729	1	1	0	0
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	2	0	0	0
-Symptoms	780-789	2	0	0	0
INJURY & POISONING	800-999	8	2	5	11
-Fracture - Upper Limb	810-819	1	0	0	1
-Dislocation	830-839	0	1	0	0
-Sprains & Strains - Back	846-847	1	0	1	0
-Sprains & Strains - Other	840-845, 848	1	1	0	0
-Open Wound - Head, Neck, Trunk	870-879	1	0	0	4
-Open Wound - Upper Limb	880-887	2	0	1	2
-Contusion	920-924	0	0	0	2
-Foreign Body Entering Orifice	930-939	0	0	1	0
-Burns	940-949	2	0	0	1
-Toxic Effects - Non-medicinal	980-989	0	0	1	1
-Unspecified Effects - External Causes	990-995	0	0	1	0

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Savannah River Site 2005

## OSHA Data

### Appendix S. Number of Diagnoses in Each Diagnostic Category by Gender and Job Category\*

		Men				TOTAL
		Job Category			TOTAL	
		Security and Fire	Crafts	Line Operators		
Diagnostic Category	ICD-9-CM Code					
NERVOUS SYSTEM (NS) & SENSE ORGANS	320-389	0	0	0	1	
-Disorders of Eye	360-379	0	0	0	1	
DIGESTIVE SYSTEM	520-579	0	0	0	1	
-Hernia	550-553	0	0	0	1	
MUSCULOSKELETAL & CONNECTIVE TISSUE	710-739	0	1	0	4	
-Dorsopathies	720-724	0	1	0	2	
-Rheumatism, Excluding Back	725-729	0	0	0	2	
SYMPTOMS, SIGNS, & ILL-DEFINED CONDITIONS	780-799	0	0	0	2	
-Symptoms	780-789	0	0	0	2	
INJURY & POISONING	800-999	1	17	4	48	
-Fracture - Upper Limb	810-819	0	0	0	2	
-Dislocation	830-839	0	0	0	1	
-Sprains & Strains - Back	846-847	0	2	1	5	
-Sprains & Strains - Other	840-845, 848	0	3	1	6	
-Open Wound - Head, Neck, Trunk	870-879	0	1	1	7	
-Open Wound - Upper Limb	880-887	0	4	0	9	
-Contusion	920-924	1	2	0	5	
-Foreign Body Entering Orifice	930-939	0	3	0	4	
-Burns	940-949	0	1	0	4	
-Toxic Effects - Non-medicinal	980-989	0	1	1	4	
-Unspecified Effects - External Causes	990-995	0	0	0	1	

Diagnostic Category	Men							
	Job Category							TOTAL
	Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts	Line Operators	
Total	12	3	6	12	1	18	4	56

\*Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

**Savannah River Site 2005**

**OSHA Data**

**Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Job Category\***

		Women							
		Job Category							
		Professional		Administrative Support		Technical Support		Line Operators	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes								
-Disorders of Eye	360-379	0	0	0	0	0	0	0	0
-Chronic Obstructive Dis	490-496	0	0	0	0	1	0	0	0
-Arthropathies	710-719	0	0	0	0	0	0	1	0
-Dorsopathies	720-724	0	3	7	0	0	0	1	0
-Rheumatism, Excluding Back	725-729	0	0	0	0	0	0	36	7
-Symptoms	780-789	0	0	0	0	0	0	0	0
-Fracture - Upper Limb	810-819	0	0	0	0	0	0	0	78
-Sprains & Strains - Other	840-845, 848	11	0	0	0	11	0	35	5
-Open Wound - Upper Limb	880-887	0	0	0	0	0	0	24	0
-Superficial Injury	910-919	0	0	0	0	0	0	0	0
-Contusion	920-924	0	0	0	0	0	0	24	0
-Toxic Effects - Non-medicinal	980-989	0	0	0	0	1	0	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Savannah River Site 2005

## OSHA Data

### Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Job Category\*

		Men							
		Job Category							
		Professional		Administrative Support		Technical Support		Service	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes								
-Disorders of Eye	360-379	0	0	0	0	0	0	0	0
-Hernia	550-553	0	0	0	0	0	0	15	20
-Dorsopathies	720-724	0	0	0	0	0	0	0	0
-Rheumatism, Excluding Back	725-729	0	0	0	0	0	0	0	0
-Symptoms	780-789	7	5	0	0	0	0	0	0
-Fracture - Upper Limb	810-819	63	0	0	0	0	0	2	0
-Dislocation	830-839	0	0	78	16	0	0	0	0
-Sprains & Strains - Back	846-847	17	0	0	0	28	0	0	0
-Sprains & Strains - Other	840-845, 848	0	0	78	16	0	0	0	0
-Open Wound - Head, Neck, Trunk	870-879	7	5	0	0	0	0	4	0
-Open Wound - Upper Limb	880-887	13	0	0	0	0	0	2	0
-Contusion	920-924	0	0	0	0	0	0	4	0
-Foreign Body Entering Orifice	930-939	0	0	0	0	0	0	0	0
-Burns	940-949	15	0	0	0	0	0	0	0
-Toxic Effects - Non-medicinal	980-989	0	0	0	0	0	0	0	0
-Unspecified Effects - External Causes	990-995	0	0	0	0	0	0	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Savannah River Site 2005

## OSHA Data

### Appendix T. Number of Workdays Lost or with Restricted Activity in Each Diagnostic Category by Gender and Job Category\*

		Men					
		Job Category					
		Security and Fire		Crafts		Line Operators	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Diagnostic Category	ICD-9-CM Codes						
-Disorders of Eye	360-379	0	0	0	0	0	0
-Hernia	550-553	0	0	0	0	0	0
-Dorsopathies	720-724	0	0	6	0	0	0
-Rheumatism, Excluding Back	725-729	0	0	0	0	0	0
-Symptoms	780-789	0	0	0	0	0	0
-Fracture - Upper Limb	810-819	0	0	0	0	0	0
-Dislocation	830-839	0	0	0	0	0	0
-Sprains & Strains - Back	846-847	0	0	6	0	0	0
-Sprains & Strains - Other	840-845, 848	0	0	286	0	0	0
-Open Wound - Head, Neck, Trunk	870-879	0	0	0	0	0	0
-Open Wound - Upper Limb	880-887	0	0	0	0	0	0
-Contusion	920-924	10	0	0	0	0	0
-Foreign Body Entering Orifice	930-939	0	0	0	0	0	0
-Burns	940-949	0	0	0	0	0	0
-Toxic Effects - Non-medicinal	980-989	0	0	0	0	0	0
-Unspecified Effects - External Causes	990-995	0	0	0	0	0	0

\*OSHA events with >1 ICD-9-CM code in the same diagnostic category were counted only once. Only those diagnostic categories and gender/job category combinations with at least one occurrence appear in this table.

# Savannah River Site 2005

## OSHA Data

### Appendix U. Number of Occurrences in Each Accident Category by Gender and Job Category\*

		Women				
		Job Category				TOTAL
		Professional	Administrative Support	Technical Support	Line Operators	
Type of Accident	E CODES					
Accidental Poisoning - Non-medicinal	E860-E869	1	0	1	0	2
Falls	E880-E888	0	0	0	2	2
Natural/Environmental Factors	E900-E909	1	0	0	1	2
Other Accidents	E916-E928	4	2	4	4	14

		Men							
		Job Category						TOTAL	
		Professional	Administrative Support	Technical Support	Service	Security and Fire	Crafts		Line Operators
Type of Accident	E CODES								
Accidental Poisoning - Non-medicinal	E860-E869	0	0	1	0	0	0	0	1
Falls	E880-E888	0	0	1	0	0	2	1	4
Natural/Environmental Factors	E900-E909	0	0	1	1	0	1	1	4
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	1	0	0	3	0	4
Other Accidents	E916-E928	9	2	1	8	1	9	1	31

\*Only those accident types and gender/job category combinations with at least one occurrence appear in this table.



# Savannah River Site 2005

## OSHA Data

### Appendix V. Number of Workdays Lost or with Restricted Activity in Each Accident Category by Gender and Job Category\*

		Women							
		Job Category							
		Professional		Administrative Support		Technical Support		Line Operators	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes								
Accidental Poisoning - Non-medicinal	E860-E869	0	0	0	0	1	0	0	0
Falls	E880-E888	0	0	0	0	0	0	31	85
Natural/Environmental Factors	E900-E909	0	0	0	0	0	0	0	0
Other Accidents	E916-E928	11	3	7	0	11	0	64	5

		Men							
		Job Category							
		Professional		Administrative Support		Technical Support		Service	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes								
Accidental Poisoning - Non-medicinal	E860-E869	0	0	0	0	0	0	0	0
Falls	E880-E888	0	0	0	0	28	0	0	0
Natural/Environmental Factors	E900-E909	0	0	0	0	0	0	0	0
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	0	0	0	0	0
Other Accidents	E916-E928	115	5	78	16	0	0	21	20

		Men					
		Job Category					
		Security and Fire		Crafts		Line Operators	
		Days Restricted	Days Lost	Days Restricted	Days Lost	Days Restricted	Days Lost
Type of Accident	E Codes						
Accidental Poisoning - Non-medicinal	E860-E869	0	0	0	0	0	0
Falls	E880-E888	0	0	286	0	0	0
Natural/Environmental Factors	E900-E909	0	0	0	0	0	0
Submersion/Suffocation/Foreign Bodies	E910-E915	0	0	0	0	0	0
Other Accidents	E916-E928	10	0	6	0	0	0

\*OSHA events with >1 E code in the same accident type were counted only once. Only those accident types and gender/job category combinations with at least one occurrence appear in this table.

# Savannah River Site 2005

## OSHA Data

### Appendix W. Age-Adjusted OSHA Illness and Injury Rates by Diagnostic Category

#### Part 1. Men

Category of Diagnoses	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1000*	Lower 95% Confidence Limit per 1000	Upper 95% Confidence Limit per 1000
Infections/Parasites	001-139	0	0	0	0
Cancer	140-208, 230-234	0	0	0	0
Benign Growths	210-229, 235-239	0	0	0	0
Endocrine/Metabolic	240-279	0	0	0	0
Blood	280-289	0	0	0	0
Mental	290-319	0	0	0	0
Nervous System	320-389	1	0.1	0.0	0.5
-Disorders of Peripheral NS	350-359	0	0	0	0
-Disorders of Eye	360-379	1	0.1	0.0	0.5
-Disorders of Ear & Mastoid	380-389	0	0	0	0
Heart/Circulatory	390-459	0	0	0	0
Respiratory	460-519	0	0	0	0
-Chronic Obstructive Diseases	490-496	0	0	0	0
-Lung Disease from External Agents	500-508	0	0	0	0
Digestive	520-579	1	0.1	0.0	0.4
-Hernias	550-553	1	0.1	0.0	0.4
Genitourinary	580-629	0	0	0	0
Skin	680-709	0	0	0	0
Musculoskeletal	710-739	4	1.2	0.2	6.5
-Arthropathies	710-719	0	0	0	0
-Dorsopathies	720-724	2	1.1	0.2	7.0
-Rheumatism, Excluding Back	725-729	2	0.1	0.0	0.4
Unspecified Symptoms	780-799	2	0.1	0.0	0.4
Injury	800-999	48	7.0	4.1	12.1
-Fractures - Skull, Neck, Trunk	800-809	0	0	0	0
-Fractures - Upper Limb	810-819	2	0.1	0.0	0.6
-Fractures - Lower Limb	820-829	0	0	0	0
-Dislocations	830-839	1	0.1	0.0	0.4
-Back Sprains & Strains	846-847	5	1.7	0.5	6.1
-Other Sprains & Strains	840-845, 848	6	0.6	0.2	1.8
-Open Wounds - Head, Neck, Trunk	870-879	7	0.4	0.2	0.9
-Open Wounds - Upper Limb	880-887	9	1.5	0.4	5.8
-Open Wounds - Lower Limb	890-897	0	0	0	0
-Superficial Injuries	910-919	0	0	0	0
-Bruises	920-924	5	0.3	0.1	0.8
-Foreign Bodies Entering Orifice	930-939	4	0.5	0.1	1.8
-Burns	940-949	4	1.2	0.2	6.3

\*Standardized to age distribution of 2000 U.S. population.

## Savannah River Site 2005

### OSHA Data

#### Appendix W. Age-Adjusted OSHA Illness and Injury Rates by Diagnostic Category

Category of Diagnoses	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1000*	Lower 95% Confidence Limit per 1000	Upper 95% Confidence Limit per 1000
-Adverse Reactions to Nonmedical Substances or External Causes	980-995	5	0.6	0.2	1.8
-All Other Injuries	850-854, 860-869, 900-909, 925-929, 950-979, 996-999	0	0	0	0
Health Status/Health Service Contact	V01-V82	0	0	0	0
<b>Total</b>		56	8.4	5.1	14.1

#### Part 2. Women

Category of Diagnoses	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1000*	Lower 95% Confidence Limit per 1000	Upper 95% Confidence Limit per 1000
Infections/Parasites	001-139	0	0	0	0
Cancer	140-208, 230-234	0	0	0	0
Benign Growths	210-229, 235-239	0	0	0	0
Endocrine/Metabolic	240-279	0	0	0	0
Blood	280-289	0	0	0	0
Mental	290-319	0	0	0	0
Nervous System	320-389	1	0.2	0.0	1.3
-Disorders of Peripheral NS	350-359	0	0	0	0
-Disorders of Eye	360-379	1	0.2	0.0	1.3
-Disorders of Ear & Mastoid	380-389	0	0	0	0
Heart/Circulatory	390-459	0	0	0	0
Respiratory	460-519	1	0.2	0.0	1.3
-Chronic Obstructive Diseases	490-496	1	0.2	0.0	1.3
-Lung Disease from External Agents	500-508	0	0	0	0
Digestive	520-579	0	0	0	0
-Hernias	550-553	0	0	0	0
Genitourinary	580-629	0	0	0	0
Skin	680-709	0	0	0	0
Musculoskeletal	710-739	8	4.0	1.0	15.6
-Arthropathies	710-719	2	0.4	0.1	1.5
-Dorsopathies	720-724	3	3.1	0.6	17.6
-Rheumatism, Excluding Back	725-729	3	0.6	0.2	1.7
Unspecified Symptoms	780-799	1	0.2	0.0	1.3
Injury	800-999	17	4.7	2.6	8.4
-Fractures - Skull, Neck, Trunk	800-809	0	0	0	0
-Fractures - Upper Limb	810-819	2	0.9	0.2	4.5
-Fractures - Lower Limb	820-829	0	0	0	0
-Dislocations	830-839	0	0	0	0

\*Standardized to age distribution of 2000 U.S. population.

## Savannah River Site 2005

### OSHA Data

#### Appendix W. Age-Adjusted OSHA Illness and Injury Rates by Diagnostic Category

Category of Diagnoses	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1000*	Lower 95% Confidence Limit per 1000	Upper 95% Confidence Limit per 1000
-Back Sprains & Strains	846-847	0	0	0	0
-Other Sprains & Strains	840-845, 848	4	0.7	0.3	2.0
-Open Wounds - Head, Neck, Trunk	870-879	0	0	0	0
-Open Wounds - Upper Limb	880-887	6	1.6	0.6	4.3
-Open Wounds - Lower Limb	890-897	0	0	0	0
-Superficial Injuries	910-919	2	0.4	0.1	1.5
-Bruises	920-924	1	0.7	0.1	5.1
-Foreign Bodies Entering Orifice	930-939	0	0	0	0
-Burns	940-949	0	0	0	0
-Adverse Reactions to Nonmedical Substances or External Causes	980-995	2	0.4	0.1	1.5
-All Other Injuries	850-854, 860-869, 900-909, 925-929, 950-979, 996-999	0	0	0	0
Health Status/Health Service Contact	V01-V82	0	0	0	0
<b>Total</b>		<b>28</b>	<b>9.3</b>	<b>4.8</b>	<b>18.0</b>

### Part 3. Men and Women

Category of Diagnoses	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1000*	Lower 95% Confidence Limit per 1000	Upper 95% Confidence Limit per 1000
Infections/Parasites	001-139	0	0	0	0
Cancer	140-208, 230-234	0	0	0	0
Benign Growths	210-229, 235-239	0	0	0	0
Endocrine/Metabolic	240-279	0	0	0	0
Blood	280-289	0	0	0	0
Mental	290-319	0	0	0	0
Nervous System	320-389	2	0.1	0.0	0.4
-Disorders of Peripheral NS	350-359	0	0	0	0
-Disorders of Eye	360-379	2	0.1	0.0	0.4
-Disorders of Ear & Mastoid	380-389	0	0	0	0
Heart/Circulatory	390-459	0	0	0	0
Respiratory	460-519	1	0.0	0.0	0.3
-Chronic Obstructive Diseases	490-496	1	0.0	0.0	0.3
-Lung Disease from External Agents	500-508	0	0	0	0
Digestive	520-579	1	0.0	0.0	0.3
-Hernias	550-553	1	0.0	0.0	0.3
Genitourinary	580-629	0	0	0	0
Skin	680-709	0	0	0	0
Musculoskeletal	710-739	12	1.9	0.7	5.6

\*Standardized to age distribution of 2000 U.S. population.

## Savannah River Site 2005

### OSHA Data

#### Appendix W. Age-Adjusted OSHA Illness and Injury Rates by Diagnostic Category

Category of Diagnoses	ICD-9-CM Code	Number of Diagnoses	Age-Adjusted Rate per 1000*	Lower 95% Confidence Limit per 1000	Upper 95% Confidence Limit per 1000
-Arthropathies	710-719	2	0.1	0.0	0.4
-Dorsopathies	720-724	5	1.6	0.5	5.7
-Rheumatism, Excluding Back	725-729	5	0.2	0.1	0.5
Unspecified Symptoms	780-799	3	0.1	0.0	0.4
Injury	800-999	65	6.4	4.1	9.9
-Fractures - Skull, Neck, Trunk	800-809	0	0	0	0
-Fractures - Upper Limb	810-819	4	0.4	0.1	1.2
-Fractures - Lower Limb	820-829	0	0	0	0
-Dislocations	830-839	1	0.0	0.0	0.3
-Back Sprains & Strains	846-847	5	1.2	0.4	4.4
-Other Sprains & Strains	840-845, 848	10	0.6	0.3	1.4
-Open Wounds - Head, Neck, Trunk	870-879	7	0.3	0.1	0.7
-Open Wounds - Upper Limb	880-887	15	1.5	0.5	4.2
-Open Wounds - Lower Limb	890-897	0	0	0	0
-Superficial Injuries	910-919	2	0.1	0.0	0.4
-Bruises	920-924	6	0.4	0.2	1.3
-Foreign Bodies Entering Orifice	930-939	4	0.4	0.1	1.2
-Burns	940-949	4	0.9	0.2	4.6
-Adverse Reactions to Nonmedical Substances or External Causes	980-995	7	0.5	0.2	1.3
-All Other Injuries	850-854, 860-869, 900-909, 925-929, 950-979, 996-999	0	0	0	0
Health Status/Health Service Contact	V01-V82	0	0	0	0
<b>Total</b>		<b>84</b>	<b>8.6</b>	<b>5.7</b>	<b>12.9</b>

\*Standardized to age distribution of 2000 U.S. population.